

DRAFT

2026 Assessment of Compliance with Desired Future Conditions and Protective Drawdown Limits, Post Oak Savannah Groundwater Conservation District

Prepared for:



Post Oak Savannah Groundwater Conservation District
310 E Ave C
Milano, TX 76556

Prepared by:



INTERA Incorporated
9600 Great Hills Trail Suite 300W
Austin, Texas 78759
512.425.2000

JULY 2026

VERSION 1.0



Executive Summary

The report documents the Post Oak Savannah Groundwater Conservation District (POSGCD) 2026 assessment of compliance with its Desired Future Conditions (DFCs) and Protective Drawdown Limits (PDLs). Consistent with adopted DFCs in GMA 12, POSGCD defined the DFCs listed in Tables **ES-1** and **ES-2** for seven aquifers. The DFCs are expressed as an average drawdown that occurs across the entire extent of each aquifer within POSGCD boundaries. Throughout the report, the ending time of December 2069 is sometimes referred to as 2070, meaning January 1, 2070.

Table ES-1. GMA 12 and POSGCD adopted DFCs based on the average drawdown that occurs between January 2011 and December 2069.

Aquifer	Drawdown (ft)
Sparta	32
Queen City	30
Carrizo	146
Upper Wilcox (Calvert Bluff Fm)	156
Middle Wilcox (Simsboro Fm)	278
Lower Wilcox (Hooper Fm)	178

Table ES-2. GMA 12 and POSGCD adopted DFCs based on the average drawdown that occurs between January 2011 and December 2069.

Aquifer	Drawdown (ft)
Yegua-Jackson	61

POSGCD has divided most of the DFC Management Zones into two to three Management Areas. Most of the Management Areas are regulated by PDLs. Management Areas were created for the purpose of improving the District's ability to manage and regulate water level change across the portion of the District's aquifers where the majority of wells are located. The up-dip most area of the aquifer that includes the aquifer outcrop is represented by PDL Management Area 1. Management Area 1 has the largest proportion of the monitoring well network, and thus the highest confidence in the estimated water level and drawdown surfaces. **Table ES-3** summarizes the PDLs that have been adopted by POSGCD.

Table ES-3. PDLs for management areas.

Aquifer	Average Drawdown Limits Measured from January 2011 to December 2069	
	Management Area 1	Management Area 2
Sparta	28	N/A
Queen City	19	N/A
Carrizo	75	175



Aquifer	Average Drawdown Limits Measured from January 2011 to December 2069	
	Management Area 1	Management Area 2
Calvert Bluff	88	223
Simsboro	91	335
Hooper	54	N/A

To help ensure that management actions can occur prior to DFCs and PDLs being violated, the POSGCD has defined action levels (identified in POSGCD Groundwater Rule 16.4). Threshold Level 1 is triggered when the average drawdown calculated from the measured water levels is greater than 50 percent (%) of a DFC or 50% of a PDL. Threshold Level 2 is triggered when the average drawdown exceeds 60% of either the DFC or PDL. If Threshold Level 1 is triggered, then hydrogeologic studies will be performed. A possible outcome of these studies is to develop schedules to curtail groundwater production in the affected Management Areas and/or Zones. If Threshold Level 2 is triggered, the District may notify well-owners of possible plans of curtailment of productions in affected Management Zones pending results from the Threshold Level 1 studies.

Water level data measured from POSGCD monitoring wells is required to assess compliance with DFCs. The POSGCD Monitoring Well Network consists of 598 wells with usable water levels screened in the seven aquifers assessed in this study. The network is continually being reviewed and updated to include additional monitoring wells to improve the ability to monitor aquifer conditions. In addition, water-level measurements from wells located in adjacent groundwater conservation districts (GCDs) are available for use in the analysis. This study used water-level measurements from 459 POSGCD wells and 384 wells in adjacent GCDs which had measurements in 2025 and/or 2026. Table ES-4 summarizes the evaluation of DFC compliance for the seven aquifers that were evaluated.

Table ES-4 Evaluation of DFC Compliance based on Comparison with Average Drawdown Calculated from the DFC base year until 2026 using Measured Water Levels

Management Zone	2070 DFC (ft)	Avg. Drawdown (ft) / % of DFC	Threshold Level Exceeded
Sparta	32	7.8 (24.2%)	-
Queen City	30	-0.2 (-0.6%)	-
Carrizo	146	111.2 (76.1%)	3
Calvert Bluff (Upper Wilcox)	156	59.4 (38.1%)	-
Simsboro (Middle Wilcox)	278	121.1 (43.6%)	-
Hooper (Lower Wilcox)	178	78.6 (44.2%)	-
Yegua-Jackson	61	2.6 (4.3%)	-



For the water levels measured in 2026, the aquifer with the greatest amount of drawdown relative to its DFC is the Carrizo, which had an average drawdown of 111.2 ft in 2026. This drawdown represents 76.1% of the Carrizo 146 ft DFC average drawdown in 2070, which exceeds Threshold Level 3.

Table ES-5 summarizes the evaluation of compliance in 2026 for the six aquifers with PDLs. The aquifer with the greatest amount of drawdown relative to its PDL is Carrizo Management Area 2, which had an average drawdown of 138.9 ft or 79.4% of the 175 ft PDL in 2070. This average drawdown for Carrizo Management Area 2 exceeds 75% of the PDL, which is Threshold Level 3.

Table ES-5. Evaluation of PDL compliance based on comparison with average drawdown calculated from the DFC base year until 2026 using measured water levels.

Management Area		2070 PDL (ft)	Avg. Drawdown (ft) / % of DFC	Threshold Level Exceeded
Sparta	Area 1	28	5.5 (19.6%)	-
Queen City	Area 1	19	-3.4 (-18.1%)	-
Carrizo	Area 1	75	30.4 (40.5%)	-
	Area 2	175	138.9 (79.4%)	3
Calvert Bluff (Upper Wilcox)	Area 1	88	39.2 (44.5%)	-
	Area 2	223	81.2 (36.4%)	-
Simsboro (Middle Wilcox)	Area 1	91	8.9 (9.8%)	-
	Area 2	335	152.0 (45.4%)	-
Hooper (Lower Wilcox)	Area 1	54	4.0 (7.5%)	-



TABLE OF CONTENTS

1.0	Introduction	1
1.1	Post Oak Savannah Groundwater Conservation District	1
1.1.1	DFC Management Zones	2
1.1.2	PDL Management Areas	3
1.2	Report Organization	3
2.0	Groundwater Management Plan	6
2.1	DFC Management Zones and PDL Management Areas	6
2.2	Desired Future Conditions	6
2.3	Protective Drawdown Limits	7
2.4	Threshold Limits for DFCs and PDLs	8
3.0	POSGCD Water Level MONITORING WELL NETWORK	10
3.1	Monitoring Well Network	10
3.2	Measurement of Water Levels	10
4.0	Compliance Evaluation	13
4.1	DFC Compliance Evaluation	13
4.1.1	Methods for Spatial Interpolation of Measured Water Levels	13
4.1.2	Evaluation of Water Levels for DFC Compliance	15
4.2	PDL Compliance Evaluation	18
4.2.1	Method	18
4.2.2	Evaluation of Water Levels for PDL Compliance	19
5.0	References	29
Appendix A	2026 Water Level Drawdown Surfaces Created by Applying Topo to Raster to Water Levels	
Appendix B	2026 Water Level Drawdown Surfaces Created by Applying Ordinary Kriging to Water Levels	
Appendix C	2026 Water Level Drawdown Surfaces Created by Applying Ordinary Kriging to Water Level Residuals	
Appendix D	Table of Wells and Water Levels Used in 2011 DFC Compliance Calculations	
Appendix E	Table of Wells and Water Levels Used in 2026 DFC Compliance Calculations	

LIST OF FIGURES

Figure 1-1.	Counties and groundwater districts associated with Groundwater Management Areas 8 and 12. ...	4
Figure 1-2.	Map of aquifer outcrops based on information extracted from Groundwater Availability Models (Young et al., 2020)	5
Figure 2-1.	POSGCD aquifer Management Zones and Management Areas for evaluating GMA 12 DFCs and PDL respectively	9



Figure 3-1.	Well locations in the POSGCD monitoring well network in the seven aquifers evaluated for compliance with DFCs.	11
Figure 3-2.	Wells in the seven aquifers with measurements in 2025 and/or 2026 and used in drawdown calculations.	12
Figure 4-1.	Diagram showing the process of interpolation of measured water levels in the Simsboro Aquifer to determine the average drawdown from 2000 to 2021.	22
Figure 4-2.	Interpolated water level surfaces for the 2026 analysis year for the Carrizo Aquifer.....	23
Figure 4-3.	Comparison of drawdown generated for the Carrizo for the time interval 2011 to 2026 by three different spatial interpolation methods: Topo to Raster (T2R), Ordinary Kriging with Water Levels (KWL), and Ordinary Kriging with Residuals (KRS). The upper three plots compare contours of drawdown and the lower three plots show average drawdown of the three methods over time as determined from the base year 2011. (average drawdowns results for years 2023, 2024, 2025, and 2026).	24
Figure 4-4.	Comparison of average drawdown and drawdowns calculated from the year 2011 using the spatial interpolation methods topo to raster (T2R), kriging with water levels (KWL), and kriging with residuals (KRS) for the Sparta, Queen City, Carrizo, Calver Bluff, Simsboro, and Hooper aquifers Management Zones (average drawdowns results for years 2023, 2024, 2025, and 2026).....	25
Figure 4-5.	Comparison of average drawdowns calculated from the year 2010 using the spatial interpolation methods topo to raster (T2R) and kriging with water levels (KWL) Yegua-Jackson aquifer Management Zone.....	26
Figure 4-6.	Comparison of average drawdown and drawdowns calculated from the year 2011 using the spatial interpolation methods topo to raster (T2R), kriging with water levels (KWL), and kriging with residuals (KRS) for Management Area 1 for the Sparta, Queen City, Carrizo, Calver Bluff, Simsboro, and Hooper aquifers. (average drawdown results for years 2023, 2024, 2025, and 2026).	27
Figure 4-7.	Comparison of average drawdown and drawdowns calculated from the year 2011 using the spatial interpolation methods topo to raster (T2R), kriging with water levels (KWL), and kriging with residuals (KRS) for the Management Area 2 for the Sparta, Queen City, Carrizo, Calver Bluff, Simsboro, and Hooper aquifers. (average drawdowns results for years 2023, 2024, 2025, and 2026).	28

LIST OF TABLES

Table 1-1.	Generalized stratigraphic column for aquifers and formations in POSGCD.	2
Table 2-1.	POSGCD DFCs for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers. ..	7
Table 2-2.	Adopted DFC for the Yegua-Jackson Aquifer.	7
Table 2-3.	Protective drawdown limits (PDLs) for management areas.....	8
Table 4-1.	Evaluation of DFC compliance for 2026 based on the three Threshold limits for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers.	16
Table 4-2.	Evaluation of DFC compliance for 2025 and 2026 based on the three Threshold Limits for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers.....	17
Table 4-3.	Evaluation of DFC compliance for 2026 for Yegua-Jackson aquifer.....	18



Table 4-4.	Evaluation of DFC compliance for 2025 and 2026 for the Yegua-Jackson aquifer.	18
Table 4-5.	Evaluation of PDL compliance for 2026 based on the three Threshold limits for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers.	20
Table 4-6.	Evaluation of PDL compliance for 2025 and 2026 based on the three Threshold limits for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers.	21

DRAFT



ACROYNMS AND ABBREVIATIONS

%	percent
District	Post Oak Savannah Groundwater Conservation District
DFC	Desired Future Condition
ft	feet
GAM	Groundwater Availability Model
GCD	Groundwater Conservation District
GMA	Groundwater Management Area
GMP	Groundwater Management Plan
HB	House Bill
KWL	Ordinary Kriging of Water Levels
KRS	Ordinary Kriging of Water Level Residuals
PDL	Protective Drawdown Limit
POSGCD	Post Oak Savannah Groundwater Conservation District
T2R	Topo to Raster
TWC	Texas Water Code
TWDB	Texas Water Development Board



1.0 Introduction

This report documents the 2026 assessment of compliance with the Post Oak Savannah Groundwater Conservation District (POSGCD) Desired Future Conditions (DFCs) and the Protective Drawdown Limits (PDLs). The methods used to assess compliance in this report were documented in a report entitled “Post Oak Savannah Guidance Document for Evaluating Compliance with Desired Future Conditions and Protective Drawdown Limits” which was originally completed in 2018 and updated in 2021 (INTERA, 2018; 2021). The methodologies used in this assessment and documented in the 2021 report were discussed throughout a series of presentations at POSGCD DFC committee and board meetings from 2019 through 2024. The assessment approach is meant to be adaptive and subject to improvements in response to new information and changes in site conditions.

1.1 Post Oak Savannah Groundwater Conservation District

The POSGCD was created in Milam and Burleson counties by House Bill (HB) 1784, 77th Legislature, 2001, and a local confirmation election in November 2002. The purpose of this bill is to provide a locally controlled groundwater district to conserve and preserve groundwater, protect groundwater users, protect and recharge groundwater, prevent pollution or waste of groundwater in the central Carrizo-Wilcox area, control subsidence caused by withdrawal of water from the groundwater reservoirs in that area, and regulate the transport of water out of the boundaries of the districts.

The POSGCD is a member of Groundwater Management Area (GMA) 12 and GMA 8, whose areal extents are shown in **Figure 1-1**. To help establish DFCs for the relevant aquifers within the boundaries of Groundwater Management Areas (GMAs) 8 and 12, POSGCD will consider groundwater availability models (GAMs) along with other data or information when available. As part of the joint planning process, POSGCD establishes management goals and objectives that are consistent with the DFCs adopted by GMA 8 and GMA 12.

Table 1-1 provides stratigraphic column of the formations and aquifers located within the District boundaries. **Figure 1-2** shows the locations of the outcrops of these formations and aquifers based on the surface geology mapped by Young et al. (2018), Ewing and Jigmond (2016), and Deeds et al. (2010). An outcrop is where an aquifer is present at ground surface. The aquifers in the District generally dip to the southeast at slopes of about 100 to 150 feet (ft) per mile. Within the District, the Trinity Aquifer does not outcrop and is overlaid primarily by the Midway Formation. The Midway Formation outcrops in the northwestern portion of Milam County. The Midway Formation is an aquitard separating the older Northern Trinity Aquifer from the younger Carrizo-Wilcox Aquifer. An aquitard is a formation that is composed primarily of clayey deposits that allow only small amounts of groundwater to flow. Generally, aquitards do not contain sufficiently permeable deposits to support sustained pumping. Therefore, the District has not established DFCs for the Midway Formation and two other aquicludes listed in Table 1-1, which are the Reklaw and Weches formations.



Table 1-1. Generalized stratigraphic column for aquifers and formations in POSGCD.

ERA	Period	Age (M.Y.)	Hydrostratigraphic Unit	Hydrogeologic Unit
Cenozoic	Tertiary	33.9	Jackson	Yegua-Jackson Aquifer
			Yegua	
			Sparta	Sparta Aquifer
			Weches	Aquitard (mud)
			Queen City	Queen City Aquifer
			Reklaw	Aquitard (mud)
		55.8	Carrizo	Carrizo-Wilcox Aquifer
			Upper Wilcox/Calvert Bluff	
			Middle Wilcox/Simsboro	
			Lower Wilcox/Hooper	
		65.5	Midway	Aquitard (mud)
Mesozoic	Cretaceous		Trinity	Trinity Aquifer

The Trinity Aquifer is not considered a relevant aquifer in the District. The Midway aquitard overlies the Trinity Aquifer outcrops in the far northwestern portions of Milam County, but the Trinity Aquifer is only present in the subsurface and is not covered in this document.

The District is divided into Groundwater Management Zones and Management Areas. This recognizes the different characteristics and anticipates future development of the aquifers in the District when evaluating and managing groundwater resources. The District has adopted DFCs through the joint planning process for each of the Management Zones. The District has adopted PDLs for several of the Management Areas. Currently, the District's DFCs and PDLs represent drawdown limits over fixed time intervals.

The objective of this scientific report is to assess the District's compliance with its DFCs and PDLs. The report assembles and analyzes measured water levels to determine the amount of drawdown that has occurred across those Management Zones with drawdown-based DFCs and within Management Areas with a PDL. Due to the adaptive nature of the joint-planning process and the District Groundwater Management Plan (GMP; described in Section 2), this report includes a section which considers potential future improvements of monitoring data and an assessment of the methodology and associated assumptions.

1.1.1 DFC Management Zones

Chapter 36 of the Texas Water Code (TWC) provides statutory guidance for groundwater conservation districts (GCDs). Chapter 36.108 describes the GCD requirements for joint-planning and compliance with DFCs. For permitting of groundwater within the District, Chapter 36.1132(b) states that districts "shall manage total groundwater production on a long-term basis to achieve an applicable desired future condition." In response to these duties, the GMP requires that the District assess compliance with DFCs at least every three years using water levels from the monitoring wells.



The principal aquifers that are managed by the District include the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers. The boundaries for the Management Zones for these seven aquifers are conterminous with boundaries of the aquifers they represent. The measured water levels for each Management Zone are used to estimate a drawdown surface. This drawdown surface is then averaged over the area of the Management Zone area and evaluated relative to the DFC. The methods in which DFCs are assessed are further discussed in Section 4.

1.1.2 PDL Management Areas

The District has subdivided the DFC Management Zones of its six principal aquifers into two to three Management Areas. The creation of the Management Areas was performed with heavy consideration for the spatial distribution of the existing wells, especially monitoring wells, across each aquifer. Generally, the upmost dip portion of an aquifer (designated as PDL Management Area 1) has the highest number and distribution of monitoring wells. By carving out a PDL Management Area that contains a greater density of monitoring wells than is contained across an aquifer's DFC Management Zone, the average drawdown can be determined with greater accuracy and with higher confidence than the average drawdown for the larger zone.. The current set of District rules require that PDL compliance be assessed at the same schedule as DFC compliance. The methods in which PDLs are assessed are discussed in Section 4.

1.2 Report Organization

The report is organized starting in Section 2 with a review of the key management plan concepts as they relate to long-term compliance with the DFCs and a discussion of the PDLs developed to protect production capacity of existing wells in the shallow unconfined portions of District aquifers. The fundamental data used to assess compliance is drawdown, which is the amount of elevation drop that occurs in a water level inside a well for a specified time interval. . Water levels are monitored by the District through a monitoring well program. Section 3 describes the monitoring network and the associated measurements. Section 4 assesses the Districts compliance to its DFCs and PDLs. Section 5 provides observations and recommendations for improving the collection and the use of water levels to assess future compliance with DFCs and PDLs.




Figure 1-1. Counties and groundwater districts associated with Groundwater Management Areas 8 and 12.




Figure 1-2. Map of aquifer outcrops based on information extracted from Groundwater Availability Models (Young et al., 2020).



2.0 Groundwater Management Plan

Chapter 36.1071 of the TWC requires that a District develop a Groundwater Management Plan (GMP) that includes management goals for evaluating compliance with the DFCs adopted by the District under Chapter 36.108. Consistent with these requirements, the District uses measured water levels from its monitoring wells to assess compliance with its DFCs at least once every three years. This commitment is stated in Section 17.10 of POSGCD's Management Plan (POSGCD, 2022) titled "Desired Future Conditions and Protective Drawdown Limits". **Exhibit 1** is an image of Section 17.10 of POSGCD Management Plan. Section 17.10 requires POSGCD to assess their compliance with both DFCs and PDLs at least once every three years.

17.10 Desired Future Conditions and Protective Drawdown Limits¶

Management Objective:¶

At least once every three years, the District will monitor water levels and evaluate whether the change in water levels is in conformance with the DFCs and PDLs adopted by the District. The District will estimate total annual groundwater production for each aquifer based on the water use reports, estimated exempted use, and other relevant information, and compare these production estimates to the MAGs listed in Table 8-1.¶

Performance Standards:¶

1. → At least once every three years, the general manager will report to the Board the measured water levels obtained from the monitoring wells within each Management Zone/Area, the average measured drawdown for each Management Zone/Area calculated from the measured water levels of the monitoring wells within the Management Zone/Area, a comparison of the average measured drawdowns for each Management Zone with the DFCs/PDLs for each Management Zone/Area, and the District's progress in conforming with the DFCs/PDLs.¶
2. → At least once every three years, the general manager will report to the Board the total permitted production and the estimated total annual production for each aquifer and compare these amounts to the MAGs listed in Table 8-1 for each aquifer.¶

Exhibit 1 Section 17.10 Desired Future Conditions and Protective Drawdown Limits from Post Oak Savannah Management Plan (POSGCD, 2022).

2.1 DFC Management Zones and PDL Management Areas

Figure 2-1 shows DFC Management Zones for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro and Hooper aquifers. **Figure 2-1** also shows the Management Areas for these six aquifers. The DFCs and the PDLs were developed to be consistent with the simulated drawdowns from Groundwater Management Area 12 simulations that are described in the GMA 12 Explanatory Report (D.B Stephens & Associates et al., 2022). The DFCs and the PDLs are described in the next two subsections.

2.2 Desired Future Conditions

Table 2-1 lists the POSGCD DFCs for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers. These DFCs were developed as part of GMA 12 joint planning process and are based on a GAM



simulation using pumping file S-19 (D.B Stephens & Associates et al., 2022). Pumping file S-19 was assembled by GMA 12 to represent the pumping associated with the six aquifers from 2011 to 2070. The pumping estimate began in 2011 because the calibration of the GAM (Young et al., 2018: 2020) for the six aquifers ends in 2010.

Table 2-1. POSGCD DFCs for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers.

Aquifer	2021 Joint Planning
	Average Drawdown (ft) between January 2011 and January 2070
Sparta	32
Queen City	30
Carrizo	146
Calvert Bluff (Upper Wilcox)	156
Simsboro (Middle Wilcox)	278
Hooper (Lower Wilcox)	178

Table 2-2 lists the POSGCD DFC for the Yegua-Jackson Aquifer. The DFC was developed as part of GMA 12 joint planning process and is based on a GAM simulation using pumping file YGSK-PS2 (D.B Stephens & Associates et al., 2022). Pumping file YGSK-PS2 was assembled by GMA 12 to represent the pumping associated with Yegua-Jackson Aquifer from 1998 to 2070. The pumping estimate began in 1998 because the calibration of the GAM (Deeds et al., 2010) for the six aquifers ended in 1997.

Table 2-2. Adopted DFC for the Yegua-Jackson Aquifer.

Aquifer	2021 Joint Planning
	Average Drawdown (ft) between January 2010 and January 2070
Yegua-Jackson	61

2.3 Protective Drawdown Limits

For six of the seven Management Areas (excludes the Yegua-Jackson), the District has adopted PDL(s), which represent an average drawdown across the Management Area measured from January 2011 to December 2069. The PDLs were adopted to improve the District's ability to manage and regulate water level change across the portion of the District's aquifers where most wells are located. The PDLs were developed using GMA 12 pumping file S-19, which is the pumping file used by GMA 12 to develop the DFCs for each of the Management Zones that have been divided into Management Areas. The PDLs are therefore considered to be physically compatible with all the DFCs adopted by GMA 12. **Table 2-3** lists the PDLs for Management Areas, which are illustrated in **Figure 2-1**.



Table 2-3. Protective drawdown limits (PDLs) for management areas.

Aquifer	Average Drawdown (ft) Limits Measured from January 2010 to December 2069	
	Management Area 1	Management Area 2
Sparta	28	N/A
Queen City	19	N/A
Carrizo	75	175
Calvert Bluff	88	223
Simsboro	91	335
Hooper	54	N/A

2.4 Threshold Limits for DFCs and PDLs

POSGCD has established three Threshold Levels (identified in POSGCD Groundwater Rule 16.4) to help manage to its DFCs and PDLs. In evaluating compliance with their DFCs and PDLs, POSGCD checks on whether any of the Thresholds Level have been exceeded.

Threshold Level 1 is triggered by an average drawdown that is greater than 50 percent (%) of either the DFC or PDL. If Threshold Level 1 is triggered, hydrogeologic studies will be performed to address potential concerns about the data analysis, the cause for the drawdown, and the potential impact of the drawdown on production from the aquifer. A possible outcome of these studies is to develop schedules to curtail groundwater production in the affected Management Zones.

Threshold Level 2 is triggered when the average drawdown exceeds 60% of a DFC or PDL. If Threshold Level 2 is triggered, the District may notify well-owners of possible plans for curtailing productions in affected Management Zones pending results from the Threshold Level 1 studies.

Threshold Level 3 is triggered when the average drawdown exceeds 75% of a DFC or PDL. If Threshold Level 3 is triggered, the District may hold public hearings to develop a Response Action Work Plan. It may also implement schedules reducing maximum permitted production per acre.




Figure 2-1. POSGCD aquifer Management Zones and Management Areas for evaluating GMA 12 DFCs and PDL respectively.



3.0 POSGCD Water Level Monitoring Well Network

This section describes the monitoring network of groundwater wells that the District uses to measure changes in water levels over time.

3.1 Monitoring Well Network

The POSGCD network of groundwater wells is continually being updated, primarily due to the addition of wells. The POSGCD Monitoring Well Network consists of 598 wells (shown in **Figure 3-1**), with usable water levels in the seven aquifers used in this study. In addition, water-level measurements from wells located in adjacent GCDs are available for use in the analysis. This study used water-level measurements from 459 POSGCD wells and 384 wells in adjacent GCDs (shown in **Figure 3-2**) which had measurements in 2025 and/or 2026. The POSGCD monitoring database includes, but is not limited to, the following information for each monitoring well: spatial coordinates, well depth, screened interval, and aquifer assignment. POSGCD annually reviews and verifies aquifer assignments according to the latest data available and through collaboration with neighboring GCDs and the Texas Water Development Board (TWDB). Diagrams of the constructions for most of the monitoring wells are presented in the POSGCD monitoring guidance document (INTERA, 2021). The POSGCD monitoring guidance document provides guidelines for the collection and analysis of measured water levels. Updates to the well-construction diagrams occur when the guidance document is revised. As funding becomes available, POSGCD will expand the seasonal and continual measurements of water levels at its monitoring wells.

3.2 Measurement of Water Levels

The water levels used in the compliance evaluation of DFCs and PDLs were measured between January 1st and April 30th. During the 4-month interval from January to April, water levels are typically at their highest elevation, and pumping rates are near their annual lows. The majority of the water levels are measured manually with an e-line tape and by GCD employees. The monitoring protocols used by POSGCD for measuring water levels are described by INTERA (2022). The 114 monitoring wells used in this study are equipped with either a transducer and data logger or WellIntel equipment to measure and record water levels regularly at 4-hours interval or less. The 2026 DFC evaluation incorporates continuous monitoring of Carrizo and/or Simsboro water levels in the Vista Ridge, Blue Water 130 Project, and SLR pumping wells to better assess the influence of these pumping centers on local to regional aquifer drawdown.

In each well with water level data, an average water level elevation was calculated for each year of data. A three-year moving average was then calculated using these annual averages and used in the compliance calculations. All three-year averages can be found in Appendices D and E.




Figure 3-1. Well locations in the POSGCD monitoring well network in the seven aquifers evaluated for compliance with DFCs.




Figure 3-2. Wells in the seven aquifers with measurements in 2025 and/or 2026 and used in drawdown calculations.



4.0 Compliance Evaluation

This section provides a discussion of the DFC and PDL compliance evaluation. For each evaluation, the section explains the methodology and provides the results of the evaluation.

4.1 DFC Compliance Evaluation

Districts have a requirement under TWC Chapter 36.1132(b) to manage total groundwater production on a long-term basis to achieve DFCs. The DFCs for aquifers within the District are long-term management goals that are expressed as average aquifer drawdown that has occurred since the start of the DFC compliance period. For all aquifers in GMA 12, the start of the DFC compliance period is January 2011 except for the Yegua-Jackson Aquifer. The start of the DFC compliance period for the Yegua-Jackson Aquifer is January 2010.

The POSGD evaluation consists of the following five steps:

1. Identify which of the measured water levels are appropriate for the compliance evaluation and determine a single annual value for each well by averaging measurements over the period of interest. Measurements taken from transducers from January through April are used to generate monthly averages, which are averaged with manual measurements from January through April to generate an annual average for each well.
2. Calculate a three-year moving average using the annual averages from each well to be used for the interpolation process.
3. Interpolate the measured water levels by aquifer to produce a continuous set of values and contours of water level elevation across each of the aquifers for the DFC baseline year (2010 or 2011) and for the current year (2026).
4. Generate a continuous set of drawdown values and drawdown contours across each of the aquifers based on the difference in water levels for the DFC baseline year and the current year.
5. Determine the amount of change in the average water level since the baseline year.

Figure 4-1 illustrates the application of Steps 3, 4, and 5 that were performed to determine the average drawdown that had occurred in the Simsboro aquifer over the period from 2000 to 2021.

4.1.1 Methods for Spatial Interpolation of Measured Water Levels

Spatial interpolation of measured water levels is performed to generate a continuous set of water level values and contours of water levels across an aquifer. Since 2008, POSGCD has evaluated multiple methods for interpolating water levels and is currently using three methods in tandem. Differences in the underlying assumptions of each method can cause differences in the results of the spatial interpolations. Testing has shown that the similarity in the predictions of the three methods increases as the density and coverage provided by the measured water levels increases.



Currently, POSGCD's research indicates that two spatial interpolation methods are suitable for application for the seven aquifers with DFCs listed in Tables 2-1 and 2-2. These two methods are topo to raster (T2R) and ordinary kriging of water levels (KWL). For aquifers for which there is a current GAM with production rates shown to be reasonably accurate for the POSGCD area, POSGCD's research suggests that a third spatial method, ordinary kriging of residuals (KRS) is suitable for application. A brief description of the three methods is provided below:

- Topo to Raster (T2R) – The method applies inverse distance weighting (IDW) to weight the influence of measure points at unmeasured locations. In general, the mathematical influence (weight) of measured points is proportional to the distance to the unsampled location. This approach is widely used because of the relatively simple set of equations needed to estimate values at unsampled locations. A concern with using T2R is that it ignores information regarding spatial statistics (e.g. variance and correlation) and the groundwater flow patterns. Another concern is that its implementation is through a proprietary program in ArcGIS (ESRI, 2020), for which the source code is not available for review by the public.
- Ordinary Kriging with Water Levels (KWL) – Ordinary kriging is a geostatistical method that determines the influence (weight) of measured points based on a correlation coefficient at varying spatial configurations relative to unmeasured points. Ordinary kriging assumes that the data is both normally distributed and has no spatial trend (Deutsch and Journel, 1998). A concern with using ordinary kriging with water levels is that there usually is a spatial trend in the water level data in POSGCD that is manifested as a regional water level gradient toward a hydraulic boundary condition such as the Gulf of Mexico, the Brazos River, or a well field with large production.
- Ordinary Kriging with Residuals (KRS) – A first step in applying the KRS method is to develop an estimate of the water surface trend surface by smoothing a prediction of the groundwater water level from a groundwater model. The second step is to transform the set of measured water levels into a set of residuals by subtracting the water level elevation predicted by the surface trend at each well location from the measured water level elevation at the well location. Transforming the water levels into residuals is performed so that values being kriged would be more likely would be closer to a normal distribution and exhibit stationarity than the set of measured water levels.

Contours of the average drawdown in each potentiometric surface based on the measured 2026 water levels are provided in Appendices A, B and C for the seven aquifers with DFCs listed in **Table 2-1** and **Table 2-2**. Appendices A, B, and C present contour maps of average drawdown results based on the spatial interpolation methods T2R, KWL, and KRS, respectively.

For the last five years, the water levels in the Carrizo Aquifer have been of primary interest to POSGCD because of the large drawdowns that have occurred since the Vista Ridge wellfield started production. **Figure 4-2** shows the three interpolated water level surfaces generated for the Carrizo in the 2026 analysis year. The differences in the interpolated surfaces are the greatest where there are less data points to constrain them. The upper three plots in **Figure 4-3** show the estimated drawdown in the Carrizo aquifer from 2011 to 2026 using the three spatial interpolation methods discussed above: T2R,



KWL, and KRS. All three methods produced generally similar shaped drawdown contours and drawdown values for radial distances of more than 10 miles from the Vista Ridge well field.

4.1.2 Evaluation of Water Levels for DFC Compliance

Table 4-1 lists the key metrics associated with the DFC 2026 compliance evaluation for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers. For these six aquifers, the average drawdown is measured from the baseline year 2011 and is calculated as the average of the three interpolation methods. **Table 4-1** also presents the average drawdown estimated using each of the three interpolation methods for 2026, and the average of those three drawdowns. For example, the T2R, KWL, and KRS interpolation methods for the Carrizo Aquifer yield 106.7, 127.8, and 99.0 feet (ft) for drawdown from 2011 to 2026, respectively. These three values produce an average drawdown of 111.2 ft. Since 75% of the Carrizo DFC (146 ft) is 109.5 ft, Threshold Level 3 is exceeded.

Table 4-2 summarizes the DFC compliance evaluation for years 2025 and 2026 using the average drawdown calculated from the three interpolation methods. All aquifers were below Threshold Level 1 in both 2025 and 2026, except for Carrizo, which was above Threshold Level 2 in 2025 and exceeded Threshold Level 3 in 2026. It should be noted that the calculations for the 2025 DFC compliance thresholds were redone in this report, as the collection of 2026 water levels provided the third year in the 3-year moving average for 2025. Additionally, our understanding of the local geology has improved and has led to new aquifer assignments for several wells, and therefore their water level measurements being reclassified. To maintain consistency, the 2011 water level surfaces used to calculate drawdown in 2025 and 2026 were regenerated using the updated aquifer assignments.

Figure 4-4 shows the DFC Management Zone average drawdown values calculated from 2011 for the three interpolation methods and the average of the three methods (black points) through time for six of the seven aquifers considered in this report. These values are compared to the Threshold Level 1, 2, and 3 values, which are depicted as horizontal lines. **Figure 4-5** shows a comparison of average drawdowns calculated from the year 2010 using the spatial interpolation methods topo to raster (T2R) and kriging with water levels (KWL) Yegua-Jackson aquifer Management Zone.

Table 4-3 lists the key metrics associated with the DFC 2026 compliance evaluation for the Yegua-Jackson aquifer. For the Yegua-Jackson aquifer, the KRS spatial interpolation method is not used because the Yegua-Jackson GAM (Deeds et al., 2004) has not been adequately updated since its development to be used for implementing the KRS method. As a result, **Table 4-3** only includes spatial interpolation results for the T2R and the KWL method. The average drawdown from 2010 to 2026 for the Yegua-Jackson Aquifer is 2.4 ft.



Table 4-1. Evaluation of DFC compliance for 2026 based on the three Threshold limits for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers.

Management Zone	DFC	2011 to 2026 Drawdown	Threshold Level Exceeded
		Avg. Drawdown (ft) / % of DFC Drawdown values from the T2R, KWL, and KRS methods	
Sparta	32	7.8 (24.2%)	-
		14.4, 2.1, 6.7	
Queen City	30	-0.2 (-0.6%)	-
		4.9, -13.0, 7.6	
Carrizo	146	111.2 (76.1%)	3
		106.7, 127.8, 99.0	
Calvert Bluff (Upper Wilcox)	156	59.4 (38.1%)	-
		69.6, 60.9, 47.8	
Simsboro (Middle Wilcox)	278	121.1 (43.6%)	-
		119.83, 135.5, 107.9	
Hooper (Lower Wilcox)	178	78.6 (44.2%)	-
		110.9, 82.9, 42.1	

Threshold 1 = 50% DFC Threshold 2 = 60% DFC

Threshold 3 = 75% DFC



Table 4-2. Evaluation of DFC compliance for 2025 and 2026 based on the three Threshold Limits for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers.

Management Zone	DFC	Drawdown from 2011 to 2025	Drawdown from 2011 to 2026	Threshold Level Exceeded
Sparta	32	11.6	7.8	-
		36.3%	24.2%	
		2, -, -	-, -, -	
Queen City	30	2.1	-0.2	-
		6.9%	-0.6%	
		-, -, -	-, -, -	
Carrizo	146	107.1	111.2	3
		73.4%	76.2%	
		2, 3, 2	2, 3, 2	
Calvert Bluff (Upper Wilcox)	156	61.9	59.4	-
		39.7%	38.1%	
		-, -, -	-, -, -	
Simsboro (Middle Wilcox)	278	117.4	121.1	-
		42.2%	43.6%	
		-, -, -	-, -, -	
Hooper (Lower Wilcox)	178	79.2	78.6	-
		44.5%	44.2%	
		2, -, -	2, -, -	

Threshold 1 = 50% DFC

Threshold 2 = 60% DFC

Threshold 3 = 75% DFC



Table 4-3. Evaluation of DFC compliance for 2026 for Yegua-Jackson aquifer.

Management Zone	2070 DFC (ft)	2010 to 2026 Drawdown	Threshold Level Exceeded
		Avg. Drawdown (ft) / % of DFC Drawdown values from the T2R and KWL	
Yegua-Jackson	61	2.4 (3.9%)	-
		-1.0, 9.4	

Table 4-4. Evaluation of DFC compliance for 2025 and 2026 for the Yegua-Jackson aquifer.

Management Zone	DFC (ft)	From 2010 to 2025	From 2010 to 2026
		Avg. Drawdown (ft) % of DFC Maximum Threshold Level Violation for T2R and KWL	
Yegua-Jackson	61	2.4	4.2
		3.9%	6.9%
		-, -	-, -

4.2 PDL Compliance Evaluation

The PDL compliance evaluations are performed using the same workflow, data, codes, algorithms, threshold levels, and analysis that are used to perform the DFC evaluation. The primary difference is that the PDL evaluations are performed for Management Areas, whereas the DFC evaluations are performed for Management Zones.

4.2.1 Method

The method used to calculate average drawdown in the PDL Management Areas is identical to the method employed for compliance with the DFC Management Zones in which they are located. To perform the PDL evaluations, the spatial interpolations generated for the DFC evaluations are used. The only difference is that where a DFC average drawdown is calculated across a Management Zone (see Figure 2-1), a PDL average drawdown is calculated across a Management Area instead (see Figure 2-2).

As previously discussed, there are a total of nine Management Areas for which POSGCD has adopted PDLs. Each of the Sparta, Queen City, and the Hooper aquifers have one PDL Management Area. Each of the Carrizo, Calvert Bluff, and Simsboro aquifers have two PDL Management Areas.



4.2.2 Evaluation of Water Levels for PDL Compliance

Table 4-5 lists the key metrics associated with the PDL 2026 compliance evaluation for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers. For these six aquifers, the average drawdown is measured from the baseline year 2011 and the average drawdown is calculated as the average of the three interpolation methods. **Table 4-5** also lists the average drawdown estimated from each of the three interpolation methods for 2026 and provides the average drawdown of the three methods. For example, the T2R, KWL, and KRS interpolation methods for the Carrizo Aquifer PDL Management Area 2 yield 140.4, 153.8, and 122.5 ft of drawdown from 2011 to 2026, respectively. These three values produce an average drawdown of 138.9 ft. Since 75% of the Carrizo PDL Management Area 2 (175 ft) is 131.25 ft, Threshold Level 3 is exceeded. Seven of the eight remaining PDL Management Areas have average drawdown values for 2026 that have not exceeded PDL thresholds.

Table 4-6 summarizes the PDL compliance evaluation for 2025 and 2026 using the average drawdown calculated from the three interpolation methods. **Table 4-6** shows one instance in 2026 where the average drawdown for the three interpolation methods exceeds a threshold level.

Figure 4-6 shows the PDL Management Area 1 average drawdown values for the three interpolation methods and the average value of the three methods (black points) through time. These values are compared to the Threshold Level 1, 2, and 3 values, which are depicted as horizontal lines.

Figure 4-7 shows the PDL Management Area 2 average drawdown values for the three interpolation methods and the average value of the three methods (black points) through time. These values are compared to the Threshold Level 1, 2, and 3 values, which are depicted as horizontal lines.



Table 4-5. Evaluation of PDL compliance for 2026 based on the three Threshold limits for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers.

Management Area		2070 PDL (ft)	2011 to 2026 Drawdown	Threshold Level Exceeded
			Avg. Drawdown (ft) / % of PDL Drawdown values from the T2R, KWL, and KRS methods	
Sparta	Area 1	28	5.5 (19.6%)	-
			6.1, 7.1, 3.2	
Queen City	Area 1	19	-3.4 (-18.1%)	-
			-6.1, -8.9, 4.7	
Carrizo	Area 1	75	30.4 (40.5%)	-
			22.5, 32.2, 36.5	
	Area 2	175	138.9 (79.4%)	3
			140.4, 153.8, 122.5	
Calvert Bluff(Upper Wilcox)	Area 1	88	39.2 (44.5%)	-
			46.4, 44.3, 26.9	
	Area 2	223	81.2 (36.4%)	-
			93.7, 79.2, 70.8	
Simsboro (Middle Wilcox)	Area 1	91	8.9 (9.8%)	-
			12.1, 4.3, 10.4	
	Area 2	335	152.0 (45.4%)	-
			150.0, 168.6, 137.6	
Hooper (Lower Wilcox)	Area 1	54	4.01 (7.5%)	-
			10.82, 11.3, -10.04	

Threshold 1 = 50% PDL Threshold 2 = 60% PDL

Threshold 3 = 75% PDL



Table 4-6. Evaluation of PDL compliance for 2025 and 2026 based on the three Threshold limits for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers.

Management Area		PDL	Drawdown from 2011 to 2025	Drawdown from 2011 to 2026
Sparta	Area 1	28	5.3	5.5
			18.9%	19.6%
			- , - , -	- , - , -
Queen City	Area 1	19	-2.2	-3.4
			-11.7%	-18.1%
			- , - , -	- , - , -
Carrizo	Area 1	75	32.6	30.4
			43.5%	40.5%
			- , - , -	- , - , 1
	Area 2	175	133.0	138.9
			76%	79.4%
Calvert Bluff (Upper Wilcox)	Area 1	88	3, 3, 2	3, 3, 2
			44.7	39.2
			50.8%	44.5%
	Area 2	223	1, 1, -	1, 1, -
			80.4	81.2
Simsboro (Middle Wilcox)	Area 1	91	36.1%	36.4%
			- , - , -	- , - , -
			7.4	8.9
	Area 2	335	9.1%	9.8%
			- , - , -	- , - , -
Hooper (Lower Wilcox)	Area 1	54	148.4	152.0
			44.3%	45.4%
			- , 1, -	- , 1, -
			3.8	164.0
			7.0%	7.5%
			- , - , -	- , - , -
			- , - , -	- , - , -

Threshold 1 = 50% PDL Threshold 2 = 60% PDL
Threshold 3 = 75% PDL




Figure 4-1. Diagram showing the process of interpolation of measured water levels in the Simsboro Aquifer to determine the average drawdown from 2000 to 2021.




Figure 4-2. Interpolated water level surfaces for the 2026 analysis year for the Carrizo Aquifer.




Figure 4-3. Comparison of drawdown generated for the Carrizo for the time interval 2011 to 2026 by three different spatial interpolation methods: Topo to Raster (T2R), Ordinary Kriging with Water Levels (KWL), and Ordinary Kriging with Residuals (KRS). The upper three plots compare contours of drawdown and the lower three plots show average drawdown of the three methods over time as determined from the base year 2011. (average drawdowns results for years 2023, 2024, 2025, and 2026).




Figure 4-4. Comparison of average drawdown and drawdowns calculated from the year 2011 using the spatial interpolation methods topo to raster (T2R), kriging with water levels (KWL), and kriging with residuals (KRS) for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers Management Zones (average drawdowns results for years 2023, 2024, 2025, and 2026).




Figure 4-5. Comparison of average drawdowns calculated from the year 2010 using the spatial interpolation methods topo to raster (T2R) and kriging with water levels (KWL) Yegua-Jackson aquifer Management Zone.




Figure 4-6. Comparison of average drawdown and drawdowns calculated from the year 2011 using the spatial interpolation methods topo to raster (T2R), kriging with water levels (KWL), and kriging with residuals (KRS) for Management Area 1 for the Sparta, Queen City, Carrizo, Calver Bluff, Simsboro, and Hooper aquifers. (average drawdown results for years 2023, 2024, 2025, and 2026).




Figure 4-7. Comparison of average drawdown and drawdowns calculated from the year 2011 using the spatial interpolation methods topo to raster (T2R), kriging with water levels (KWL), and kriging with residuals (KRS) for the Management Area 2 for the Sparta, Queen City, Carrizo, Calvert Bluff, Simsboro, and Hooper aquifers. (average drawdowns results for years 2023, 2024, 2025, and 2026).



5.0 References

- Deeds, N.E., T. Yan, A. Singh, T.L. Jones, V.A. Kelley, P.R. Knox, and S.C. Young. 2010. Groundwater availability model for the Yegua-Jackson Aquifer: Final report prepared for the Texas Water Development Board by INTERA, Inc., 582 p.
- Daniel B Stephens & Associates, INTERA Inc, and Ground Water Consultants, 2022. Desired Future Conditions Explanatory Report for Groundwater Management Area 12. Prepared on Behalf of Brazos Valley GCD, Fayette County GCD, Lost Pines GCD, Mid-East Texas GCD, and Post Oak Savannah GCD.
- Deutsch, C.V., and A.G. Journel. 1998. Geostatistical Software Library and User's Guide, Oxford University Press, New York, 340 p.
- ESRI, 2020. ArcGIS, Version 10.0. Redlands, CA: Environmental Systems Research Institute, Inc.
- Ewing, J.E., and M. Jigmond. 2016. Final Numerical Model Report for the Brazos River Alluvium Aquifer Groundwater Availability Model, prepared for the Texas Water Development Board, August 2016.
- INTERA 2018. "Post Oak Savannah Guidance Document for Evaluating Compliance with Desired Future Conditions and Protective Drawdown Limits." INTERA Incorporated, Austin TX.
- INTERA, 2021. "Post Oak Savannah Guidance Document for Evaluating Compliance with Desired Future Conditions and Protective Drawdown Limits" INTERA Incorporated, Austin TX.
- POSGCD, 2022. Groundwater Management Plan, Final Version for the Updated 2022 Plan
- Young, S., M. Jigmond, T. Jones, and T. Ewing. 2018. Groundwater Availability Model for Central Portion of the Sparta, Queen City, and Carrizo-Wilcox Aquifer, prepared for the TWDB, unnumbered report, September 2018



APPENDIX A

2026 Drawdown Surfaces Created by Applying Topo to Raster to Water Levels

DRAFT




Figure A-1. 2026 drawdown contours for the Sparta and Queen City aquifers based on interpolation using Topo to Raster.




Figure A-2. 2026 drawdown contours for the Carrizo and Calvert Bluff aquifers based on interpolation using Topo to Raster.




Figure A-3. 2026 drawdown contours for the Simsboro and Hooper aquifers based on interpolation using Topo to Raster.




Figure A-4. 2026 drawdown contours for Yegua-Jackson aquifer based on interpolation using Topo to Raster.



APPENDIX B

2026 Drawdown Surfaces Created by Applying Ordinary Kriging to Water Levels




Figure B-1. 2026 drawdown contours for the Sparta and Queen City aquifers based on interpolation using ordinary kriging with water levels.




Figure B-2. 2026 drawdown contours for the Carrizo and Calvert Bluff aquifers based on interpolation using ordinary kriging with water levels.




Figure B-3. 2026 drawdown contours for the Simsboro and Hooper aquifers based on interpolation using ordinary kriging with water levels.




Figure B-4. 2026 drawdown contours for the Yegua-Jackson aquifer based on interpolation using ordinary kriging with water levels.



APPENDIX C

2026 Drawdown Surfaces Created by Applying Ordinary Kriging to Water Level Residuals




Figure C-1. 2026 drawdown contours for the Sparta and Queen City aquifers based on interpolation using ordinary kriging with residuals.




Figure C-2. 2026 drawdown contours for the Carrizo and Calvert Bluff aquifers based on interpolation using ordinary kriging with residuals.




Figure C-3. 2026 drawdown contours for the Simsboro and Hooper aquifers based on interpolation using ordinary kriging with residuals.



APPENDIX D

Table of Wells and Water Levels Used in 2011 DFC Compliance Calculations



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
MA-000081	Milam	30.8252778	-96.6536111	258.1	2011	No	Carrizo
PO-000020	Milam	30.68111	-96.948012	334.6	2011	No	Simsboro
PO-000025	Milam	30.668465	-96.986881	336.3	2011	Yes	Simsboro
PO-000026	Milam	30.723797	-96.982987	384.1	2011	No	Hooper
PO-000053	Milam	30.784118	-96.895502	325.0	2011	Yes	Simsboro
PO-000059	Milam	30.797116	-96.734743	278.9	2011	No	Calvert Bluff
PO-000073	Milam	30.780891	-96.78506	254.9	2011	Yes	Calvert Bluff
PO-000077	Milam	30.740555	-96.720832	298.7	2011	No	Calvert Bluff
PO-000084	Milam	30.728258	-96.632283	303.6	2011	No	Queen City
PO-000099	Milam	30.569169	-96.947723	351.4	2011	No	Calvert Bluff
PO-000107	Milam	30.600928	-96.982453	280.2	2011	Yes	Simsboro
PO-000115	Milam	30.644786	-96.98975	325.3	2011	No	Simsboro
PO-000118	Milam	30.651521	-96.978108	320.0	2011	No	Simsboro
PO-000121	Milam	30.663619	-96.995865	342.1	2011	No	Simsboro
PO-000138	Milam	30.666438	-96.995969	345.4	2011	No	Simsboro
PO-000170	Milam	30.658537	-97.016606	369.9	2011	No	Simsboro
PO-000221	Milam	30.824405	-96.889754	303.9	2011	Yes	Hooper
PO-000223	Milam	30.897589	-96.851978	317.2	2011	No	Hooper
PO-000234	Milam	30.98816	-96.757567	252.4	2011	Yes	Simsboro
PO-000236	Milam	30.964169	-96.790695	296.4	2011	No	Hooper
PO-000256	Milam	30.884877	-96.778255	260.4	2011	Yes	Calvert Bluff
PO-000268	Milam	30.623416	-97.087963	464.3	2011	No	Hooper
PO-001062	Milam	30.716077	-96.863345	271.8	2011	No	Simsboro
PO-001063	Milam	30.712769	-96.869969	292.4	2011	Yes	Simsboro
PO-001066	Milam	30.648057	-96.854621	357.7	2011	Yes	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-001082	Milam	30.787152	-96.716872	203.1	2011	Yes	Simsboro
PO-001110	Milam	30.671293	-97.004037	353.5	2011	No	Simsboro
PO-001117	Milam	30.631273	-96.99007	311.3	2011	No	Simsboro
PO-001118	Milam	30.63481	-96.991088	315.3	2011	No	Simsboro
PO-001450	Milam	30.608458	-97.007393	299.8	2011	No	Simsboro
PO-001505	Milam	30.507954	-97.15798	434.1	2011	No	Simsboro
PO-002014	Milam	30.482942	-97.125936	358.5	2011	Yes	Simsboro
PO-002153	Milam	30.543611	-96.995077	287.4	2011	No	Simsboro
PO-002173	Milam	30.600894	-96.982554	283.4	2011	No	Simsboro
PO-002204	Milam	30.66098	-96.980581	350.6	2011	No	Hooper
PO-002423	Milam	30.905953	-96.778074	283.8	2011	No	Calvert Bluff
PO-002538	Milam	30.634102	-97.008392	328.7	2011	No	Simsboro
PO-007363	Milam	30.556554	-97.088493	390.0	2011	Yes	Simsboro
PO-007506	Milam	30.671559	-97.003968	347.8	2011	Yes	Simsboro
PO-007774	Milam	30.779877	-96.862409	290.9	2011	No	Simsboro
PO-008151	Milam	30.643448	-96.942944	407.9	2011	No	Calvert Bluff
PO-008451	Milam	30.56314	-96.962249	282.8	2011	No	Simsboro
PO-008658	Milam	30.773217	-96.842923	267.9	2011	No	Simsboro
PO-008840	Milam	30.78124	-96.760787	258.6	2011	No	Calvert Bluff
PO-008865	Milam	30.651916	-97.061748	393.4	2011	No	Hooper
PO-008935	Milam	30.91313	-96.886244	340.8	2011	No	Hooper
PO-009095	Milam	30.771335	-96.846475	272.2	2011	No	Simsboro
PO-009114	Milam	30.7409	-97.133	431.5	2011	No	No Assignment
PO-009115	Milam	30.69332	-97.12553	358.0	2011	No	No Assignment
PO-009166	Milam	30.711453	-96.862516	246.2	2011	Yes	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-009209	Milam	30.483143	-97.150315	385.2	2011	No	Hooper
PO-009234	Milam	30.9078	-96.8939	338.7	2011	No	Hooper
PO-009480	Milam	30.51974	-97.128765	420.1	2011	No	Simsboro
PO-009716	Milam	30.696083	-96.918014	308.7	2011	No	Simsboro
PO-009745	Milam	30.634047	-97.037591	373.7	2011	No	Simsboro
PO-009753	Milam	30.509568	-97.120109	384.7	2011	Yes	Simsboro
PO-009754	Milam	30.518632	-97.108223	378.5	2011	No	Simsboro
PO-009755	Milam	30.698968	-96.972777	371.4	2011	No	Simsboro
PO-009769	Milam	30.569346	-96.949119	273.4	2011	No	Simsboro
PO-009806	Milam	30.936655	-96.843817	337.5	2011	No	Hooper
BVDO-0013	Brazos	30.70578949	-96.48858105	110.3	2011	No	Simsboro
BVDO-0053	Brazos	30.70897878	-96.50677215	136.2	2011	No	Simsboro
BVDO-0081	Brazos	30.69847122	-96.33110342	233.2	2011	No	Yegua - Jackson
BVDO-0127	Brazos	30.4079459	-96.19399192	176.0	2011	No	Alluvium
BVHU-0001	Brazos	30.72293884	-96.42012372	20.4	2011	No	Sparta
BVHU-0002	Brazos	30.72048713	-96.42625	97.6	2011	No	Sparta
BVHU-0009	Brazos	30.73012636	-96.45119972	112.5	2011	No	Simsboro
BVHU-0027	Brazos	30.78189017	-96.34331227	169.7	2011	No	Simsboro
BVHU-0029	Brazos	30.78208609	-96.34345152	178.1	2011	No	Sparta
BVHU-0030	Brazos	30.78928204	-96.33606348	190.5	2011	No	Sparta
BVHU-0040	Brazos	30.70030642	-96.4789341	68.1	2011	No	Simsboro
BVHU-0041	Brazos	30.7073265	-96.48085502	118.0	2011	No	Simsboro
BVHU-0042	Brazos	30.69863431	-96.48862339	45.1	2011	No	Simsboro
BVHU-0043	Brazos	30.69721749	-96.49932178	110.9	2011	No	Simsboro
BVHU-0057	Brazos	30.64105099	-96.277767	258.7	2011	No	Yegua - Jackson



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVHU-0394	Brazos	30.63380666	-96.53821703	209.3	2011	No	Alluvium
BVHU-0451	Brazos	30.65116808	-96.49301852	135.9	2011	No	Sparta
BVHU-0452	Brazos	30.64952787	-96.50053034	95.0	2011	No	Sparta
BVHU-0454	Brazos	30.65508532	-96.48017009	154.7	2011	No	Simsboro
BVHU-0455	Brazos	30.66664679	-96.49002452	155.7	2011	No	Simsboro
BVHU-0987	Brazos	30.64218108	-96.5365176	207.3	2011	No	Sparta
BVOP-0024	Brazos	30.6786	-96.3031	166.2	2011	No	Sparta
BVOP-0035	Brazos	30.39971382	-96.25158972	179.8	2011	No	Alluvium
BVR-1509	Brazos	30.69305101	-96.51038497	217.3	2011	No	Sparta
MA-000077	Brazos	30.854445	-96.386667	280.1	2011	No	Queen City
BVHU-0013	Robertson	30.88568876	-96.61940787	184.6	2011	No	Simsboro
BVHU-0020	Robertson	31.05513758	-96.33324186	222.7	2011	No	Simsboro
BVHU-0021	Robertson	31.05227487	-96.32830286	217.4	2011	No	Simsboro
BVHU-0022	Robertson	31.05089962	-96.42848545	207.2	2011	No	Simsboro
BVHU-0058	Robertson	30.75073803	-96.46408352	117.4	2011	No	Simsboro
BVHU-0067	Robertson	30.76976735	-96.57750214	222.7	2011	No	Queen City
BVHU-0276	Robertson	30.70865	-96.5529333	214.6	2011	No	Alluvium
BVHU-0359	Robertson	30.945556	-96.732222	267.2	2011	No	Calvert Bluff
BVHU-0414	Robertson	31.16319484	-96.66595788	265.1	2011	No	Hooper
BVHU-1041	Robertson	30.81923029	-96.6008305	242.7	2011	No	Alluvium
BVHU-1063	Robertson	30.943397	-96.71008	275.2	2011	No	Calvert Bluff
BVOP-0049	Robertson	31.073125	-96.527464	294.7	2011	No	Calvert Bluff
BVR-0644	Robertson	31.02263628	-96.63056232	203.1	2011	No	Simsboro
BVR-1257	Robertson	31.194999	-96.581666	391.5	2011	No	Simsboro
BVR-1282	Robertson	31.136388	-96.469166	323.2	2011	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVR-1284	Robertson	31.26621619	-96.34916363	290.0	2011	No	Calvert Bluff
BVR-1310	Robertson	30.97802329	-96.46888347	444.2	2011	No	Queen City
BVR-1405	Robertson	30.99742853	-96.39052061	322.7	2011	No	Carrizo
MA-000101	Robertson	30.845834	-96.651667	236.9	2011	No	Carrizo
MA-000104	Robertson	30.866667	-96.678611	239.3	2011	No	Calvert Bluff
MA-000106	Robertson	30.875278	-96.654445	249.3	2011	No	Alluvium
MA-000112	Robertson	30.913889	-96.681389	253.4	2011	No	Calvert Bluff
MA-000116	Robertson	30.924722	-96.411389	362.0	2011	No	Sparta
MA-000139	Robertson	31.255	-96.5125	359.8	2011	No	Hooper
MA-000095	Falls	31.195	-96.6891667	404.0	2011	No	Hooper
LP-000226	Lee	30.415111	-97.010306	327.5	2011	No	Carrizo
LP-001705	Lee	30.366667	-96.983611	304.0	2011	No	Queen City
LP-001808	Lee	30.357222	-96.825	282.9	2011	No	Sparta
LP-001866	Lee	30.185	-96.941389	326.3	2011	No	Carrizo
LP-002872	Lee	30.434445	-97.108889	302.2	2011	No	Simsboro
LP-002874	Lee	30.456112	-96.970555	251.4	2011	No	Simsboro
LP-003121	Lee	30.470937	-97.039276	370.2	2011	No	Simsboro
LP-003221	Lee	30.138611	-97.033056	329.2	2011	No	Sparta
LP-003222	Lee	30.106111	-96.934444	322.4	2011	No	Yegua - Jackson
LP-003223	Lee	30.198611	-96.851111	299.8	2011	No	Yegua - Jackson
LP-003225	Lee	30.375555	-96.793611	286.8	2011	No	Sparta
LP-003226	Lee	30.370554	-96.872499	311.4	2011	No	Queen City
LP-003227	Lee	30.411667	-97.031389	377.8	2011	No	Queen City
LP-003230	Lee	30.368611	-97.079722	399.3	2011	No	Queen City
LP-003231	Lee	30.293611	-97.045834	369.9	2011	No	Queen City



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
LP-003232	Lee	30.251389	-96.986389	335.8	2011	No	Sparta
LP-993806	Lee	30.490556	-96.950556	372.9	2011	No	No Assignment
LP-993807	Lee	30.490556	-96.950556	372.9	2011	No	No Assignment
LP-994116	Lee	30.333334	-96.850001	292.4	2011	No	Sparta
LP-994118	Lee	30.383611	-96.816667	293.0	2011	No	Sparta
LP-994122	Lee	30.29	-96.918889	300.2	2011	No	No Assignment
LP-994123	Lee	30.29	-96.918889	300.2	2011	No	No Assignment
LP-994193	Lee	30.389445	-97.146945	308.8	2011	No	Simsboro
LP-994557	Lee	30.466944	-97.033055	405.2	2011	No	No Assignment
LP-994561	Lee	30.530833	-96.946111	365.3	2011	No	No Assignment
LP-994627	Lee	30.363612	-96.947222	343.7	2011	No	Queen City
LP-994634	Lee	30.490278	-97.064445	408.2	2011	No	Calvert Bluff
LP-994947	Lee	30.416667	-97.220278	410.0	2011	No	Hooper
LP-995225	Lee	30.324444	-97.043056	325.6	2011	No	Queen City
LP-995243	Lee	30.334167	-97.191945	468.2	2011	No	Calvert Bluff
LP-995816	Lee	30.187778	-96.778055	284.2	2011	No	Yegua - Jackson
LP-995997	Lee	30.225555	-96.754723	237.9	2011	No	Yegua - Jackson
MA-000039	Lee	30.448056	-96.886111	324.9	2011	No	No Assignment
PO-008936	Lee	30.413863	-97.132676	352.5	2011	No	Calvert Bluff
LP-001273	Bastrop	30.101111	-97.284444	268.6	2011	No	Calvert Bluff
LP-001276	Bastrop	30.088889	-97.263889	303.6	2011	No	Calvert Bluff
LP-002159	Bastrop	29.946389	-97.311667	346.3	2011	No	Carrizo
LP-002868	Bastrop	30.210259	-97.189683	312.5	2011	No	Calvert Bluff
LP-002981	Bastrop	30.3225	-97.314444	495.4	2011	No	Simsboro
LP-002982	Bastrop	30.365833	-97.287222	505.8	2011	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
LP-002997	Bastrop	30.045556	-97.157778	325.6	2011	No	Carrizo
LP-002998	Bastrop	29.993611	-97.180556	335.6	2011	No	Reklaw
LP-002999	Bastrop	29.979167	-97.193056	328.2	2011	No	Reklaw
LP-003042	Bastrop	30.121111	-97.34	304.4	2011	No	Simsboro
LP-003213	Bastrop	29.918055	-97.321111	385.9	2011	No	Reklaw
LP-003214	Bastrop	30.0725	-97.315556	298.4	2011	No	Calvert Bluff
LP-003215	Bastrop	30.181667	-97.421944	358.0	2011	No	Hooper
LP-003217	Bastrop	30.376389	-97.290278	427.1	2011	No	Hooper
LP-003219	Bastrop	30.146667	-97.232222	382.8	2011	No	Calvert Bluff
LP-003220	Bastrop	30.045789	-97.040611	291.4	2011	No	Sparta
LP-993876	Bastrop	30.103889	-97.304445	336.8	2011	No	Calvert Bluff
LP-994189	Bastrop	29.885834	-97.252223	403.5	2011	No	Queen City
LP-994566	Bastrop	30.294722	-97.400278	489.7	2011	No	Hooper
LP-994656	Bastrop	30.141111	-97.434445	326.2	2011	No	Hooper
LP-994667	Bastrop	30.183334	-97.483334	381.8	2011	No	Alluvium
LP-995181	Bastrop	30.182778	-97.483334	277.5	2011	No	Other
LP-995184	Bastrop	29.992778	-97.342778	288.1	2011	No	Calvert Bluff
LP-995203	Bastrop	30.209445	-97.2646	313.8	2011	No	Simsboro
LP-995206	Bastrop	30.200278	-97.266667	437.6	2011	No	Simsboro
LP-995216	Bastrop	29.981389	-97.355556	305.3	2011	No	Calvert Bluff
LP-995495	Bastrop	30.089167	-97.398334	320.3	2011	No	Simsboro
LP-995683	Bastrop	29.865278	-97.403334	428.9	2011	No	Carrizo
LP-995742	Bastrop	30.358889	-97.301667	507.1	2011	No	Simsboro
MA-000014	Bastrop	30.1094444	-97.2947222	305.2	2011	No	No Assignment
PO-000308	Burleson	30.537221	-96.741666	337.4	2011	No	Queen City



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-000341	Burleson	30.578223	-96.650567	295.7	2011	No	Queen City
PO-000433	Burleson	30.69556	-96.614391	274.6	2011	Yes	Carrizo
PO-000457	Burleson	30.679286	-96.673801	188.4	2011	No	Simsboro
PO-000518	Burleson	30.619047	-96.686457	288.9	2011	No	Queen City
PO-000579	Burleson	30.432127	-96.397781	200.2	2011	No	Yegua - Jackson
PO-000596	Burleson	30.488545	-96.375546	196.5	2011	No	Alluvium
PO-000638	Burleson	30.488864	-96.465507	212.1	2011	Yes	Weches
PO-000698	Burleson	30.310623	-96.646383	219.6	2011	Yes	Yegua - Jackson
PO-000787	Burleson	30.411689	-96.357915	191.3	2011	No	Alluvium
PO-000791	Burleson	30.496356	-96.691955	307.4	2011	No	Sparta
PO-000859	Burleson	30.543654	-96.493777	213.4	2011	No	Alluvium
PO-000860	Burleson	30.544539	-96.492047	214.7	2011	No	Alluvium
PO-000894	Burleson	30.579192	-96.540368	219.9	2011	No	Alluvium
PO-000895	Burleson	30.529052	-96.60857	256.0	2011	No	Sparta
PO-000943	Burleson	30.488497	-96.843686	308.2	2011	Yes	Carrizo
PO-001023	Burleson	30.549091	-96.436877	206.5	2011	No	Sparta
PO-001064	Burleson	30.632259	-96.78774	228.2	2011	No	Simsboro
PO-001166	Burleson	30.558021	-96.469975	202.3	2011	No	Alluvium
PO-001197	Burleson	30.481138	-96.872117	332.7	2011	No	Queen City
PO-001573	Burleson	30.432723	-96.757079	310.6	2011	Yes	Queen City
PO-001574	Burleson	30.386152	-96.688694	279.5	2011	No	Queen City
PO-001575	Burleson	30.525363	-96.727044	284.0	2011	Yes	Carrizo
PO-006243	Burleson	30.564449	-96.93863	349.3	2011	No	Calvert Bluff
PO-006621	Burleson	30.552628	-96.860572	227.8	2011	Yes	Simsboro
PO-006910	Burleson	30.564832	-96.834747	225.8	2011	Yes	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-008239	Burleson	30.536707	-96.578301	267.5	2011	No	Sparta
PO-008388	Burleson	30.355248	-96.717271	232.8	2011	No	Simsboro
PO-008415	Burleson	30.544655	-96.498726	211.1	2011	No	Alluvium
PO-008767	Burleson	30.483562	-96.86045	230.1	2011	Yes	Simsboro
PO-009220	Burleson	30.566043	-96.454756	193.1	2011	No	Alluvium
PO-009405	Burleson	30.416666	-96.783333	290.2	2011	No	Sparta
PO-010899	Burleson	30.689832	-96.611437	253.3	2011	No	Queen City



APPENDIX E

Table of Wells and Water Levels Used in 2025 and 2026 DFC Compliance Calculations



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
718915	Freestone	31.60103	-96.1416	342.0	2025	No	Calvert Bluff
718915	Freestone	31.60103	-96.1416	342.0	2026	No	Calvert Bluff
719327	Freestone	31.92727	-96.1013	256.2	2025	No	Hooper
719327	Freestone	31.92727	-96.1013	256.2	2026	No	Hooper
89835	Freestone	31.77667	-96.1525	230.6	2025	No	Hooper
176569	Madison	30.86278	-96.1383	245.2	2025	No	Yegua - Jackson
242693	Madison	30.86194	-96.08	250.9	2025	No	Yegua - Jackson
295083	Madison	30.86528	-96.0825	274.2	2025	No	Yegua - Jackson
385760	Madison	31.06172	-95.9124	224.0	2025	No	Sparta
3859702	Madison	31.01839	-95.748	178.7	2025	No	Yegua - Jackson
3859702	Madison	31.01839	-95.748	178.7	2026	No	Yegua - Jackson
426337	Madison	31.00225	-96.1117	261.5	2025	No	Sparta
426337	Madison	31.00225	-96.1117	261.5	2026	No	Sparta
600121	Madison	30.98591	-95.9358	243.8	2025	No	Yegua - Jackson
600160	Madison	30.9464	-95.9143	233.1	2025	No	Yegua - Jackson
600243	Madison	30.92436	-95.8609	214.4	2025	No	Yegua - Jackson
718585	Madison	31.00246	-96.1134	266.0	2025	No	Sparta
718585	Madison	31.00246	-96.1134	266.0	2026	No	Sparta
179607	Leon	31.02222	-96.24	278.0	2025	No	Queen City
213739	Leon	31.15216	-96.0514	348.1	2025	No	Sparta
242459	Leon	31.17417	-95.9306	236.4	2025	No	Sparta
247573	Leon	31.06861	-96.2128	287.7	2025	No	Queen City
257905	Leon	31.33194	-96.2706	340.0	2025	No	Calvert Bluff
258198	Leon	31.33194	-96.2703	327.7	2025	No	Calvert Bluff
385021	Leon	31.23136	-95.822	207.0	2025	No	Queen City
385021	Leon	31.23136	-95.822	207.0	2026	No	Queen City



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
3940601	Leon	31.44417	-96.0386	307.4	2025	No	Carrizo
3940601	Leon	31.44417	-96.0386	307.4	2026	No	Carrizo
394720	Leon	31.34042	-96.1964	328.3	2025	No	Calvert Bluff
3947602	Leon	31.31205	-96.1581	414.1	2025	No	Calvert Bluff
3956301	Leon	31.24194	-96.0253	258.3	2025	No	Queen City
3956301	Leon	31.24194	-96.0253	258.3	2026	No	Queen City
565072	Leon	31.1376	-96.0288	378.2	2025	No	Sparta
AX2077	Milam	30.53715	-97.0606	440.1	2025	Yes	Calvert Bluff
AX2077	Milam	30.53715	-97.0606	440.4	2026	Yes	Calvert Bluff
F13A	Milam	30.51527	-97.078	447.7	2025	Yes	No Assignment
F13A	Milam	30.51527	-97.078	447.5	2026	Yes	No Assignment
F2-OB	Milam	30.51631	-97.068	444.8	2025	Yes	Calvert Bluff
F2-OB	Milam	30.51631	-97.068	444.7	2026	Yes	Calvert Bluff
F74-5	Milam	30.51871	-97.0664	330.7	2025	Yes	Simsboro
F74-5	Milam	30.51871	-97.0664	326.4	2026	Yes	Simsboro
PO-000020	Milam	30.68111	-96.948	319.4	2025	No	Simsboro
PO-000020	Milam	30.68111	-96.948	317.6	2026	No	Simsboro
PO-000025	Milam	30.66847	-96.9869	331.0	2025	Yes	Simsboro
PO-000025	Milam	30.66847	-96.9869	330.5	2026	Yes	Simsboro
PO-000026	Milam	30.7238	-96.983	375.1	2025	No	Hooper
PO-000026	Milam	30.7238	-96.983	374.4	2026	No	Hooper
PO-000053	Milam	30.78412	-96.8955	308.4	2025	Yes	Simsboro
PO-000053	Milam	30.78412	-96.8955	307.4	2026	Yes	Simsboro
PO-000059	Milam	30.79712	-96.7347	267.0	2025	No	Calvert Bluff
PO-000059	Milam	30.79712	-96.7347	266.7	2026	No	Calvert Bluff
PO-000073	Milam	30.78089	-96.7851	219.1	2025	Yes	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-000073	Milam	30.78089	-96.7851	217.1	2026	Yes	Calvert Bluff
PO-000084	Milam	30.72826	-96.6323	303.1	2025	No	Queen City
PO-000084	Milam	30.72826	-96.6323	302.7	2026	No	Queen City
PO-000099	Milam	30.56917	-96.9477	337.6	2025	No	Calvert Bluff
PO-000099	Milam	30.56917	-96.9477	337.7	2026	No	Calvert Bluff
PO-000107	Milam	30.60093	-96.9825	288.6	2025	Yes	Simsboro
PO-000107	Milam	30.60093	-96.9825	286.2	2026	Yes	Simsboro
PO-000115	Milam	30.64479	-96.9898	327.7	2025	No	Simsboro
PO-000115	Milam	30.64479	-96.9898	326.9	2026	No	Simsboro
PO-000118	Milam	30.65152	-96.9781	315.9	2025	No	Simsboro
PO-000118	Milam	30.65152	-96.9781	313.8	2026	No	Simsboro
PO-000138	Milam	30.66644	-96.996	335.6	2025	No	Simsboro
PO-000138	Milam	30.66644	-96.996	334.8	2026	No	Simsboro
PO-000170	Milam	30.65854	-97.0166	360.6	2025	No	Simsboro
PO-000170	Milam	30.65854	-97.0166	354.1	2026	No	Simsboro
PO-000186	Milam	30.7588	-96.9853	317.5	2025	No	Hooper
PO-000221	Milam	30.82441	-96.8898	271.3	2025	Yes	Hooper
PO-000221	Milam	30.82441	-96.8898	267.7	2026	Yes	Hooper
PO-000223	Milam	30.89759	-96.852	315.5	2025	No	Hooper
PO-000223	Milam	30.89759	-96.852	316.8	2026	No	Hooper
PO-000234	Milam	30.98816	-96.7576	250.7	2025	Yes	Simsboro
PO-000236	Milam	30.96417	-96.7907	288.7	2025	No	Hooper
PO-000236	Milam	30.96417	-96.7907	288.1	2026	No	Hooper
PO-000256	Milam	30.88488	-96.7783	240.0	2025	Yes	Calvert Bluff
PO-000256	Milam	30.88488	-96.7783	238.8	2026	Yes	Calvert Bluff
PO-000268	Milam	30.62342	-97.088	462.6	2025	No	Hooper



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-000268	Milam	30.62342	-97.088	461.1	2026	No	Hooper
PO-001062	Milam	30.71608	-96.8633	245.5	2025	No	Simsboro
PO-001062	Milam	30.71608	-96.8633	242.5	2026	No	Simsboro
PO-001066	Milam	30.64806	-96.8546	347.6	2025	Yes	Carrizo
PO-001066	Milam	30.64806	-96.8546	346.8	2026	Yes	Carrizo
PO-001082	Milam	30.78715	-96.7169	126.4	2025	Yes	Simsboro
PO-001082	Milam	30.78715	-96.7169	122.7	2026	Yes	Simsboro
PO-001083	Milam	30.78139	-96.7142	129.3	2025	No	Simsboro
PO-001083	Milam	30.78139	-96.7142	123.0	2026	No	Simsboro
PO-001109	Milam	30.59383	-96.9673	285.0	2025	No	Simsboro
PO-001109	Milam	30.59383	-96.9673	282.2	2026	No	Simsboro
PO-001110	Milam	30.67129	-97.004	339.1	2025	No	Simsboro
PO-001111	Milam	30.64318	-96.9265	278.0	2025	No	Simsboro
PO-001111	Milam	30.64318	-96.9265	274.1	2026	No	Simsboro
PO-001112	Milam	30.69131	-96.8999	255.8	2025	No	Simsboro
PO-001118	Milam	30.63481	-96.9911	315.9	2025	No	Simsboro
PO-001343	Milam	30.80175	-96.7586	201.9	2025	No	Calvert Bluff
PO-001343	Milam	30.80175	-96.7586	201.5	2026	No	Calvert Bluff
PO-001350	Milam	30.59237	-96.9706	305.8	2025	No	Simsboro
PO-001450	Milam	30.60846	-97.0074	327.1	2025	No	Simsboro
PO-001450	Milam	30.60846	-97.0074	325.2	2026	No	Simsboro
PO-001483	Milam	30.63303	-97.039	388.3	2025	No	Simsboro
PO-001483	Milam	30.63303	-97.039	388.3	2026	No	Simsboro
PO-001486	Milam	30.66072	-97.0026	341.3	2025	No	Simsboro
PO-001486	Milam	30.66072	-97.0026	340.5	2026	No	Simsboro
PO-001505	Milam	30.50795	-97.158	433.6	2025	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-001505	Milam	30.50795	-97.158	432.6	2026	No	Simsboro
PO-001628	Milam	30.79048	-96.7528	200.2	2025	No	Calvert Bluff
PO-001628	Milam	30.79048	-96.7528	198.8	2026	No	Calvert Bluff
PO-001777	Milam	30.78996	-96.7976	220.5	2025	No	Calvert Bluff
PO-001777	Milam	30.78996	-96.7976	220.5	2026	No	Calvert Bluff
PO-001786	Milam	30.79871	-96.7464	208.5	2025	No	Calvert Bluff
PO-001786	Milam	30.79871	-96.7464	207.3	2026	No	Calvert Bluff
PO-001789	Milam	30.79846	-96.7489	192.3	2025	Yes	Calvert Bluff
PO-001789	Milam	30.79846	-96.7489	190.1	2026	Yes	Calvert Bluff
PO-001883	Milam	30.50653	-97.1186	388.4	2025	No	Simsboro
PO-001883	Milam	30.50653	-97.1186	386.8	2026	No	Simsboro
PO-001947	Milam	30.66202	-97.0391	378.5	2025	No	Hooper
PO-001947	Milam	30.66202	-97.0391	378.7	2026	No	Hooper
PO-001980	Milam	30.61192	-97.0821	419.1	2025	No	Hooper
PO-001980	Milam	30.61192	-97.0821	419.1	2026	No	Hooper
PO-001982	Milam	30.62936	-97.0453	394.3	2025	No	Simsboro
PO-001982	Milam	30.62936	-97.0453	393.6	2026	No	Simsboro
PO-001990	Milam	30.4921	-97.0914	341.5	2025	Yes	Simsboro
PO-001990	Milam	30.4921	-97.0914	339.5	2026	Yes	Simsboro
PO-002014	Milam	30.48294	-97.1259	359.7	2025	Yes	Simsboro
PO-002014	Milam	30.48294	-97.1259	357.8	2026	Yes	Simsboro
PO-002078	Milam	30.96596	-96.8102	310.2	2025	No	Hooper
PO-002078	Milam	30.96596	-96.8102	310.9	2026	No	Hooper
PO-002108	Milam	30.66745	-96.8547	203.8	2025	No	Calvert Bluff
PO-002152	Milam	30.56094	-96.9952	294.3	2025	No	Simsboro
PO-002152	Milam	30.56094	-96.9952	288.8	2026	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-002153	Milam	30.54361	-96.9951	281.9	2025	No	Simsboro
PO-002153	Milam	30.54361	-96.9951	272.2	2026	No	Simsboro
PO-002171	Milam	30.58329	-96.9641	297.7	2025	No	Calvert Bluff
PO-002173	Milam	30.60089	-96.9826	314.2	2025	No	Simsboro
PO-002173	Milam	30.60089	-96.9826	311.1	2026	No	Simsboro
PO-002191	Milam	30.64475	-96.9895	322.0	2025	No	Simsboro
PO-002191	Milam	30.64475	-96.9895	320.5	2026	No	Simsboro
PO-002205	Milam	30.6577	-97.0083	356.9	2025	No	Simsboro
PO-002205	Milam	30.6577	-97.0083	355.5	2026	No	Simsboro
PO-002217	Milam	30.66724	-96.9308	295.5	2025	No	Hooper
PO-002217	Milam	30.66724	-96.9308	291.9	2026	No	Hooper
PO-002355	Milam	30.74254	-96.7234	279.4	2025	No	Calvert Bluff
PO-002355	Milam	30.74254	-96.7234	279.6	2026	No	Calvert Bluff
PO-002423	Milam	30.90595	-96.7781	276.9	2025	No	Calvert Bluff
PO-002423	Milam	30.90595	-96.7781	276.6	2026	No	Calvert Bluff
PO-002538	Milam	30.6341	-97.0084	343.2	2025	No	Simsboro
PO-002538	Milam	30.6341	-97.0084	342.6	2026	No	Simsboro
PO-002556	Milam	30.63144	-97.0481	388.4	2025	No	Hooper
PO-002556	Milam	30.63144	-97.0481	386.0	2026	No	Hooper
PO-002659	Milam	30.79354	-96.7539	209.9	2025	No	Calvert Bluff
PO-002659	Milam	30.79354	-96.7539	208.7	2026	No	Calvert Bluff
PO-006225	Milam	30.56111	-97.0058	293.4	2025	No	Simsboro
PO-006225	Milam	30.56111	-97.0058	287.6	2026	No	Simsboro
PO-006226	Milam	30.56111	-97.006	294.1	2025	Yes	Simsboro
PO-006226	Milam	30.56111	-97.006	288.9	2026	Yes	Simsboro
PO-006305	Milam	30.53127	-97.0268	426.1	2025	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-006305	Milam	30.53127	-97.0268	426.0	2026	No	Calvert Bluff
PO-006330	Milam	30.79857	-96.7546	212.3	2025	No	Calvert Bluff
PO-006330	Milam	30.79857	-96.7546	211.1	2026	No	Calvert Bluff
PO-006501	Milam	30.64613	-96.979	313.3	2025	No	Hooper
PO-006501	Milam	30.64613	-96.979	313.3	2026	No	Hooper
PO-006796	Milam	30.52555	-97.1095	386.4	2025	No	Simsboro
PO-006796	Milam	30.52555	-97.1095	386.4	2026	No	Simsboro
PO-007085	Milam	30.79218	-96.7498	187.4	2025	No	Calvert Bluff
PO-007085	Milam	30.79218	-96.7498	185.6	2026	No	Calvert Bluff
PO-007108	Milam	30.76235	-96.6715	265.3	2025	No	Calvert Bluff
PO-007108	Milam	30.76235	-96.6715	264.2	2026	No	Calvert Bluff
PO-007198	Milam	30.69652	-97.0184	370.6	2025	No	Hooper
PO-007198	Milam	30.69652	-97.0184	370.1	2026	No	Hooper
PO-007242	Milam	30.65372	-96.9365	295.2	2025	No	Simsboro
PO-007242	Milam	30.65372	-96.9365	290.4	2026	No	Simsboro
PO-007283	Milam	30.96101	-96.8426	358.9	2025	No	Hooper
PO-007283	Milam	30.96101	-96.8426	358.8	2026	No	Hooper
PO-007363	Milam	30.55655	-97.0885	407.3	2025	Yes	Simsboro
PO-007363	Milam	30.55655	-97.0885	407.0	2026	Yes	Simsboro
PO-007364	Milam	30.68456	-97.0401	370.5	2025	No	Hooper
PO-007364	Milam	30.68456	-97.0401	370.3	2026	No	Hooper
PO-007365	Milam	30.54275	-97.0379	309.1	2025	Yes	Simsboro
PO-007506	Milam	30.67156	-97.004	333.2	2025	Yes	Simsboro
PO-007506	Milam	30.67156	-97.004	334.7	2026	Yes	Simsboro
PO-007614	Milam	30.79944	-96.7519	196.9	2025	No	Calvert Bluff
PO-007614	Milam	30.79944	-96.7519	195.6	2026	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-007672	Milam	30.54928	-97.0326	281.4	2025	No	Simsboro
PO-007672	Milam	30.54928	-97.0326	269.6	2026	No	Simsboro
PO-007773	Milam	30.78793	-96.7653	203.2	2025	No	Calvert Bluff
PO-007773	Milam	30.78793	-96.7653	201.5	2026	No	Calvert Bluff
PO-007774	Milam	30.77988	-96.8624	263.0	2025	No	Simsboro
PO-007774	Milam	30.77988	-96.8624	259.9	2026	No	Simsboro
PO-007838	Milam	30.5831	-97.1197	487.3	2025	No	Hooper
PO-007838	Milam	30.5831	-97.1197	487.1	2026	No	Hooper
PO-007998	Milam	30.78998	-96.7631	197.2	2025	Yes	Calvert Bluff
PO-007998	Milam	30.78998	-96.7631	195.0	2026	Yes	Calvert Bluff
PO-008033	Milam	30.69531	-96.7783	316.0	2025	No	Carrizo
PO-008033	Milam	30.69531	-96.7783	316.0	2026	No	Carrizo
PO-008037	Milam	30.80002	-96.745	204.5	2025	No	Calvert Bluff
PO-008037	Milam	30.80002	-96.745	196.5	2026	No	Calvert Bluff
PO-008095	Milam	30.63275	-96.907	327.3	2025	No	Calvert Bluff
PO-008095	Milam	30.63275	-96.907	325.1	2026	No	Calvert Bluff
PO-008096	Milam	30.51928	-97.1285	432.4	2025	No	Hooper
PO-008096	Milam	30.51928	-97.1285	430.6	2026	No	Hooper
PO-008149	Milam	30.66495	-96.8282	254.8	2025	No	Calvert Bluff
PO-008151	Milam	30.64345	-96.9429	414.3	2025	No	Calvert Bluff
PO-008151	Milam	30.64345	-96.9429	414.6	2026	No	Calvert Bluff
PO-008153	Milam	30.78811	-96.7619	197.5	2025	Yes	Calvert Bluff
PO-008153	Milam	30.78811	-96.7619	194.5	2026	Yes	Calvert Bluff
PO-008172	Milam	30.51383	-97.1645	464.3	2025	No	Hooper
PO-008172	Milam	30.51383	-97.1645	461.3	2026	No	Hooper
PO-008245	Milam	30.80274	-96.7463	213.9	2025	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-008245	Milam	30.80274	-96.7463	213.8	2026	No	Calvert Bluff
PO-008255	Milam	30.5176	-97.0544	309.3	2025	Yes	Simsboro
PO-008255	Milam	30.5176	-97.0544	303.6	2026	Yes	Simsboro
PO-008274	Milam	30.96749	-96.7772	280.0	2025	Yes	Hooper
PO-008274	Milam	30.96749	-96.7772	279.5	2026	Yes	Hooper
PO-008281	Milam	30.78638	-96.7571	220.9	2025	No	Calvert Bluff
PO-008281	Milam	30.78638	-96.7571	219.2	2026	No	Calvert Bluff
PO-008442	Milam	30.79139	-96.7678	211.3	2025	No	Calvert Bluff
PO-008442	Milam	30.79139	-96.7678	209.8	2026	No	Calvert Bluff
PO-008451	Milam	30.56314	-96.9622	269.3	2025	No	Simsboro
PO-008451	Milam	30.56314	-96.9622	264.9	2026	No	Simsboro
PO-008494	Milam	30.57033	-97.0394	381.8	2025	Yes	Simsboro
PO-008494	Milam	30.57033	-97.0394	380.2	2026	Yes	Simsboro
PO-008497	Milam	30.55998	-97.0502	387.7	2025	Yes	Simsboro
PO-008497	Milam	30.55998	-97.0502	386.1	2026	Yes	Simsboro
PO-008499	Milam	30.55482	-97.0431	387.4	2025	Yes	Simsboro
PO-008499	Milam	30.55482	-97.0431	385.9	2026	Yes	Simsboro
PO-008500	Milam	30.58796	-97.0183	314.1	2025	Yes	Simsboro
PO-008500	Milam	30.58796	-97.0183	314.1	2026	Yes	Simsboro
PO-008505	Milam	30.57674	-97.0248	339.7	2025	Yes	Simsboro
PO-008505	Milam	30.57674	-97.0248	337.2	2026	Yes	Simsboro
PO-008517	Milam	30.5737	-97.0084	316.4	2025	Yes	Simsboro
PO-008517	Milam	30.5737	-97.0084	312.1	2026	Yes	Simsboro
PO-008524	Milam	30.5843	-97.0103	300.8	2025	Yes	Simsboro
PO-008524	Milam	30.5843	-97.0103	300.8	2026	Yes	Simsboro
PO-008528	Milam	30.58076	-97.0084	319.9	2025	Yes	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-008528	Milam	30.58076	-97.0084	316.7	2026	Yes	Simsboro
PO-008537	Milam	30.52283	-97.0663	334.6	2025	Yes	Simsboro
PO-008537	Milam	30.52283	-97.0663	330.5	2026	Yes	Simsboro
PO-008540	Milam	30.51867	-97.0727	337.7	2025	Yes	Simsboro
PO-008540	Milam	30.51867	-97.0727	333.7	2026	Yes	Simsboro
PO-008544	Milam	30.58484	-97.0122	305.5	2025	Yes	Simsboro
PO-008544	Milam	30.58484	-97.0122	305.5	2026	Yes	Simsboro
PO-008548	Milam	30.55942	-97.0688	401.1	2025	Yes	Simsboro
PO-008548	Milam	30.55942	-97.0688	400.3	2026	Yes	Simsboro
PO-008549	Milam	30.50352	-97.1067	361.0	2025	Yes	Simsboro
PO-008549	Milam	30.50352	-97.1067	358.6	2026	Yes	Simsboro
PO-008550	Milam	30.50301	-97.1069	362.2	2025	Yes	Simsboro
PO-008550	Milam	30.50301	-97.1069	359.7	2026	Yes	Simsboro
PO-008551	Milam	30.52158	-97.1015	375.4	2025	Yes	Simsboro
PO-008551	Milam	30.52158	-97.1015	374.3	2026	Yes	Simsboro
PO-008553	Milam	30.55158	-97.0755	392.5	2025	Yes	Simsboro
PO-008553	Milam	30.55158	-97.0755	391.3	2026	Yes	Simsboro
PO-008715	Milam	30.79028	-96.7672	194.6	2025	No	Calvert Bluff
PO-008715	Milam	30.79028	-96.7672	194.1	2026	No	Calvert Bluff
PO-008772	Milam	30.9369	-96.8405	324.9	2025	No	Hooper
PO-008772	Milam	30.9369	-96.8405	325.4	2026	No	Hooper
PO-008787	Milam	30.509	-97.1537	425.8	2025	No	Hooper
PO-008787	Milam	30.509	-97.1537	423.3	2026	No	Hooper
PO-008795	Milam	30.93486	-96.8428	330.8	2025	No	Hooper
PO-008795	Milam	30.93486	-96.8428	331.2	2026	No	Hooper
PO-008823	Milam	30.76229	-96.7399	244.4	2025	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-008823	Milam	30.76229	-96.7399	242.9	2026	No	Calvert Bluff
PO-008840	Milam	30.78124	-96.7608	239.9	2025	No	Calvert Bluff
PO-008840	Milam	30.78124	-96.7608	237.8	2026	No	Calvert Bluff
PO-008865	Milam	30.65192	-97.0617	387.1	2025	No	Hooper
PO-008865	Milam	30.65192	-97.0617	386.2	2026	No	Hooper
PO-008935	Milam	30.91313	-96.8862	344.6	2025	No	Hooper
PO-008935	Milam	30.91313	-96.8862	344.3	2026	No	Hooper
PO-008945	Milam	30.78757	-96.7547	193.3	2025	No	Calvert Bluff
PO-008945	Milam	30.78757	-96.7547	191.5	2026	No	Calvert Bluff
PO-008959	Milam	30.68149	-96.7868	227.9	2025	No	Calvert Bluff
PO-008959	Milam	30.68149	-96.7868	224.6	2026	No	Calvert Bluff
PO-009000	Milam	30.51487	-97.0521	431.9	2025	No	Calvert Bluff
PO-009000	Milam	30.51487	-97.0521	431.4	2026	No	Calvert Bluff
PO-009004	Milam	30.50916	-97.0561	432.7	2025	No	Calvert Bluff
PO-009004	Milam	30.50916	-97.0561	434.0	2026	No	Calvert Bluff
PO-009009	Milam	30.7625	-96.6692	251.7	2025	No	Carrizo
PO-009009	Milam	30.7625	-96.6692	251.7	2026	No	Carrizo
PO-009094	Milam	30.93934	-96.8413	345.7	2025	No	Hooper
PO-009094	Milam	30.93934	-96.8413	346.0	2026	No	Hooper
PO-009124	Milam	30.52768	-97.1087	402.1	2025	No	Hooper
PO-009124	Milam	30.52768	-97.1087	402.1	2026	No	Hooper
PO-009144	Milam	30.64867	-96.9329	290.7	2025	No	Simsboro
PO-009144	Milam	30.64867	-96.9329	285.6	2026	No	Simsboro
PO-009154	Milam	30.84272	-96.8091	228.2	2025	No	Simsboro
PO-009154	Milam	30.84272	-96.8091	227.6	2026	No	Simsboro
PO-009162	Milam	30.93489	-96.8448	336.0	2025	No	Hooper



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-009162	Milam	30.93489	-96.8448	336.7	2026	No	Hooper
PO-009163	Milam	30.56478	-97.0474	387.9	2025	Yes	Simsboro
PO-009163	Milam	30.56478	-97.0474	386.7	2026	Yes	Simsboro
PO-009166	Milam	30.71145	-96.8625	193.3	2025	Yes	Simsboro
PO-009166	Milam	30.71145	-96.8625	189.4	2026	Yes	Simsboro
PO-009167	Milam	30.71147	-96.8625	436.5	2025	Yes	Carrizo
PO-009167	Milam	30.71147	-96.8625	435.7	2026	Yes	Carrizo
PO-009205	Milam	30.73761	-96.8486	243.1	2025	No	Simsboro
PO-009205	Milam	30.73761	-96.8486	237.9	2026	No	Simsboro
PO-009327	Milam	30.90658	-96.8888	332.1	2025	No	Hooper
PO-009327	Milam	30.90658	-96.8888	331.0	2026	No	Hooper
PO-009334	Milam	30.62472	-97.1019	444.7	2025	No	Hooper
PO-009334	Milam	30.62472	-97.1019	444.7	2026	No	Hooper
PO-009369	Milam	30.74056	-96.7203	313.8	2025	No	Carrizo
PO-009369	Milam	30.74056	-96.7203	313.7	2026	No	Carrizo
PO-009453	Milam	30.62407	-97.0487	386.7	2025	No	Hooper
PO-009453	Milam	30.62407	-97.0487	385.8	2026	No	Hooper
PO-009462	Milam	30.67587	-96.8031	325.9	2025	Yes	Carrizo
PO-009462	Milam	30.67587	-96.8031	325.9	2026	Yes	Carrizo
PO-009467	Milam	30.80174	-96.7548	280.4	2025	No	Carrizo
PO-009467	Milam	30.80174	-96.7548	280.1	2026	No	Carrizo
PO-009468	Milam	30.76017	-96.6515	264.3	2025	No	Carrizo
PO-009468	Milam	30.76017	-96.6515	264.9	2026	No	Carrizo
PO-009475	Milam	30.60693	-96.8713	311.2	2025	Yes	Carrizo
PO-009475	Milam	30.60693	-96.8713	309.2	2026	Yes	Carrizo
PO-009480	Milam	30.51974	-97.1288	420.8	2025	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-009480	Milam	30.51974	-97.1288	420.1	2026	No	Simsboro
PO-009487	Milam	30.68112	-97.0354	376.7	2025	No	Hooper
PO-009487	Milam	30.68112	-97.0354	376.6	2026	No	Hooper
PO-009493	Milam	30.82537	-96.6521	245.0	2025	No	Carrizo
PO-009493	Milam	30.82537	-96.6521	245.3	2026	No	Carrizo
PO-009495	Milam	30.64937	-96.979	317.8	2025	No	Simsboro
PO-009495	Milam	30.64937	-96.979	316.1	2026	No	Simsboro
PO-009497	Milam	30.91737	-96.8303	321.2	2025	No	Simsboro
PO-009497	Milam	30.91737	-96.8303	321.3	2026	No	Simsboro
PO-009498	Milam	30.60222	-96.9464	355.0	2025	No	Calvert Bluff
PO-009498	Milam	30.60222	-96.9464	351.9	2026	No	Calvert Bluff
PO-009517	Milam	30.68976	-96.9729	358.2	2025	No	Hooper
PO-009517	Milam	30.68976	-96.9729	357.0	2026	No	Hooper
PO-009522	Milam	30.52678	-97.1358	444.0	2025	No	Hooper
PO-009522	Milam	30.52678	-97.1358	444.0	2026	No	Hooper
PO-009540	Milam	30.7959	-96.7555	200.8	2025	No	Calvert Bluff
PO-009540	Milam	30.7959	-96.7555	199.8	2026	No	Calvert Bluff
PO-009545	Milam	30.81371	-96.9157	378.8	2025	Yes	Hooper
PO-009545	Milam	30.81371	-96.9157	378.9	2026	Yes	Hooper
PO-009551	Milam	30.74218	-96.9221	317.1	2025	Yes	Simsboro
PO-009551	Milam	30.74218	-96.9221	314.6	2026	Yes	Simsboro
PO-009552	Milam	30.79038	-96.7547	215.3	2025	No	Calvert Bluff
PO-009552	Milam	30.79038	-96.7547	214.3	2026	No	Calvert Bluff
PO-009553	Milam	30.74973	-96.974	369.7	2025	Yes	Hooper
PO-009553	Milam	30.74973	-96.974	369.1	2026	Yes	Hooper
PO-009555	Milam	30.7497	-96.974	381.9	2025	Yes	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-009555	Milam	30.7497	-96.974	381.8	2026	Yes	Simsboro
PO-009556	Milam	30.96155	-96.8438	370.1	2025	No	Hooper
PO-009556	Milam	30.96155	-96.8438	370.5	2026	No	Hooper
PO-009706	Milam	30.63488	-96.9909	312.1	2025	Yes	Simsboro
PO-009706	Milam	30.63488	-96.9909	310.3	2026	Yes	Simsboro
PO-009716	Milam	30.69608	-96.918	283.0	2025	No	Simsboro
PO-009716	Milam	30.69608	-96.918	280.8	2026	No	Simsboro
PO-009745	Milam	30.63405	-97.0376	374.5	2025	No	Simsboro
PO-009745	Milam	30.63405	-97.0376	374.3	2026	No	Simsboro
PO-009752	Milam	30.79608	-96.7531	213.6	2025	No	Calvert Bluff
PO-009752	Milam	30.79608	-96.7531	212.7	2026	No	Calvert Bluff
PO-009753	Milam	30.50957	-97.1201	386.8	2025	Yes	Simsboro
PO-009753	Milam	30.50957	-97.1201	386.0	2026	Yes	Simsboro
PO-009754	Milam	30.51863	-97.1082	385.9	2025	No	Simsboro
PO-009754	Milam	30.51863	-97.1082	384.5	2026	No	Simsboro
PO-009755	Milam	30.69897	-96.9728	365.3	2025	No	Simsboro
PO-009755	Milam	30.69897	-96.9728	364.3	2026	No	Simsboro
PO-009766	Milam	30.6512	-96.9514	300.1	2025	No	Simsboro
PO-009766	Milam	30.6512	-96.9514	295.4	2026	No	Simsboro
PO-009767	Milam	30.88894	-96.725	165.5	2025	No	Simsboro
PO-009767	Milam	30.88894	-96.725	163.6	2026	No	Simsboro
PO-009768	Milam	30.94696	-96.7942	284.2	2025	No	Simsboro
PO-009768	Milam	30.94696	-96.7942	284.4	2026	No	Simsboro
PO-009775	Milam	30.80043	-96.7506	211.8	2025	No	Calvert Bluff
PO-009775	Milam	30.80043	-96.7506	211.8	2026	No	Calvert Bluff
PO-009781	Milam	30.9504	-96.8351	362.1	2025	No	Hooper



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-009781	Milam	30.9504	-96.8351	362.5	2026	No	Hooper
PO-009805	Milam	30.69957	-96.721	288.2	2025	No	Carrizo
PO-009805	Milam	30.69957	-96.721	288.2	2026	No	Carrizo
PO-009806	Milam	30.93666	-96.8438	341.2	2025	No	Hooper
PO-009806	Milam	30.93666	-96.8438	341.1	2026	No	Hooper
PO-009808	Milam	30.84933	-96.9217	311.0	2025	No	Hooper
PO-009808	Milam	30.84933	-96.9217	310.8	2026	No	Hooper
PO-009824	Milam	30.96914	-96.7806	281.7	2025	No	Hooper
PO-009824	Milam	30.96914	-96.7806	281.6	2026	No	Hooper
PO-010937	Milam	30.82378	-96.655	238.6	2025	No	Carrizo
PO-010937	Milam	30.82378	-96.655	238.7	2026	No	Carrizo
PO-011032	Milam	30.64815	-96.8547	150.5	2025	No	Simsboro
PO-011032	Milam	30.64815	-96.8547	146.4	2026	No	Simsboro
PO-011076	Milam	30.59579	-97.1098	465.6	2025	No	Hooper
PO-011076	Milam	30.59579	-97.1098	466.5	2026	No	Hooper
PO-011123	Milam	30.63306	-96.9903	307.5	2025	No	Simsboro
PO-011123	Milam	30.63306	-96.9903	307.5	2026	No	Simsboro
PO-011143	Milam	30.5185	-97.127	408.7	2025	No	Simsboro
PO-011143	Milam	30.5185	-97.127	407.4	2026	No	Simsboro
PO-011228	Milam	30.71381	-96.6971	296.6	2025	No	Carrizo
PO-011228	Milam	30.71381	-96.6971	300.4	2026	No	Carrizo
PO-011237	Milam	30.70617	-96.7053	297.1	2025	Yes	Carrizo
PO-011237	Milam	30.70617	-96.7053	297.1	2026	Yes	Carrizo
PO-011283	Milam	30.46207	-97.1499	316.4	2025	Yes	Simsboro
PO-011283	Milam	30.46207	-97.1499	308.8	2026	Yes	Simsboro
PO-011319	Milam	30.79075	-96.7517	173.0	2025	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-011319	Milam	30.79075	-96.7517	175.6	2026	No	Calvert Bluff
PO-011324	Milam	30.46316	-97.1525	316.1	2025	No	Hooper
PO-011447	Milam	30.49655	-97.126	376.2	2025	No	Hooper
PO-011447	Milam	30.49655	-97.126	373.0	2026	No	Hooper
PO-011455	Milam	30.63534	-96.8789	208.7	2025	No	Carrizo
PO-011457	Milam	30.73699	-96.9798	374.1	2025	No	Hooper
PO-011457	Milam	30.73699	-96.9798	372.5	2026	No	Hooper
PO-011460	Milam	30.56936	-96.9492	253.3	2025	No	Simsboro
PO-011460	Milam	30.56936	-96.9492	248.4	2026	No	Simsboro
PO-011473	Milam	30.54366	-97.0401	277.8	2025	No	Simsboro
PO-011473	Milam	30.54366	-97.0401	260.9	2026	No	Simsboro
PO-011547	Milam	30.54456	-97.0376	288.8	2025	Yes	Simsboro
PO-011547	Milam	30.54456	-97.0376	280.3	2026	Yes	Simsboro
PO-011551	Milam	30.51142	-97.0571	431.7	2025	No	Calvert Bluff
PO-011551	Milam	30.51142	-97.0571	430.8	2026	No	Calvert Bluff
PO-011553	Milam	30.51611	-97.0607	436.8	2025	No	Calvert Bluff
PO-011632	Milam	30.54358	-96.9921	342.2	2025	No	Calvert Bluff
PO-011632	Milam	30.54358	-96.9921	342.0	2026	No	Calvert Bluff
PO-011636	Milam	30.50599	-97.1549	436.1	2025	No	Hooper
PO-011636	Milam	30.50599	-97.1549	434.9	2026	No	Hooper
PO-011637	Milam	30.54106	-97.1314	447.6	2025	No	Hooper
PO-011640	Milam	30.54012	-97.1323	457.2	2025	No	Hooper
PO-011640	Milam	30.54012	-97.1323	455.5	2026	No	Hooper
PO-011646	Milam	30.5603	-96.9567	306.0	2025	No	Carrizo
PO-011646	Milam	30.5603	-96.9567	302.5	2026	No	Carrizo
PO-011685	Milam	30.79126	-96.7506	202.8	2025	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-011685	Milam	30.79126	-96.7506	199.1	2026	No	Calvert Bluff
PO-011753	Milam	30.61256	-96.8875	451.0	2025	No	Queen City
PO-011753	Milam	30.61256	-96.8875	451.0	2026	No	Queen City
PO-011886	Milam	30.78489	-96.6953	218.0	2025	No	Calvert Bluff
PO-011886	Milam	30.78489	-96.6953	218.0	2026	No	Calvert Bluff
PO-011959	Milam	30.69856	-96.7924	332.4	2025	No	Calvert Bluff
PO-011959	Milam	30.69856	-96.7924	332.4	2026	No	Calvert Bluff
PO-012004	Milam	30.51856	-97.0432	427.6	2025	No	Calvert Bluff
PO-012004	Milam	30.51856	-97.0432	427.0	2026	No	Calvert Bluff
PO-012005	Milam	30.52266	-97.0495	421.4	2025	No	Hooper
PO-012005	Milam	30.52266	-97.0495	420.7	2026	No	Hooper
PO-012010	Milam	30.88976	-96.7267	169.2	2025	No	Calvert Bluff
PO-012010	Milam	30.88976	-96.7267	169.2	2026	No	Calvert Bluff
PO-012022	Milam	30.74649	-96.851	242.8	2025	No	Simsboro
PO-012022	Milam	30.74649	-96.851	242.8	2026	No	Simsboro
PO-012116	Milam	30.78133	-96.7674	206.0	2025	No	Calvert Bluff
PO-012116	Milam	30.78133	-96.7674	206.0	2026	No	Calvert Bluff
PO-012151	Milam	30.63528	-96.8789	322.1	2025	No	Carrizo
PO-012151	Milam	30.63528	-96.8789	322.1	2026	No	Carrizo
PO-012186	Milam	30.69609	-97.2124	391.8	2025	No	SMALL ALLUVIUM
PO-012186	Milam	30.69609	-97.2124	391.8	2026	No	SMALL ALLUVIUM
PO-012270	Milam	30.52902	-97.136	431.9	2025	No	Hooper
PO-012270	Milam	30.52902	-97.136	431.9	2026	No	Hooper
PO-012388	Milam	30.64251	-96.9821	399.0	2025	No	Hooper
PO-012388	Milam	30.64251	-96.9821	399.0	2026	No	Hooper
PO-012395	Milam	30.56419	-97.1072	443.4	2025	No	No Assignment



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-012395	Milam	30.56419	-97.1072	443.4	2026	No	No Assignment
PO-012410	Milam	30.79227	-96.7532	212.5	2025	No	Calvert Bluff
PO-012410	Milam	30.79227	-96.7532	212.5	2026	No	Calvert Bluff
SIMS 27	Milam	30.50417	-97.1061	368.7	2025	Yes	Simsboro
SIMS 27	Milam	30.50417	-97.1061	366.8	2026	Yes	Simsboro
SP-17	Milam	30.57183	-97.0228	383.1	2025	Yes	Calvert Bluff
SP-17	Milam	30.57183	-97.0228	382.6	2026	Yes	Calvert Bluff
SW-2 UB	Milam	30.56423	-97.0249	312.4	2025	Yes	Simsboro
SW-2 UB	Milam	30.56423	-97.0249	307.3	2026	Yes	Simsboro
BVDO-0001	Brazos	30.6985	-96.4886	216.2	2025	No	Carrizo
BVDO-0001	Brazos	30.6985	-96.4886	217.3	2026	No	Carrizo
BVDO-0002	Brazos	30.69886	-96.4515	137.1	2025	No	Sparta
BVDO-0002	Brazos	30.69886	-96.4515	148.2	2026	No	Sparta
BVDO-0003	Brazos	30.72682	-96.4776	15.5	2025	No	Simsboro
BVDO-0013	Brazos	30.70579	-96.4886	8.8	2025	No	Simsboro
BVDO-0013	Brazos	30.70579	-96.4886	8.8	2026	No	Simsboro
BVDO-0053	Brazos	30.70898	-96.5068	-10.5	2025	No	Simsboro
BVDO-0053	Brazos	30.70898	-96.5068	-19.9	2026	No	Simsboro
BVDO-0081	Brazos	30.69847	-96.3311	238.8	2025	No	Yegua - Jackson
BVDO-0081	Brazos	30.69847	-96.3311	237.9	2026	No	Yegua - Jackson
BVDO-0127	Brazos	30.40795	-96.194	172.8	2025	No	Alluvium
BVDO-0127	Brazos	30.40795	-96.194	173.7	2026	No	Alluvium
BVDO-0133	Brazos	30.36524	-96.2671	160.1	2025	No	Alluvium
BVDO-0133	Brazos	30.36524	-96.2671	161.3	2026	No	Alluvium
BVDO-0142	Brazos	30.81564	-96.37	234.5	2025	No	Carrizo
BVDO-0142	Brazos	30.81564	-96.37	236.0	2026	No	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVDO-0153	Brazos	30.69175	-96.5419	217.7	2025	No	Queen City
BVDO-0153	Brazos	30.69175	-96.5419	218.2	2026	No	Queen City
BVDO-0219	Brazos	30.70046	-96.3144	177.6	2025	No	Sparta
BVDO-0223	Brazos	30.77546	-96.3534	198.3	2025	No	Queen City
BVDO-0223	Brazos	30.77546	-96.3534	193.6	2026	No	Queen City
BVDO-0420	Brazos	30.67531	-96.2998	178.4	2025	No	Sparta
BVDO-0420	Brazos	30.67531	-96.2998	178.4	2026	No	Sparta
BVGO-0447	Brazos	30.82097	-96.4114	291.3	2025	No	Sparta
BVGO-0447	Brazos	30.82097	-96.4114	291.6	2026	No	Sparta
BVGO-0474	Brazos	30.91195	-96.2696	290.8	2025	No	Queen City
BVGO-0474	Brazos	30.91195	-96.2696	293.6	2026	No	Queen City
BVGO-0481	Brazos	30.6484	-96.4057	228.2	2025	No	Yegua - Jackson
BVGO-0481	Brazos	30.6484	-96.4057	228.2	2026	No	Yegua - Jackson
BVGO-0545	Brazos	30.87087	-96.3815	283.4	2025	No	Queen City
BVGO-0545	Brazos	30.87087	-96.3815	283.5	2026	No	Queen City
BVGO-1222	Brazos	30.92817	-96.2265	265.1	2025	No	Queen City
BVGO-1222	Brazos	30.92817	-96.2265	265.1	2026	No	Queen City
BVHU-0001	Brazos	30.72294	-96.4201	168.8	2025	No	Sparta
BVHU-0002	Brazos	30.72049	-96.4263	197.7	2025	No	Sparta
BVHU-0003	Brazos	30.71495	-96.4094	52.9	2025	No	Simsboro
BVHU-0003	Brazos	30.71495	-96.4094	49.4	2026	No	Simsboro
BVHU-0004	Brazos	30.72264	-96.4204	35.9	2025	No	Simsboro
BVHU-0004	Brazos	30.72264	-96.4204	34.8	2026	No	Simsboro
BVHU-0005	Brazos	30.72949	-96.4298	21.3	2025	No	Simsboro
BVHU-0005	Brazos	30.72949	-96.4298	21.3	2026	No	Simsboro
BVHU-0007	Brazos	30.7443	-96.4539	20.6	2025	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVHU-0010	Brazos	30.73557	-96.4469	0.9	2025	No	Simsboro
BVHU-0010	Brazos	30.73557	-96.4469	0.9	2026	No	Simsboro
BVHU-0027	Brazos	30.78189	-96.3433	105.0	2025	No	Simsboro
BVHU-0038	Brazos	30.70022	-96.46	12.2	2025	No	Simsboro
BVHU-0038	Brazos	30.70022	-96.46	13.4	2026	No	Simsboro
BVHU-0039	Brazos	30.70155	-96.4701	22.1	2025	No	Simsboro
BVHU-0039	Brazos	30.70155	-96.4701	22.1	2026	No	Simsboro
BVHU-0040	Brazos	30.70031	-96.4789	3.3	2025	No	Simsboro
BVHU-0040	Brazos	30.70031	-96.4789	-5.5	2026	No	Simsboro
BVHU-0041	Brazos	30.70733	-96.4809	37.0	2025	No	Simsboro
BVHU-0041	Brazos	30.70733	-96.4809	31.2	2026	No	Simsboro
BVHU-0042	Brazos	30.69863	-96.4886	11.6	2025	No	Simsboro
BVHU-0042	Brazos	30.69863	-96.4886	6.5	2026	No	Simsboro
BVHU-0043	Brazos	30.69722	-96.4993	11.9	2025	No	Simsboro
BVHU-0043	Brazos	30.69722	-96.4993	11.9	2026	No	Simsboro
BVHU-0053	Brazos	30.62898	-96.416	57.7	2025	No	Simsboro
BVHU-0053	Brazos	30.62898	-96.416	57.7	2026	No	Simsboro
BVHU-0054	Brazos	30.61094	-96.2599	214.2	2025	No	Yegua - Jackson
BVHU-0054	Brazos	30.61094	-96.2599	214.2	2026	No	Yegua - Jackson
BVHU-0055	Brazos	30.63611	-96.2866	162.3	2025	No	Yegua - Jackson
BVHU-0055	Brazos	30.63611	-96.2866	166.2	2026	No	Yegua - Jackson
BVHU-0056	Brazos	30.63676	-96.2828	154.1	2025	No	Yegua - Jackson
BVHU-0056	Brazos	30.63676	-96.2828	154.4	2026	No	Yegua - Jackson
BVHU-0394	Brazos	30.63381	-96.5382	208.5	2025	No	Alluvium
BVHU-0394	Brazos	30.63381	-96.5382	209.6	2026	No	Alluvium
BVHU-0400	Brazos	30.68493	-96.5158	211.9	2025	No	Sparta



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVHU-0400	Brazos	30.68493	-96.5158	211.3	2026	No	Sparta
BVHU-0404	Brazos	30.68198	-96.5464	215.1	2025	No	Sparta
BVHU-0404	Brazos	30.68198	-96.5464	214.9	2026	No	Sparta
BVHU-0450	Brazos	30.65332	-96.4855	152.4	2025	No	Sparta
BVHU-0450	Brazos	30.65332	-96.4855	160.1	2026	No	Sparta
BVHU-0451	Brazos	30.65117	-96.493	139.6	2025	No	Sparta
BVHU-0451	Brazos	30.65117	-96.493	146.2	2026	No	Sparta
BVHU-0452	Brazos	30.64953	-96.5005	129.3	2025	No	Sparta
BVHU-0452	Brazos	30.64953	-96.5005	136.3	2026	No	Sparta
BVHU-0453	Brazos	30.67417	-96.4962	188.4	2025	No	Carrizo
BVHU-0453	Brazos	30.67417	-96.4962	182.3	2026	No	Carrizo
BVHU-0454	Brazos	30.65509	-96.4802	39.1	2025	No	Simsboro
BVHU-0454	Brazos	30.65509	-96.4802	36.5	2026	No	Simsboro
BVHU-0455	Brazos	30.66665	-96.49	39.1	2025	No	Simsboro
BVHU-0455	Brazos	30.66665	-96.49	36.0	2026	No	Simsboro
BVHU-0456	Brazos	30.64343	-96.4719	16.4	2025	No	Simsboro
BVHU-0456	Brazos	30.64343	-96.4719	23.6	2026	No	Simsboro
BVHU-0457	Brazos	30.6016	-96.4332	197.5	2025	No	Alluvium
BVHU-0457	Brazos	30.6016	-96.4332	197.9	2026	No	Alluvium
BVHU-0987	Brazos	30.64218	-96.5365	208.1	2025	No	Sparta
BVHU-0987	Brazos	30.64218	-96.5365	208.3	2026	No	Sparta
BVHU-1116	Brazos	30.42244	-96.2643	182.1	2025	No	Alluvium
BVHU-1116	Brazos	30.42244	-96.2643	184.0	2026	No	Alluvium
BVOP-0003	Brazos	30.61822	-96.3286	147.5	2025	No	Yegua - Jackson
BVOP-0003	Brazos	30.61822	-96.3286	142.3	2026	No	Yegua - Jackson
BVOP-0005	Brazos	30.58078	-96.3564	161.1	2025	No	Yegua - Jackson



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVOP-0005	Brazos	30.58078	-96.3564	157.7	2026	No	Yegua - Jackson
BVOP-0025	Brazos	30.67036	-96.3023	168.5	2025	No	Sparta
BVOP-0025	Brazos	30.67036	-96.3023	168.5	2026	No	Sparta
BVOP-0035	Brazos	30.39971	-96.2516	180.3	2025	No	Alluvium
BVOP-0035	Brazos	30.39971	-96.2516	180.8	2026	No	Alluvium
BVOP-0037	Brazos	30.40736	-96.2599	178.7	2025	No	Alluvium
BVOP-0037	Brazos	30.40736	-96.2599	180.7	2026	No	Alluvium
BVOP-0043	Brazos	30.3678	-96.2692	157.1	2025	No	Alluvium
BVOP-0043	Brazos	30.3678	-96.2692	158.1	2026	No	Alluvium
BVOP-0048	Brazos	30.80621	-96.3175	186.2	2025	No	Sparta
BVOP-0048	Brazos	30.80621	-96.3175	176.1	2026	No	Sparta
BVOP-0110	Brazos	30.42703	-96.169	175.8	2025	No	Alluvium
BVOP-0110	Brazos	30.42703	-96.169	177.1	2026	No	Alluvium
BVOP-0126	Brazos	30.39442	-96.2104	169.4	2025	No	Alluvium
BVOP-0126	Brazos	30.39442	-96.2104	170.5	2026	No	Alluvium
BVOP-0182	Brazos	30.86767	-96.2248	243.3	2025	No	Sparta
BVOP-0182	Brazos	30.86767	-96.2248	243.4	2026	No	Sparta
BVOP-0269	Brazos	30.90603	-96.2767	270.5	2025	No	Queen City
BVOP-0269	Brazos	30.90603	-96.2767	275.4	2026	No	Queen City
BVR-0166	Brazos	30.88173	-96.2822	232.7	2025	No	Queen City
BVR-0166	Brazos	30.88173	-96.2822	226.3	2026	No	Queen City
BVR-0202	Brazos	30.65652	-96.5025	241.0	2025	No	Queen City
BVR-0202	Brazos	30.65652	-96.5025	241.0	2026	No	Queen City
BVR-0774	Brazos	30.81094	-96.314	228.3	2025	No	Sparta
BVR-0774	Brazos	30.81094	-96.314	227.8	2026	No	Sparta
BVR-0866	Brazos	30.5349	-96.2321	213.2	2025	No	Yegua - Jackson



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVR-0866	Brazos	30.5349	-96.2321	213.0	2026	No	Yegua - Jackson
BVR-1489	Brazos	30.70124	-96.2595	200.7	2025	No	Yegua - Jackson
BVR-1489	Brazos	30.70124	-96.2595	200.7	2026	No	Yegua - Jackson
BVR-1507	Brazos	30.41475	-96.1337	174.4	2025	No	Alluvium
BVR-1507	Brazos	30.41475	-96.1337	175.4	2026	No	Alluvium
BVR-3791	Brazos	30.64883	-96.3766	227.9	2025	No	Yegua - Jackson
BVR-3791	Brazos	30.64883	-96.3766	227.9	2026	No	Yegua - Jackson
BVR-5128	Brazos	30.52374	-96.2063	194.4	2025	No	Yegua - Jackson
BVR-5128	Brazos	30.52374	-96.2063	194.4	2026	No	Yegua - Jackson
BVR-5145	Brazos	30.48476	-96.3055	228.3	2025	No	Yegua - Jackson
BVR-5145	Brazos	30.48476	-96.3055	228.3	2026	No	Yegua - Jackson
BVR-5148	Brazos	30.48354	-96.3082	202.7	2025	No	Yegua - Jackson
BVR-5148	Brazos	30.48354	-96.3082	202.7	2026	No	Yegua - Jackson
BVR-5150	Brazos	30.69866	-96.2177	200.6	2025	No	Yegua - Jackson
BVR-5150	Brazos	30.69866	-96.2177	200.6	2026	No	Yegua - Jackson
BVR-5171	Brazos	30.92833	-96.2378	250.9	2025	No	Queen City
BVR-5171	Brazos	30.92833	-96.2378	250.9	2026	No	Queen City
BVR-5179	Brazos	30.77184	-96.2997	199.7	2025	No	Sparta
BVR-5179	Brazos	30.77184	-96.2997	199.7	2026	No	Sparta
BVR-5180	Brazos	30.50564	-96.1876	177.4	2025	No	Yegua - Jackson
BVR-5180	Brazos	30.50564	-96.1876	177.4	2026	No	Yegua - Jackson
BVR-5183	Brazos	30.70047	-96.3144	183.4	2025	No	Sparta
BVR-5183	Brazos	30.70047	-96.3144	183.4	2026	No	Sparta
BVR-5220	Brazos	30.55362	-96.1731	183.1	2025	No	Yegua - Jackson
BVR-5220	Brazos	30.55362	-96.1731	183.1	2026	No	Yegua - Jackson
BVDO-0014	Robertson	30.85171	-96.5083	92.2	2025	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVDO-0014	Robertson	30.85171	-96.5083	91.0	2026	No	Simsboro
BVDO-0092	Robertson	30.92484	-96.7359	196.7	2025	No	Simsboro
BVDO-0092	Robertson	30.92484	-96.7359	196.7	2026	No	Simsboro
BVDO-0100	Robertson	30.86221	-96.4103	324.2	2025	No	Queen City
BVDO-0100	Robertson	30.86221	-96.4103	324.6	2026	No	Queen City
BVDO-0118	Robertson	31.09764	-96.5524	207.3	2025	No	Simsboro
BVDO-0118	Robertson	31.09764	-96.5524	214.6	2026	No	Simsboro
BVDO-0152	Robertson	30.72236	-96.5088	-9.5	2025	No	Simsboro
BVDO-0152	Robertson	30.72236	-96.5088	-9.5	2026	No	Simsboro
BVDO-0174	Robertson	30.99461	-96.3995	312.7	2025	No	Carrizo
BVDO-0174	Robertson	30.99461	-96.3995	312.7	2026	No	Carrizo
BVDO-0188	Robertson	31.15965	-96.6358	297.0	2025	No	Hooper
BVDO-0188	Robertson	31.15965	-96.6358	293.6	2026	No	Hooper
BVDO-0214	Robertson	30.99605	-96.3982	191.3	2025	No	Calvert Bluff
BVDO-0214	Robertson	30.99605	-96.3982	191.3	2026	No	Calvert Bluff
BVDO-0290	Robertson	30.83393	-96.6482	242.8	2025	No	Reklaw
BVDO-0290	Robertson	30.83393	-96.6482	242.8	2026	No	Reklaw
BVGO-0006	Robertson	31.26312	-96.3875	335.5	2025	No	Calvert Bluff
BVGO-0006	Robertson	31.26312	-96.3875	335.7	2026	No	Calvert Bluff
BVGO-0010	Robertson	31.18748	-96.5317	346.3	2025	No	Simsboro
BVGO-0010	Robertson	31.18748	-96.5317	345.9	2026	No	Simsboro
BVGO-0083	Robertson	31.27042	-96.4223	299.1	2025	No	Simsboro
BVGO-0083	Robertson	31.27042	-96.4223	300.0	2026	No	Simsboro
BVGO-0114	Robertson	31.1533	-96.5017	252.8	2025	No	Simsboro
BVGO-0114	Robertson	31.1533	-96.5017	252.8	2026	No	Simsboro
BVGO-0155	Robertson	31.1792	-96.4538	366.8	2025	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVGO-0155	Robertson	31.1792	-96.4538	367.1	2026	No	Calvert Bluff
BVGO-0180	Robertson	30.91157	-96.6193	284.3	2025	No	Carrizo
BVGO-0180	Robertson	30.91157	-96.6193	284.3	2026	No	Carrizo
BVGO-0188	Robertson	31.05798	-96.5749	208.3	2025	No	Simsboro
BVGO-0188	Robertson	31.05798	-96.5749	208.3	2026	No	Simsboro
BVGO-0225	Robertson	31.26367	-96.4173	295.6	2025	No	Simsboro
BVGO-0225	Robertson	31.26367	-96.4173	296.3	2026	No	Simsboro
BVGO-0231	Robertson	31.08077	-96.5618	205.9	2025	No	Simsboro
BVGO-0231	Robertson	31.08077	-96.5618	205.9	2026	No	Simsboro
BVGO-0322	Robertson	30.89958	-96.4614	323.1	2025	No	Queen City
BVGO-0322	Robertson	30.89958	-96.4614	323.1	2026	No	Queen City
BVGO-0397	Robertson	31.22728	-96.5269	400.4	2025	No	Simsboro
BVGO-0397	Robertson	31.22728	-96.5269	401.0	2026	No	Simsboro
BVGO-0406	Robertson	31.23173	-96.5351	400.1	2025	No	Simsboro
BVGO-0406	Robertson	31.23173	-96.5351	400.6	2026	No	Simsboro
BVGO-0407	Robertson	31.1458	-96.5591	284.7	2025	No	Simsboro
BVGO-0407	Robertson	31.1458	-96.5591	284.2	2026	No	Simsboro
BVGO-0446	Robertson	30.90853	-96.5229	349.7	2025	No	Queen City
BVGO-0446	Robertson	30.90853	-96.5229	349.7	2026	No	Queen City
BVGO-0701	Robertson	31.28883	-96.4173	308.2	2025	No	Simsboro
BVGO-0701	Robertson	31.28883	-96.4173	309.4	2026	No	Simsboro
BVGO-0726	Robertson	31.17367	-96.4566	265.2	2025	No	Calvert Bluff
BVGO-0726	Robertson	31.17367	-96.4566	265.2	2026	No	Calvert Bluff
BVGO-0735	Robertson	31.24304	-96.4518	313.6	2025	No	Simsboro
BVGO-0735	Robertson	31.24304	-96.4518	313.6	2026	No	Simsboro
BVGO-0736	Robertson	31.2444	-96.4552	319.6	2025	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVGO-0736	Robertson	31.2444	-96.4552	319.6	2026	No	Simsboro
BVGO-0753	Robertson	31.25483	-96.4329	387.1	2025	No	Calvert Bluff
BVGO-0753	Robertson	31.25483	-96.4329	387.4	2026	No	Calvert Bluff
BVGO-0758	Robertson	31.25373	-96.4207	289.8	2025	No	Calvert Bluff
BVGO-0758	Robertson	31.25373	-96.4207	290.5	2026	No	Calvert Bluff
BVGO-0762	Robertson	31.25599	-96.4175	290.8	2025	No	Simsboro
BVGO-0762	Robertson	31.25599	-96.4175	290.8	2026	No	Simsboro
BVGO-0781	Robertson	31.11585	-96.3213	302.7	2025	No	Carrizo
BVGO-0781	Robertson	31.11585	-96.3213	303.2	2026	No	Carrizo
BVGO-0791	Robertson	30.9122	-96.4131	361.0	2025	No	Queen City
BVGO-0791	Robertson	30.9122	-96.4131	361.1	2026	No	Queen City
BVGO-0792	Robertson	31.06627	-96.3541	324.7	2025	No	Carrizo
BVGO-0792	Robertson	31.06627	-96.3541	324.8	2026	No	Carrizo
BVGO-0828	Robertson	31.10121	-96.3112	311.7	2025	No	Carrizo
BVGO-0828	Robertson	31.10121	-96.3112	312.0	2026	No	Carrizo
BVGO-0836	Robertson	30.98538	-96.4643	340.7	2025	No	Carrizo
BVGO-0836	Robertson	30.98538	-96.4643	340.6	2026	No	Carrizo
BVGO-0838	Robertson	31.20817	-96.4421	279.8	2025	No	Simsboro
BVGO-0838	Robertson	31.20817	-96.4421	279.8	2026	No	Simsboro
BVGO-0870	Robertson	31.24829	-96.4255	297.2	2025	No	Calvert Bluff
BVGO-0870	Robertson	31.24829	-96.4255	297.2	2026	No	Calvert Bluff
BVGO-0882	Robertson	31.23489	-96.4306	387.6	2025	No	Calvert Bluff
BVGO-0882	Robertson	31.23489	-96.4306	387.6	2026	No	Calvert Bluff
BVGO-0884	Robertson	31.21579	-96.4383	381.1	2025	No	Calvert Bluff
BVGO-0884	Robertson	31.21579	-96.4383	381.3	2026	No	Calvert Bluff
BVGO-0886	Robertson	31.17806	-96.4593	272.6	2025	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVGO-0886	Robertson	31.17806	-96.4593	272.6	2026	No	Simsboro
BVGO-0889	Robertson	31.18268	-96.4518	287.1	2025	No	Simsboro
BVGO-0889	Robertson	31.18268	-96.4518	287.1	2026	No	Simsboro
BVGO-0933	Robertson	31.01266	-96.3157	312.8	2025	No	Queen City
BVGO-0933	Robertson	31.01266	-96.3157	312.8	2026	No	Queen City
BVGO-0976	Robertson	31.13085	-96.5211	339.7	2025	No	Calvert Bluff
BVGO-0976	Robertson	31.13085	-96.5211	339.7	2026	No	Calvert Bluff
BVGO-0982	Robertson	31.15228	-96.5266	336.7	2025	No	Simsboro
BVGO-0982	Robertson	31.15228	-96.5266	336.7	2026	No	Simsboro
BVGO-0991	Robertson	30.97105	-96.4668	417.0	2025	No	Queen City
BVGO-0991	Robertson	30.97105	-96.4668	417.2	2026	No	Queen City
BVGO-0992	Robertson	31.21472	-96.5267	393.4	2025	No	Simsboro
BVGO-0992	Robertson	31.21472	-96.5267	393.4	2026	No	Simsboro
BVGO-1021	Robertson	30.96938	-96.5409	329.8	2025	No	Carrizo
BVGO-1021	Robertson	30.96938	-96.5409	329.8	2026	No	Carrizo
BVGO-1045	Robertson	31.03887	-96.4328	362.1	2025	No	Carrizo
BVGO-1045	Robertson	31.03887	-96.4328	362.1	2026	No	Carrizo
BVGO-1058	Robertson	31.009	-96.3932	378.5	2025	No	Carrizo
BVGO-1058	Robertson	31.009	-96.3932	378.6	2026	No	Carrizo
BVGO-1085	Robertson	31.17518	-96.4336	252.1	2025	No	Calvert Bluff
BVGO-1085	Robertson	31.17518	-96.4336	252.1	2026	No	Calvert Bluff
BVGO-1114	Robertson	31.17331	-96.4288	246.7	2025	No	Calvert Bluff
BVGO-1114	Robertson	31.17331	-96.4288	246.7	2026	No	Calvert Bluff
BVGO-1132	Robertson	31.20353	-96.4237	377.4	2025	No	Calvert Bluff
BVGO-1132	Robertson	31.20353	-96.4237	377.4	2026	No	Calvert Bluff
BVGO-1140	Robertson	31.18331	-96.4355	357.3	2025	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVGO-1140	Robertson	31.18331	-96.4355	357.3	2026	No	Calvert Bluff
BVGO-1149	Robertson	31.19428	-96.4313	363.9	2025	No	Calvert Bluff
BVGO-1149	Robertson	31.19428	-96.4313	363.9	2026	No	Calvert Bluff
BVGO-1152	Robertson	31.23847	-96.4508	309.9	2025	No	Simsboro
BVGO-1152	Robertson	31.23847	-96.4508	309.9	2026	No	Simsboro
BVGO-1186	Robertson	31.19038	-96.4551	322.2	2025	No	Simsboro
BVGO-1186	Robertson	31.19038	-96.4551	322.2	2026	No	Simsboro
BVGO-1209	Robertson	30.97403	-96.5221	334.3	2025	No	Carrizo
BVGO-1209	Robertson	30.97403	-96.5221	334.3	2026	No	Carrizo
BVGO-1218	Robertson	30.94979	-96.2896	295.3	2025	No	Queen City
BVGO-1218	Robertson	30.94979	-96.2896	296.0	2026	No	Queen City
BVGO-1370	Robertson	31.01681	-96.4674	367.8	2025	No	Carrizo
BVGO-1370	Robertson	31.01681	-96.4674	367.8	2026	No	Carrizo
BVGO-1560	Robertson	31.14097	-96.3049	295.7	2025	No	Calvert Bluff
BVGO-1560	Robertson	31.14097	-96.3049	295.7	2026	No	Calvert Bluff
BVHU-0011	Robertson	30.8756	-96.5885	117.4	2025	No	Simsboro
BVHU-0011	Robertson	30.8756	-96.5885	117.4	2026	No	Simsboro
BVHU-0012	Robertson	30.88624	-96.5904	125.4	2025	No	Simsboro
BVHU-0012	Robertson	30.88624	-96.5904	122.1	2026	No	Simsboro
BVHU-0013	Robertson	30.88569	-96.6194	127.5	2025	No	Simsboro
BVHU-0013	Robertson	30.88569	-96.6194	126.7	2026	No	Simsboro
BVHU-0014	Robertson	30.87949	-96.5987	114.8	2025	No	Simsboro
BVHU-0014	Robertson	30.87949	-96.5987	112.9	2026	No	Simsboro
BVHU-0017	Robertson	31.12388	-96.5229	226.2	2025	No	Simsboro
BVHU-0017	Robertson	31.12388	-96.5229	226.8	2026	No	Simsboro
BVHU-0018	Robertson	31.23	-96.428	272.0	2025	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVHU-0018	Robertson	31.23	-96.428	272.0	2026	No	Simsboro
BVHU-0019	Robertson	31.05602	-96.3371	159.9	2025	No	Simsboro
BVHU-0019	Robertson	31.05602	-96.3371	157.4	2026	No	Simsboro
BVHU-0022	Robertson	31.0509	-96.4285	162.9	2025	No	Simsboro
BVHU-0022	Robertson	31.0509	-96.4285	160.5	2026	No	Simsboro
BVHU-0023	Robertson	31.16672	-96.6375	339.6	2025	No	Hooper
BVHU-0023	Robertson	31.16672	-96.6375	339.6	2026	No	Hooper
BVHU-0031	Robertson	30.89559	-96.3917	113.7	2025	No	Simsboro
BVHU-0031	Robertson	30.89559	-96.3917	111.4	2026	No	Simsboro
BVHU-0046	Robertson	31.04818	-96.6739	185.8	2025	No	Simsboro
BVHU-0046	Robertson	31.04818	-96.6739	165.7	2026	No	Simsboro
BVHU-0047	Robertson	31.05086	-96.6665	170.8	2025	No	Simsboro
BVHU-0047	Robertson	31.05086	-96.6665	164.5	2026	No	Simsboro
BVHU-0067	Robertson	30.76977	-96.5775	230.2	2025	No	Queen City
BVHU-0067	Robertson	30.76977	-96.5775	229.9	2026	No	Queen City
BVHU-0144	Robertson	31.15543	-96.371	292.2	2025	No	Calvert Bluff
BVHU-0144	Robertson	31.15543	-96.371	292.0	2026	No	Calvert Bluff
BVHU-0186	Robertson	30.84349	-96.6496	241.6	2025	No	Alluvium
BVHU-0186	Robertson	30.84349	-96.6496	242.2	2026	No	Alluvium
BVHU-0246	Robertson	31.32651	-96.3334	307.0	2025	No	Simsboro
BVHU-0359	Robertson	30.94556	-96.7322	269.8	2025	No	Calvert Bluff
BVHU-0359	Robertson	30.94556	-96.7322	270.5	2026	No	Calvert Bluff
BVHU-0412	Robertson	31.16565	-96.6752	392.0	2025	No	Hooper
BVHU-0412	Robertson	31.16565	-96.6752	391.9	2026	No	Hooper
BVHU-0413	Robertson	31.16514	-96.6829	395.3	2025	No	Hooper
BVHU-0413	Robertson	31.16514	-96.6829	395.0	2026	No	Hooper



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVHU-0415	Robertson	31.16551	-96.6552	287.4	2025	No	Hooper
BVHU-0415	Robertson	31.16551	-96.6552	284.7	2026	No	Hooper
BVHU-0416	Robertson	31.15883	-96.6529	277.5	2025	No	Hooper
BVHU-0416	Robertson	31.15883	-96.6529	291.8	2026	No	Hooper
BVHU-1025	Robertson	30.93108	-96.7471	206.7	2025	No	Simsboro
BVHU-1025	Robertson	30.93108	-96.7471	205.4	2026	No	Simsboro
BVHU-1041	Robertson	30.81923	-96.6008	243.9	2025	No	Alluvium
BVHU-1041	Robertson	30.81923	-96.6008	245.1	2026	No	Alluvium
BVHU-1063	Robertson	30.9434	-96.7101	273.8	2025	No	Calvert Bluff
BVHU-1063	Robertson	30.9434	-96.7101	274.9	2026	No	Calvert Bluff
BVHU-1070	Robertson	31.01453	-96.748	240.2	2025	No	Simsboro
BVHU-1070	Robertson	31.01453	-96.748	241.1	2026	No	Simsboro
BVNP-0010	Robertson	30.82917	-96.6032	242.5	2025	No	Queen City
BVNP-0010	Robertson	30.82917	-96.6032	243.7	2026	No	Queen City
BVOP-0012	Robertson	30.97502	-96.6735	161.7	2025	No	Simsboro
BVOP-0012	Robertson	30.97502	-96.6735	159.4	2026	No	Simsboro
BVOP-0018	Robertson	31.04986	-96.648	182.3	2025	No	Simsboro
BVOP-0018	Robertson	31.04986	-96.648	182.3	2026	No	Simsboro
BVOP-0020	Robertson	31.17912	-96.4897	180.6	2025	No	Hooper
BVOP-0027	Robertson	31.0282	-96.4876	157.8	2025	No	Simsboro
BVOP-0027	Robertson	31.0282	-96.4876	151.1	2026	No	Simsboro
BVOP-0028	Robertson	31.02677	-96.4923	158.6	2025	No	Simsboro
BVOP-0028	Robertson	31.02677	-96.4923	153.8	2026	No	Simsboro
BVOP-0029	Robertson	31.02993	-96.4913	161.3	2025	No	Simsboro
BVOP-0029	Robertson	31.02993	-96.4913	158.6	2026	No	Simsboro
BVOP-0051	Robertson	30.96449	-96.7075	175.6	2025	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVOP-0051	Robertson	30.96449	-96.7075	175.5	2026	No	Simsboro
BVR-0023	Robertson	30.95386	-96.6887	165.9	2025	No	Calvert Bluff
BVR-0023	Robertson	30.95386	-96.6887	165.9	2026	No	Calvert Bluff
BVR-0038	Robertson	31.0578	-96.7384	282.9	2025	No	Hooper
BVR-0038	Robertson	31.0578	-96.7384	282.9	2026	No	Hooper
BVR-0060	Robertson	30.90264	-96.6247	121.9	2025	No	Simsboro
BVR-0060	Robertson	30.90264	-96.6247	121.9	2026	No	Simsboro
BVR-0118	Robertson	30.99592	-96.6801	174.5	2025	No	Simsboro
BVR-0118	Robertson	30.99592	-96.6801	174.5	2026	No	Simsboro
BVR-0175	Robertson	31.05034	-96.727	247.1	2025	No	Hooper
BVR-0175	Robertson	31.05034	-96.727	247.1	2026	No	Hooper
BVR-0224	Robertson	31.22892	-96.4087	360.9	2025	No	Calvert Bluff
BVR-0224	Robertson	31.22892	-96.4087	360.9	2026	No	Calvert Bluff
BVR-0272	Robertson	31.10329	-96.7441	331.7	2025	No	Hooper
BVR-0272	Robertson	31.10329	-96.7441	331.7	2026	No	Hooper
BVR-0380	Robertson	30.86578	-96.6355	118.2	2025	No	Simsboro
BVR-0380	Robertson	30.86578	-96.6355	118.2	2026	No	Simsboro
BVR-0389	Robertson	30.84226	-96.5633	258.9	2025	No	Queen City
BVR-0389	Robertson	30.84226	-96.5633	258.9	2026	No	Queen City
BVR-0510	Robertson	30.88594	-96.6261	268.0	2025	No	Carrizo
BVR-0510	Robertson	30.88594	-96.6261	268.0	2026	No	Carrizo
BVR-0591	Robertson	31.24793	-96.4604	333.7	2025	No	Simsboro
BVR-0591	Robertson	31.24793	-96.4604	333.7	2026	No	Simsboro
BVR-0644	Robertson	31.02264	-96.6306	171.4	2025	No	Simsboro
BVR-0644	Robertson	31.02264	-96.6306	170.7	2026	No	Simsboro
BVR-0675	Robertson	30.9047	-96.416	359.2	2025	No	Queen City



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVR-0675	Robertson	30.9047	-96.416	359.2	2026	No	Queen City
BVR-0771	Robertson	31.06435	-96.7461	289.3	2025	No	Hooper
BVR-0771	Robertson	31.06435	-96.7461	289.3	2026	No	Hooper
BVR-0846	Robertson	30.9621	-96.6701	161.0	2025	No	Simsboro
BVR-0846	Robertson	30.9621	-96.6701	161.0	2026	No	Simsboro
BVR-0941	Robertson	30.99877	-96.6393	161.3	2025	No	Simsboro
BVR-0941	Robertson	30.99877	-96.6393	160.1	2026	No	Simsboro
BVR-0975	Robertson	31.09652	-96.7177	280.4	2025	No	Hooper
BVR-0975	Robertson	31.09652	-96.7177	280.4	2026	No	Hooper
BVR-0977	Robertson	31.09516	-96.7154	373.9	2025	No	Hooper
BVR-0977	Robertson	31.09516	-96.7154	373.9	2026	No	Hooper
BVR-0985	Robertson	30.924	-96.6732	149.8	2025	No	Simsboro
BVR-0985	Robertson	30.924	-96.6732	149.8	2026	No	Simsboro
BVR-0990	Robertson	30.78201	-96.4338	275.6	2025	No	Sparta
BVR-0990	Robertson	30.78201	-96.4338	276.3	2026	No	Sparta
BVR-1022	Robertson	31.25753	-96.4108	287.9	2025	No	Calvert Bluff
BVR-1022	Robertson	31.25753	-96.4108	287.9	2026	No	Calvert Bluff
BVR-1045	Robertson	31.13469	-96.6972	373.7	2025	No	Hooper
BVR-1045	Robertson	31.13469	-96.6972	373.7	2026	No	Hooper
BVR-1118	Robertson	31.25143	-96.4195	279.7	2025	No	Simsboro
BVR-1118	Robertson	31.25143	-96.4195	279.7	2026	No	Simsboro
BVR-1119	Robertson	31.25203	-96.4193	286.9	2025	No	Simsboro
BVR-1119	Robertson	31.25203	-96.4193	286.9	2026	No	Simsboro
BVR-1120	Robertson	31.25172	-96.419	287.1	2025	No	Simsboro
BVR-1120	Robertson	31.25172	-96.419	287.1	2026	No	Simsboro
BVR-1127	Robertson	31.14857	-96.4924	248.9	2025	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVR-1127	Robertson	31.14857	-96.4924	248.9	2026	No	Simsboro
BVR-1179	Robertson	31.05281	-96.5778	175.2	2025	No	Simsboro
BVR-1179	Robertson	31.05281	-96.5778	175.2	2026	No	Simsboro
BVR-1197	Robertson	31.10236	-96.458	475.3	2025	No	Carrizo
BVR-1197	Robertson	31.10236	-96.458	476.2	2026	No	Carrizo
BVR-1252	Robertson	31.14867	-96.6751	378.4	2025	No	Hooper
BVR-1252	Robertson	31.14867	-96.6751	376.1	2026	No	Hooper
BVR-1257	Robertson	31.195	-96.5817	389.2	2025	No	Simsboro
BVR-1257	Robertson	31.195	-96.5817	389.5	2026	No	Simsboro
BVR-1282	Robertson	31.13639	-96.4692	306.4	2025	No	Calvert Bluff
BVR-1282	Robertson	31.13639	-96.4692	307.2	2026	No	Calvert Bluff
BVR-1283	Robertson	30.93689	-96.7415	199.7	2025	No	Simsboro
BVR-1283	Robertson	30.93689	-96.7415	198.1	2026	No	Simsboro
BVR-1284	Robertson	31.26622	-96.3492	263.8	2025	No	Calvert Bluff
BVR-1284	Robertson	31.26622	-96.3492	265.0	2026	No	Calvert Bluff
BVR-1285	Robertson	31.20578	-96.5462	409.5	2025	No	Calvert Bluff
BVR-1285	Robertson	31.20578	-96.5462	409.5	2026	No	Calvert Bluff
BVR-1286	Robertson	31.21445	-96.5494	409.9	2025	No	Calvert Bluff
BVR-1286	Robertson	31.21445	-96.5494	409.9	2026	No	Calvert Bluff
BVR-1287	Robertson	31.20962	-96.5588	419.5	2025	No	Calvert Bluff
BVR-1287	Robertson	31.20962	-96.5588	419.5	2026	No	Calvert Bluff
BVR-1288	Robertson	31.20958	-96.5595	414.1	2025	No	Simsboro
BVR-1288	Robertson	31.20958	-96.5595	414.2	2026	No	Simsboro
BVR-1289	Robertson	31.20287	-96.5561	406.5	2025	No	Calvert Bluff
BVR-1289	Robertson	31.20287	-96.5561	406.5	2026	No	Calvert Bluff
BVR-1290	Robertson	31.2387	-96.5574	439.6	2025	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVR-1290	Robertson	31.2387	-96.5574	440.1	2026	No	Calvert Bluff
BVR-1291	Robertson	31.14152	-96.6563	388.9	2025	No	Simsboro
BVR-1291	Robertson	31.14152	-96.6563	388.8	2026	No	Simsboro
BVR-1304	Robertson	30.9466	-96.6811	159.9	2025	No	Calvert Bluff
BVR-1304	Robertson	30.9466	-96.6811	159.9	2026	No	Calvert Bluff
BVR-1309	Robertson	30.98192	-96.4697	445.6	2025	No	Queen City
BVR-1309	Robertson	30.98192	-96.4697	446.2	2026	No	Queen City
BVR-1310	Robertson	30.97802	-96.4689	442.2	2025	No	Queen City
BVR-1310	Robertson	30.97802	-96.4689	442.2	2026	No	Queen City
BVR-1313	Robertson	30.93777	-96.645	264.2	2025	No	Calvert Bluff
BVR-1313	Robertson	30.93777	-96.645	264.2	2026	No	Calvert Bluff
BVR-1321	Robertson	30.97999	-96.6551	157.7	2025	No	Simsboro
BVR-1321	Robertson	30.97999	-96.6551	157.7	2026	No	Simsboro
BVR-1329	Robertson	30.98261	-96.6229	165.3	2025	No	Calvert Bluff
BVR-1329	Robertson	30.98261	-96.6229	165.3	2026	No	Calvert Bluff
BVR-1345	Robertson	30.94317	-96.7443	231.0	2025	No	Calvert Bluff
BVR-1345	Robertson	30.94317	-96.7443	231.3	2026	No	Calvert Bluff
BVR-1396	Robertson	30.96626	-96.662	157.6	2025	No	Simsboro
BVR-1396	Robertson	30.96626	-96.662	156.6	2026	No	Simsboro
BVR-1405	Robertson	30.99743	-96.3905	319.2	2025	No	Carrizo
BVR-1405	Robertson	30.99743	-96.3905	319.1	2026	No	Carrizo
BVR-1408	Robertson	30.99767	-96.3905	447.0	2025	No	Queen City
BVR-1408	Robertson	30.99767	-96.3905	446.8	2026	No	Queen City
BVR-1412	Robertson	31.02418	-96.7187	219.0	2025	No	Simsboro
BVR-1412	Robertson	31.02418	-96.7187	219.0	2026	No	Simsboro
BVR-1440	Robertson	31.09617	-96.557	410.7	2025	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVR-1440	Robertson	31.09617	-96.557	410.1	2026	No	Calvert Bluff
BVR-1450	Robertson	30.96557	-96.6616	269.6	2025	No	Calvert Bluff
BVR-1450	Robertson	30.96557	-96.6616	269.6	2026	No	Calvert Bluff
BVR-1479	Robertson	30.87112	-96.6343	121.2	2025	No	Simsboro
BVR-1479	Robertson	30.87112	-96.6343	121.2	2026	No	Simsboro
BVR-1502	Robertson	31.14867	-96.6752	425.4	2025	No	Hooper
BVR-1502	Robertson	31.14867	-96.6752	425.2	2026	No	Hooper
BVR-1505	Robertson	30.70772	-96.5525	216.3	2025	No	Alluvium
BVR-1505	Robertson	30.70772	-96.5525	216.8	2026	No	Alluvium
BVR-1506	Robertson	30.87	-96.6691	138.0	2025	No	Simsboro
BVR-1506	Robertson	30.87	-96.6691	135.9	2026	No	Simsboro
BVR-1659	Robertson	30.94356	-96.4566	439.7	2025	No	Sparta
BVR-1659	Robertson	30.94356	-96.4566	439.7	2026	No	Sparta
BVR-1773	Robertson	30.96274	-96.6594	157.1	2025	No	Simsboro
BVR-1773	Robertson	30.96274	-96.6594	157.1	2026	No	Simsboro
BVR-1845	Robertson	30.8716	-96.6377	118.8	2025	No	Simsboro
BVR-1845	Robertson	30.8716	-96.6377	118.8	2026	No	Simsboro
BVR-1861	Robertson	30.95356	-96.719	189.5	2025	No	Calvert Bluff
BVR-1861	Robertson	30.95356	-96.719	189.5	2026	No	Calvert Bluff
BVR-1868	Robertson	31.0198	-96.6118	162.0	2025	No	Simsboro
BVR-1868	Robertson	31.0198	-96.6118	162.0	2026	No	Simsboro
BVR-1894	Robertson	30.958	-96.6911	168.0	2025	No	Simsboro
BVR-1894	Robertson	30.958	-96.6911	168.0	2026	No	Simsboro
BVR-1913	Robertson	30.85132	-96.6091	247.0	2025	No	Calvert Bluff
BVR-1913	Robertson	30.85132	-96.6091	247.0	2026	No	Calvert Bluff
BVR-2663	Robertson	31.32512	-96.342	249.5	2025	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVR-2663	Robertson	31.32512	-96.342	249.5	2026	No	Calvert Bluff
BVR-2881	Robertson	31.25501	-96.513	362.6	2025	No	Hooper
BVR-2881	Robertson	31.25501	-96.513	362.3	2026	No	Hooper
BVR-2939	Robertson	31.2545	-96.4065	375.3	2025	No	Simsboro
BVR-2939	Robertson	31.2545	-96.4065	375.3	2026	No	Simsboro
BVR-3030	Robertson	31.16882	-96.5441	311.0	2025	No	Hooper
BVR-3030	Robertson	31.16882	-96.5441	311.0	2026	No	Hooper
BVR-3032	Robertson	31.25022	-96.4109	285.6	2025	No	Simsboro
BVR-3032	Robertson	31.25022	-96.4109	285.6	2026	No	Simsboro
BVR-3041	Robertson	30.95296	-96.6908	169.4	2025	No	Calvert Bluff
BVR-3041	Robertson	30.95296	-96.6908	169.4	2026	No	Calvert Bluff
BVR-3043	Robertson	30.95664	-96.6909	203.8	2025	No	Calvert Bluff
BVR-3043	Robertson	30.95664	-96.6909	203.8	2026	No	Calvert Bluff
BVR-3044	Robertson	30.95306	-96.6709	158.3	2025	No	Simsboro
BVR-3044	Robertson	30.95306	-96.6709	158.3	2026	No	Simsboro
BVR-3045	Robertson	30.9547	-96.7033	173.7	2025	No	Calvert Bluff
BVR-3045	Robertson	30.9547	-96.7033	173.7	2026	No	Calvert Bluff
BVR-3047	Robertson	30.95631	-96.7166	198.0	2025	No	Simsboro
BVR-3047	Robertson	30.95631	-96.7166	198.0	2026	No	Simsboro
BVR-3052	Robertson	31.00443	-96.6296	159.8	2025	No	Calvert Bluff
BVR-3052	Robertson	31.00443	-96.6296	159.8	2026	No	Calvert Bluff
BVR-3064	Robertson	31.18672	-96.4547	280.9	2025	No	Simsboro
BVR-3064	Robertson	31.18672	-96.4547	280.9	2026	No	Simsboro
BVR-3084	Robertson	31.00184	-96.6229	175.5	2025	No	Calvert Bluff
BVR-3084	Robertson	31.00184	-96.6229	175.5	2026	No	Calvert Bluff
BVR-3086	Robertson	30.96813	-96.6493	150.3	2025	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVR-3086	Robertson	30.96813	-96.6493	150.3	2026	No	Simsboro
BVR-3104	Robertson	30.96238	-96.6747	166.6	2025	No	Calvert Bluff
BVR-3104	Robertson	30.96238	-96.6747	166.6	2026	No	Calvert Bluff
BVR-3115	Robertson	31.06353	-96.5341	200.7	2025	No	Simsboro
BVR-3115	Robertson	31.06353	-96.5341	200.7	2026	No	Simsboro
BVR-3251	Robertson	30.8803	-96.5502	276.7	2025	No	Reklaw
BVR-3251	Robertson	30.8803	-96.5502	276.7	2026	No	Reklaw
BVR-3300	Robertson	30.92837	-96.4901	358.2	2025	No	Weches
BVR-3300	Robertson	30.92837	-96.4901	358.2	2026	No	Weches
BVR-3315	Robertson	30.79128	-96.5185	248.0	2025	No	Carrizo
BVR-3315	Robertson	30.79128	-96.5185	248.8	2026	No	Carrizo
BVR-3342	Robertson	30.97159	-96.4139	314.6	2025	No	Carrizo
BVR-3342	Robertson	30.97159	-96.4139	314.8	2026	No	Carrizo
BVR-3445	Robertson	30.98814	-96.3673	284.7	2025	No	Calvert Bluff
BVR-3445	Robertson	30.98814	-96.3673	283.8	2026	No	Calvert Bluff
BVR-3553	Robertson	31.22098	-96.4519	293.8	2025	No	Simsboro
BVR-3553	Robertson	31.22098	-96.4519	293.8	2026	No	Simsboro
BVR-3744	Robertson	30.9559	-96.6163	146.4	2025	No	Simsboro
BVR-3744	Robertson	30.9559	-96.6163	141.5	2026	No	Simsboro
BVR-3826	Robertson	30.99511	-96.6284	156.5	2025	No	Calvert Bluff
BVR-3826	Robertson	30.99511	-96.6284	156.5	2026	No	Calvert Bluff
BVR-3950	Robertson	30.99251	-96.6221	151.5	2025	No	Simsboro
BVR-3950	Robertson	30.99251	-96.6221	151.5	2026	No	Simsboro
BVR-4027	Robertson	30.99383	-96.6282	196.3	2025	No	Calvert Bluff
BVR-4027	Robertson	30.99383	-96.6282	196.3	2026	No	Calvert Bluff
BVR-4077	Robertson	30.97012	-96.6673	276.8	2025	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVR-4137	Robertson	30.96337	-96.6973	167.4	2025	No	Simsboro
BVR-4137	Robertson	30.96337	-96.6973	167.4	2026	No	Simsboro
BVR-4236	Robertson	30.95386	-96.7179	188.5	2025	No	Simsboro
BVR-4236	Robertson	30.95386	-96.7179	188.5	2026	No	Simsboro
BVR-4242	Robertson	30.96197	-96.6908	233.9	2025	No	Calvert Bluff
BVR-4242	Robertson	30.96197	-96.6908	233.9	2026	No	Calvert Bluff
BVR-4244	Robertson	30.95883	-96.6912	227.0	2025	No	Calvert Bluff
BVR-4244	Robertson	30.95883	-96.6912	227.0	2026	No	Calvert Bluff
BVR-4281	Robertson	30.9949	-96.6343	156.5	2025	No	Simsboro
BVR-4281	Robertson	30.9949	-96.6343	155.8	2026	No	Simsboro
BVR-4282	Robertson	30.99652	-96.625	161.9	2025	No	Simsboro
BVR-4282	Robertson	30.99652	-96.625	161.9	2026	No	Simsboro
BVR-4287	Robertson	31.01151	-96.6389	162.0	2025	No	Simsboro
BVR-4287	Robertson	31.01151	-96.6389	162.0	2026	No	Simsboro
BVR-4408	Robertson	30.96388	-96.7098	179.4	2025	No	Simsboro
BVR-4408	Robertson	30.96388	-96.7098	179.4	2026	No	Simsboro
BVR-4430	Robertson	31.23831	-96.4525	412.3	2025	No	Simsboro
BVR-4430	Robertson	31.23831	-96.4525	412.3	2026	No	Simsboro
BVR-4524	Robertson	30.98108	-96.6862	173.5	2025	No	Calvert Bluff
BVR-4524	Robertson	30.98108	-96.6862	173.5	2026	No	Calvert Bluff
BVR-4545	Robertson	31.02447	-96.6268	167.0	2025	No	Simsboro
BVR-4545	Robertson	31.02447	-96.6268	167.0	2026	No	Simsboro
BVR-4642	Robertson	30.99495	-96.6344	194.9	2025	No	Calvert Bluff
BVR-4642	Robertson	30.99495	-96.6344	194.0	2026	No	Calvert Bluff
BVR-4651	Robertson	30.98709	-96.6225	155.2	2025	No	Simsboro
BVR-4651	Robertson	30.98709	-96.6225	155.2	2026	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVR-4685	Robertson	31.24091	-96.4553	309.5	2025	No	Simsboro
BVR-4685	Robertson	31.24091	-96.4553	309.5	2026	No	Simsboro
BVR-4994	Robertson	31.28067	-96.337	324.9	2025	No	Calvert Bluff
BVR-4994	Robertson	31.28067	-96.337	324.9	2026	No	Calvert Bluff
BVR-5012	Robertson	31.06762	-96.3463	337.2	2025	No	Queen City
BVR-5012	Robertson	31.06762	-96.3463	337.2	2026	No	Queen City
BVR-5029	Robertson	31.03838	-96.6067	172.4	2025	No	Calvert Bluff
BVR-5029	Robertson	31.03838	-96.6067	172.4	2026	No	Calvert Bluff
BVR-5061	Robertson	30.782	-96.4339	230.4	2025	No	Sparta
BVR-5061	Robertson	30.782	-96.4339	230.4	2026	No	Sparta
BVR-5111	Robertson	31.31762	-96.3764	307.7	2025	No	Simsboro
BVR-5111	Robertson	31.31762	-96.3764	307.7	2026	No	Simsboro
BVR-5112	Robertson	31.29951	-96.4099	301.2	2025	No	Simsboro
BVR-5112	Robertson	31.29951	-96.4099	301.2	2026	No	Simsboro
BVR-5118	Robertson	31.14561	-96.4779	236.3	2025	No	Calvert Bluff
BVR-5118	Robertson	31.14561	-96.4779	236.3	2026	No	Calvert Bluff
BVR-5123	Robertson	31.06676	-96.5193	265.4	2025	No	Calvert Bluff
BVR-5123	Robertson	31.06676	-96.5193	265.4	2026	No	Calvert Bluff
BVR-5127	Robertson	31.02426	-96.3172	324.1	2025	No	Queen City
BVR-5127	Robertson	31.02426	-96.3172	324.1	2026	No	Queen City
BVR-5130	Robertson	31.1567	-96.5264	271.4	2025	No	Simsboro
BVR-5130	Robertson	31.1567	-96.5264	271.4	2026	No	Simsboro
BVR-5131	Robertson	31.09508	-96.5335	194.1	2025	No	Simsboro
BVR-5131	Robertson	31.09508	-96.5335	194.1	2026	No	Simsboro
BVR-5132	Robertson	31.09361	-96.5365	304.8	2025	No	Calvert Bluff
BVR-5132	Robertson	31.09361	-96.5365	304.8	2026	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVR-5135	Robertson	31.18083	-96.3078	283.7	2025	No	Calvert Bluff
BVR-5135	Robertson	31.18083	-96.3078	283.7	2026	No	Calvert Bluff
BVR-5137	Robertson	30.93658	-96.3623	309.5	2025	No	Queen City
BVR-5137	Robertson	30.93658	-96.3623	309.5	2026	No	Queen City
BVR-5146	Robertson	30.84755	-96.6542	244.0	2025	No	Calvert Bluff
BVR-5146	Robertson	30.84755	-96.6542	244.0	2026	No	Calvert Bluff
BVR-5147	Robertson	30.84807	-96.6558	243.9	2025	No	Calvert Bluff
BVR-5147	Robertson	30.84807	-96.6558	243.9	2026	No	Calvert Bluff
BVR-5173	Robertson	31.0535	-96.6178	199.6	2025	No	Simsboro
BVR-5173	Robertson	31.0535	-96.6178	199.6	2026	No	Simsboro
BVR-5174	Robertson	31.24523	-96.4961	374.6	2025	No	Simsboro
BVR-5174	Robertson	31.24523	-96.4961	374.6	2026	No	Simsboro
BVR-5178	Robertson	30.91923	-96.4806	350.4	2025	No	Queen City
BVR-5178	Robertson	30.91923	-96.4806	350.4	2026	No	Queen City
BVR-5184	Robertson	30.92953	-96.3692	316.2	2025	No	Queen City
BVR-5184	Robertson	30.92953	-96.3692	316.2	2026	No	Queen City
BVR-5186	Robertson	30.9537	-96.6689	266.8	2025	No	Calvert Bluff
BVR-5186	Robertson	30.9537	-96.6689	266.8	2026	No	Calvert Bluff
BVR-5187	Robertson	31.32646	-96.3334	307.7	2025	No	Simsboro
BVR-5187	Robertson	31.32646	-96.3334	307.7	2026	No	Simsboro
BVR-5196	Robertson	31.05942	-96.56	389.8	2025	No	Calvert Bluff
BVR-5196	Robertson	31.05942	-96.56	389.8	2026	No	Calvert Bluff
BVR-5201	Robertson	31.18426	-96.6272	340.0	2025	No	Hooper
BVR-5201	Robertson	31.18426	-96.6272	340.0	2026	No	Hooper
BVR-5205	Robertson	30.95633	-96.6663	291.6	2025	No	Calvert Bluff
BVR-5205	Robertson	30.95633	-96.6663	291.6	2026	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVR-5207	Robertson	30.95613	-96.6658	292.8	2025	No	Calvert Bluff
BVR-5207	Robertson	30.95613	-96.6658	292.8	2026	No	Calvert Bluff
BVR-5208	Robertson	30.95748	-96.6669	291.5	2025	No	Calvert Bluff
BVR-5208	Robertson	30.95748	-96.6669	291.5	2026	No	Calvert Bluff
BVR-5211	Robertson	31.25416	-96.4065	413.8	2025	No	Calvert Bluff
BVR-5211	Robertson	31.25416	-96.4065	413.8	2026	No	Calvert Bluff
BVR-5212	Robertson	31.25444	-96.4087	287.3	2025	No	Simsboro
BVR-5212	Robertson	31.25444	-96.4087	287.3	2026	No	Simsboro
BVR-5213	Robertson	31.25485	-96.4119	290.1	2025	No	Calvert Bluff
BVR-5213	Robertson	31.25485	-96.4119	290.1	2026	No	Calvert Bluff
BVR-5214	Robertson	31.25551	-96.4034	286.5	2025	No	Simsboro
BVR-5214	Robertson	31.25551	-96.4034	286.5	2026	No	Simsboro
BVR-5215	Robertson	31.25972	-96.4075	284.3	2025	No	Simsboro
BVR-5215	Robertson	31.25972	-96.4075	284.3	2026	No	Simsboro
BVR-5216	Robertson	31.25226	-96.4133	288.9	2025	No	Simsboro
BVR-5216	Robertson	31.25226	-96.4133	288.9	2026	No	Simsboro
BVR-5218	Robertson	31.2543	-96.3937	276.8	2025	No	Simsboro
BVR-5218	Robertson	31.2543	-96.3937	276.8	2026	No	Simsboro
BVR-5219	Robertson	31.0466	-96.627	203.7	2025	No	Simsboro
BVR-5219	Robertson	31.0466	-96.627	203.7	2026	No	Simsboro
BVR-5221	Robertson	31.27642	-96.3583	345.5	2025	No	Calvert Bluff
BVR-5221	Robertson	31.27642	-96.3583	345.5	2026	No	Calvert Bluff
BVRS-0001	Robertson	30.93221	-96.6913	265.3	2025	No	Alluvium
BVRS-0001	Robertson	30.93221	-96.6913	265.3	2026	No	Alluvium
BVRS-0002	Robertson	30.93738	-96.6763	272.7	2025	No	Calvert Bluff
BVRS-0002	Robertson	30.93738	-96.6763	272.7	2026	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
BVRS-0003	Robertson	30.91729	-96.6309	277.2	2025	No	Calvert Bluff
BVRS-0003	Robertson	30.91729	-96.6309	277.2	2026	No	Calvert Bluff
BVRS-0004	Robertson	30.94069	-96.6829	268.1	2025	No	Calvert Bluff
BVRS-0004	Robertson	30.94069	-96.6829	268.1	2026	No	Calvert Bluff
BVGO-0005	Limestone	31.34085	-96.3569	317.1	2025	No	Simsboro
BVGO-0005	Limestone	31.34085	-96.3569	317.3	2026	No	Simsboro
LCMW-2	Limestone	31.34153	-96.3515	316.1	2025	No	Simsboro
LCMW-2	Limestone	31.34153	-96.3515	316.1	2026	No	Simsboro
FCMW-1	Falls	31.18558	-96.6936	403.7	2025	No	Hooper
FCMW-1	Falls	31.18558	-96.6936	403.1	2026	No	Hooper
FCMW-3	Falls	31.20059	-96.6961	409.6	2025	No	Hooper
FCMW-3	Falls	31.20059	-96.6961	410.0	2026	No	Hooper
G38-20(s)	Lee	30.47089	-97.1076	325.5	2025	Yes	Simsboro
G38-20(s)	Lee	30.47089	-97.1076	323.7	2026	Yes	Simsboro
I3663	Lee	30.44784	-97.1337	381.9	2025	Yes	Calvert Bluff
I3663	Lee	30.44784	-97.1337	381.5	2026	Yes	Calvert Bluff
LP-000124	Lee	30.41703	-97.1589	291.5	2025	No	Simsboro
LP-000124	Lee	30.41703	-97.1589	291.5	2026	No	Simsboro
LP-000468	Lee	30.36822	-97.1146	205.4	2025	No	Calvert Bluff
LP-000468	Lee	30.36822	-97.1146	205.4	2026	No	Calvert Bluff
LP-000994	Lee	30.23472	-97.0533	310.0	2025	No	Queen City
LP-000994	Lee	30.23472	-97.0533	310.0	2026	No	Queen City
LP-001690	Lee	30.43	-96.9503	192.7	2025	No	Carrizo
LP-001690	Lee	30.43	-96.9503	188.6	2026	No	Carrizo
LP-001808	Lee	30.35722	-96.825	277.8	2025	No	Sparta
LP-001808	Lee	30.35722	-96.825	275.5	2026	No	Sparta



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
LP-002490	Lee	30.17451	-96.7922	294.0	2025	No	No Assignment
LP-002490	Lee	30.17451	-96.7922	294.0	2026	No	No Assignment
LP-002526	Lee	30.4565	-96.9706	208.8	2025	No	Simsboro
LP-002526	Lee	30.4565	-96.9706	202.6	2026	No	Simsboro
LP-002628	Lee	30.47468	-96.9579	192.6	2025	No	Carrizo
LP-002628	Lee	30.47468	-96.9579	187.5	2026	No	Carrizo
LP-002767	Lee	30.46195	-96.9323	172.9	2025	No	Carrizo
LP-002872	Lee	30.43445	-97.1089	230.5	2025	No	Simsboro
LP-002872	Lee	30.43445	-97.1089	223.3	2026	No	Simsboro
LP-002874	Lee	30.45611	-96.9706	88.8	2025	No	Simsboro
LP-002874	Lee	30.45611	-96.9706	82.5	2026	No	Simsboro
LP-002931	Lee	30.44752	-96.9109	139.0	2025	No	Carrizo
LP-002931	Lee	30.44752	-96.9109	139.0	2026	No	Carrizo
LP-002947	Lee	30.47105	-96.9383	122.9	2025	No	Carrizo
LP-002947	Lee	30.47105	-96.9383	122.9	2026	No	Carrizo
LP-002949	Lee	30.46639	-96.9889	376.2	2025	No	Queen City
LP-002949	Lee	30.46639	-96.9889	376.6	2026	No	Queen City
LP-002950	Lee	30.45907	-96.9848	218.3	2025	No	Carrizo
LP-003024	Lee	30.43984	-96.9389	300.5	2025	No	No Assignment
LP-003032	Lee	30.10807	-96.9356	328.8	2025	No	Yegua - Jackson
LP-003032	Lee	30.10807	-96.9356	328.1	2026	No	Yegua - Jackson
LP-003034	Lee	30.47394	-97.0391	255.1	2025	No	Simsboro
LP-003040	Lee	30.43906	-97.016	424.7	2025	No	Queen City
LP-003047	Lee	30.47567	-96.9528	193.1	2025	No	Carrizo
LP-003064	Lee	30.48355	-96.9427	182.0	2025	No	Carrizo
LP-003103	Lee	30.45149	-96.9899	229.8	2025	No	No Assignment



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
LP-003108	Lee	30.47634	-96.9491	184.2	2025	No	Carrizo
LP-003108	Lee	30.47634	-96.9491	179.6	2026	No	Carrizo
LP-003109	Lee	30.47221	-96.9481	171.3	2025	No	Carrizo
LP-003109	Lee	30.47221	-96.9481	166.6	2026	No	Carrizo
LP-003113	Lee	30.45973	-96.9539	205.5	2025	No	Queen City
LP-003114	Lee	30.45667	-96.9546	185.3	2025	No	Carrizo
LP-003114	Lee	30.45667	-96.9546	185.3	2026	No	Carrizo
LP-003115	Lee	30.40481	-97.133	339.9	2025	No	Simsboro
LP-003115	Lee	30.40481	-97.133	339.9	2026	No	Simsboro
LP-003117	Lee	30.43448	-96.9391	182.9	2025	No	No Assignment
LP-003137	Lee	30.41525	-96.9753	214.7	2025	No	No Assignment
LP-003157	Lee	30.43908	-97.0281	329.1	2025	No	Carrizo
LP-003168	Lee	30.43307	-96.9448	180.5	2025	No	Carrizo
LP-003221	Lee	30.13861	-97.0331	322.7	2025	No	Sparta
LP-003221	Lee	30.13861	-97.0331	322.6	2026	No	Sparta
LP-003222	Lee	30.10611	-96.9344	313.9	2025	No	Yegua - Jackson
LP-003222	Lee	30.10611	-96.9344	311.3	2026	No	Yegua - Jackson
LP-003223	Lee	30.19861	-96.8511	290.1	2025	No	Yegua - Jackson
LP-003223	Lee	30.19861	-96.8511	290.3	2026	No	Yegua - Jackson
LP-003226	Lee	30.37055	-96.8725	312.5	2025	No	Queen City
LP-003226	Lee	30.37055	-96.8725	312.5	2026	No	Queen City
LP-003227	Lee	30.41167	-97.0314	377.4	2025	No	Queen City
LP-003227	Lee	30.41167	-97.0314	376.7	2026	No	Queen City
LP-003230	Lee	30.36861	-97.0797	396.7	2025	No	Queen City
LP-003230	Lee	30.36861	-97.0797	395.9	2026	No	Queen City
LP-003231	Lee	30.29361	-97.0458	370.0	2025	No	Queen City



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
LP-003231	Lee	30.29361	-97.0458	370.0	2026	No	Queen City
LP-003232	Lee	30.25139	-96.9864	328.6	2025	No	Sparta
LP-003232	Lee	30.25139	-96.9864	327.7	2026	No	Sparta
LP-003496	Lee	30.38389	-97.1472	233.7	2025	No	Simsboro
LP-003512	Lee	30.32641	-96.8215	278.7	2025	No	Sparta
LP-994713	Lee	30.4325	-97.1283	216.4	2025	No	Hooper
LP-994713	Lee	30.4325	-97.1283	216.4	2026	No	Hooper
LP-995160	Lee	30.18717	-96.7664	261.2	2025	No	No Assignment
LP-995644	Lee	30.35805	-97.1931	444.2	2025	No	Calvert Bluff
LP-996081	Lee	30.32432	-97.1174	331.8	2025	No	Carrizo
LP-996081	Lee	30.32432	-97.1174	331.8	2026	No	Carrizo
LP-996090	Lee	30.14653	-96.8603	298.0	2025	No	No Assignment
LP-996090	Lee	30.14653	-96.8603	298.0	2026	No	No Assignment
LP-996091	Lee	30.25961	-97.0595	305.9	2025	No	Queen City
LP-996091	Lee	30.25961	-97.0595	305.9	2026	No	Queen City
LP-996092	Lee	30.34023	-97.1054	390.0	2025	No	Queen City
LP-996092	Lee	30.34023	-97.1054	390.0	2026	No	Queen City
LP-996097	Lee	30.40922	-97.0905	327.8	2025	No	Calvert Bluff
LP-996097	Lee	30.40922	-97.0905	327.8	2026	No	Calvert Bluff
LP-996130	Lee	30.44859	-97.0101	222.9	2025	No	Calvert Bluff
LP-996130	Lee	30.44859	-97.0101	222.9	2026	No	Calvert Bluff
LP-996137	Lee	30.39729	-97.1307	218.4	2025	No	Simsboro
LP-996137	Lee	30.39729	-97.1307	218.4	2026	No	Simsboro
LP-996149	Lee	30.4689	-96.9591	185.1	2025	No	Carrizo
LP-996149	Lee	30.4689	-96.9591	185.1	2026	No	Carrizo
LP-996170	Lee	30.41528	-97.0564	222.4	2025	No	Calvert Bluff



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
LP-996170	Lee	30.41528	-97.0564	222.4	2026	No	Calvert Bluff
LP-996383	Lee	30.45532	-97.0353	258.0	2025	No	Calvert Bluff
LP-996383	Lee	30.45532	-97.0353	258.0	2026	No	Calvert Bluff
PO-009597	Lee	30.41488	-97.1786	369.5	2025	No	Simsboro
PO-009597	Lee	30.41488	-97.1786	368.0	2026	No	Simsboro
PO-009601	Lee	30.43623	-97.0841	304.8	2025	No	Simsboro
PO-009601	Lee	30.43623	-97.0841	301.3	2026	No	Simsboro
PO-009606	Lee	30.4485	-97.1197	388.5	2025	No	Calvert Bluff
PO-009606	Lee	30.4485	-97.1197	387.4	2026	No	Calvert Bluff
PO-009748	Lee	30.37832	-97.2189	316.0	2025	No	Simsboro
PO-009748	Lee	30.37832	-97.2189	318.2	2026	No	Simsboro
PO-009749	Lee	30.41273	-97.0986	297.6	2025	No	Simsboro
PO-009749	Lee	30.41273	-97.0986	294.7	2026	No	Simsboro
PO-009751	Lee	30.5312	-96.9952	288.5	2025	No	Simsboro
PO-009751	Lee	30.5312	-96.9952	278.5	2026	No	Simsboro
PO-011409	Lee	30.52999	-96.9211	92.3	2025	No	Simsboro
PO-011409	Lee	30.52999	-96.9211	86.0	2026	No	Simsboro
PO-011565	Lee	30.48075	-96.9609	101.1	2025	No	Simsboro
PO-011623	Lee	30.46085	-97.0925	482.4	2025	No	Calvert Bluff
I2871A	Bastrop	30.13828	-97.1467	339.1	2025	Yes	Queen City
I2871A	Bastrop	30.13828	-97.1467	337.3	2026	Yes	Queen City
LP-000358	Bastrop	30.30361	-97.2636	292.4	2025	No	Simsboro
LP-000814	Bastrop	30.16075	-97.3401	290.2	2025	No	No Assignment
LP-000814	Bastrop	30.16075	-97.3401	290.2	2026	No	No Assignment
LP-002425	Bastrop	30.19075	-97.1276	432.5	2025	No	No Assignment
LP-002425	Bastrop	30.19075	-97.1276	432.3	2026	No	No Assignment



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
LP-002427	Bastrop	30.19296	-97.1231	434.1	2025	No	Queen City
LP-002427	Bastrop	30.19296	-97.1231	434.2	2026	No	Queen City
LP-002458	Bastrop	30.16667	-97.2544	344.4	2025	No	Calvert Bluff
LP-002458	Bastrop	30.16667	-97.2544	344.4	2026	No	Calvert Bluff
LP-002485	Bastrop	30.22043	-97.2581	367.6	2025	No	Calvert Bluff
LP-002485	Bastrop	30.22043	-97.2581	367.6	2026	No	Calvert Bluff
LP-002512	Bastrop	30.32167	-97.3142	267.8	2025	No	Hooper
LP-002512	Bastrop	30.32167	-97.3142	267.8	2026	No	Hooper
LP-002571	Bastrop	30.22704	-97.1359	372.2	2025	No	No Assignment
LP-002571	Bastrop	30.22704	-97.1359	372.2	2026	No	No Assignment
LP-002868	Bastrop	30.21026	-97.1897	274.9	2025	No	Calvert Bluff
LP-002868	Bastrop	30.21026	-97.1897	288.1	2026	No	Calvert Bluff
LP-002912	Bastrop	29.88018	-97.2279	369.5	2025	No	Queen City
LP-002912	Bastrop	29.88018	-97.2279	369.5	2026	No	Queen City
LP-002980	Bastrop	30.20333	-97.2319	229.9	2025	No	Simsboro
LP-002980	Bastrop	30.20333	-97.2319	229.9	2026	No	Simsboro
LP-002981	Bastrop	30.3225	-97.3144	500.4	2025	No	Simsboro
LP-002981	Bastrop	30.3225	-97.3144	500.8	2026	No	Simsboro
LP-002997	Bastrop	30.04556	-97.1578	287.9	2025	No	Carrizo
LP-002997	Bastrop	30.04556	-97.1578	263.4	2026	No	Carrizo
LP-002998	Bastrop	29.99361	-97.1806	323.1	2025	No	Reklaw
LP-002998	Bastrop	29.99361	-97.1806	320.9	2026	No	Reklaw
LP-002999	Bastrop	29.97917	-97.1931	325.8	2025	No	Reklaw
LP-002999	Bastrop	29.97917	-97.1931	325.8	2026	No	Reklaw
LP-003042	Bastrop	30.12111	-97.34	264.7	2025	No	Simsboro
LP-003042	Bastrop	30.12111	-97.34	269.4	2026	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
LP-003216	Bastrop	30.25417	-97.4169	445.3	2025	No	Hooper
LP-003216	Bastrop	30.25417	-97.4169	444.8	2026	No	Hooper
LP-003217	Bastrop	30.37639	-97.2903	424.5	2025	No	Hooper
LP-003217	Bastrop	30.37639	-97.2903	423.7	2026	No	Hooper
LP-003219	Bastrop	30.14667	-97.2322	388.7	2025	No	Calvert Bluff
LP-003219	Bastrop	30.14667	-97.2322	389.5	2026	No	Calvert Bluff
LP-003240	Bastrop	30.09058	-97.3609	203.0	2025	No	Simsboro
LP-003240	Bastrop	30.09058	-97.3609	203.0	2026	No	Simsboro
LP-003490	Bastrop	29.84472	-97.2892	338.8	2025	No	Queen City
LP-003500	Bastrop	30.28833	-97.3822	416.0	2025	No	Hooper
LP-003516	Bastrop	30.04389	-97.1817	296.1	2025	No	Queen City
LP-003520	Bastrop	29.98556	-97.3758	288.5	2025	No	Calvert Bluff
LP-003533	Bastrop	30.1575	-97.3183	402.4	2025	No	Calvert Bluff
LP-003537	Bastrop	30.20302	-97.2672	235.6	2025	No	Simsboro
LP-003537	Bastrop	30.20302	-97.2672	235.6	2026	No	Simsboro
LP-003547	Bastrop	30.07017	-97.4763	400.4	2025	No	Hooper
LP-003548	Bastrop	30.02327	-97.2781	279.9	2025	No	Calvert Bluff
LP-003578	Bastrop	29.92	-97.4725	433.4	2025	No	Simsboro
LP-003582	Bastrop	29.88103	-97.3515	391.8	2025	No	Carrizo
LP-003583	Bastrop	29.90271	-97.2109	305.6	2025	No	Queen City
LP-993614	Bastrop	29.96	-97.3475	302.4	2025	No	Calvert Bluff
LP-993614	Bastrop	29.96	-97.3475	302.4	2026	No	Calvert Bluff
LP-994115	Bastrop	30.14478	-97.33	269.1	2025	No	Simsboro
LP-994581	Bastrop	30.215	-97.4147	365.3	2025	No	Hooper
LP-994715	Bastrop	29.89653	-97.1993	320.1	2025	No	Queen City
LP-995652	Bastrop	30.01597	-97.2879	318.7	2025	No	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
LP-995739	Bastrop	30.34675	-97.3763	552.5	2025	No	Hooper
LP-995778	Bastrop	29.92298	-97.4769	343.7	2025	No	Simsboro
LP-995818	Bastrop	30.06472	-97.3361	258.8	2025	No	Simsboro
LP-996080	Bastrop	30.2612	-97.3636	336.4	2025	No	Hooper
LP-996080	Bastrop	30.2612	-97.3636	336.4	2026	No	Hooper
LP-996082	Bastrop	30.17926	-97.4173	348.4	2025	No	Hooper
LP-996082	Bastrop	30.17926	-97.4173	348.4	2026	No	Hooper
LP-996083	Bastrop	30.1598	-97.344	304.4	2025	No	Simsboro
LP-996083	Bastrop	30.1598	-97.344	304.4	2026	No	Simsboro
LP-996084	Bastrop	30.17198	-97.211	444.0	2025	No	Carrizo
LP-996084	Bastrop	30.17198	-97.211	444.0	2026	No	Carrizo
LP-996085	Bastrop	30.15737	-97.0669	311.0	2025	No	Sparta
LP-996085	Bastrop	30.15737	-97.0669	311.0	2026	No	Sparta
LP-996086	Bastrop	29.84972	-97.3704	364.8	2025	No	Carrizo
LP-996086	Bastrop	29.84972	-97.3704	364.8	2026	No	Carrizo
LP-996154	Bastrop	30.2021	-97.2699	199.8	2025	No	Simsboro
LP-996154	Bastrop	30.2021	-97.2699	199.8	2026	No	Simsboro
LP-996339	Bastrop	30.2214	-97.2507	225.5	2025	No	Simsboro
LP-996339	Bastrop	30.2214	-97.2507	225.5	2026	No	Simsboro
PO-009588	Bastrop	30.33374	-97.2305	273.5	2025	No	Simsboro
PO-009588	Bastrop	30.33374	-97.2305	270.6	2026	No	Simsboro
PO-000341	Burleson	30.57822	-96.6506	292.6	2025	No	Queen City
PO-000341	Burleson	30.57822	-96.6506	292.1	2026	No	Queen City
PO-000433	Burleson	30.69556	-96.6144	252.1	2025	Yes	Carrizo
PO-000433	Burleson	30.69556	-96.6144	251.6	2026	Yes	Carrizo
PO-000457	Burleson	30.67929	-96.6738	83.0	2025	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-000457	Burleson	30.67929	-96.6738	79.0	2026	No	Simsboro
PO-000475	Burleson	30.50684	-96.829	171.5	2025	Yes	Carrizo
PO-000475	Burleson	30.50684	-96.829	170.2	2026	Yes	Carrizo
PO-000495	Burleson	30.50113	-96.7679	105.2	2025	Yes	Carrizo
PO-000495	Burleson	30.50113	-96.7679	100.8	2026	Yes	Carrizo
PO-000518	Burleson	30.61905	-96.6865	285.9	2025	No	Queen City
PO-000518	Burleson	30.61905	-96.6865	285.8	2026	No	Queen City
PO-000579	Burleson	30.43213	-96.3978	186.0	2025	No	Yegua - Jackson
PO-000579	Burleson	30.43213	-96.3978	187.0	2026	No	Yegua - Jackson
PO-000596	Burleson	30.48855	-96.3755	197.9	2025	No	Alluvium
PO-000596	Burleson	30.48855	-96.3755	198.0	2026	No	Alluvium
PO-000618	Burleson	30.45982	-96.4701	216.0	2025	No	Yegua - Jackson
PO-000618	Burleson	30.45982	-96.4701	216.2	2026	No	Yegua - Jackson
PO-000638	Burleson	30.48886	-96.4655	190.3	2025	Yes	Weches
PO-000638	Burleson	30.48886	-96.4655	190.1	2026	Yes	Weches
PO-000661	Burleson	30.38675	-96.5646	208.5	2025	No	Sparta
PO-000691	Burleson	30.39503	-96.3456	171.8	2025	No	Yegua - Jackson
PO-000698	Burleson	30.31062	-96.6464	209.2	2025	Yes	Yegua - Jackson
PO-000698	Burleson	30.31062	-96.6464	208.8	2026	Yes	Yegua - Jackson
PO-000787	Burleson	30.41169	-96.3579	189.5	2025	No	Alluvium
PO-000787	Burleson	30.41169	-96.3579	190.5	2026	No	Alluvium
PO-000791	Burleson	30.49636	-96.692	289.9	2025	No	Sparta
PO-000791	Burleson	30.49636	-96.692	288.7	2026	No	Sparta
PO-000859	Burleson	30.54365	-96.4938	215.4	2025	No	Alluvium
PO-000859	Burleson	30.54365	-96.4938	215.7	2026	No	Alluvium
PO-000860	Burleson	30.54454	-96.492	215.0	2025	No	Alluvium



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-000860	Burleson	30.54454	-96.492	215.5	2026	No	Alluvium
PO-000877	Burleson	30.54533	-96.5255	199.5	2025	Yes	Sparta
PO-000877	Burleson	30.54533	-96.5255	200.1	2026	Yes	Sparta
PO-000894	Burleson	30.57919	-96.5404	224.1	2025	No	Alluvium
PO-000894	Burleson	30.57919	-96.5404	223.7	2026	No	Alluvium
PO-000895	Burleson	30.52905	-96.6086	246.7	2025	No	Sparta
PO-000943	Burleson	30.4885	-96.8437	74.2	2025	Yes	Carrizo
PO-000943	Burleson	30.4885	-96.8437	62.6	2026	Yes	Carrizo
PO-001023	Burleson	30.54909	-96.4369	190.2	2025	No	Sparta
PO-001023	Burleson	30.54909	-96.4369	190.0	2026	No	Sparta
PO-001064	Burleson	30.63226	-96.7877	110.6	2025	No	Simsboro
PO-001064	Burleson	30.63226	-96.7877	105.5	2026	No	Simsboro
PO-001074	Burleson	30.54306	-96.6811	168.9	2025	No	Carrizo
PO-001075	Burleson	30.52989	-96.7172	155.6	2025	No	Carrizo
PO-001076	Burleson	30.52723	-96.7143	149.1	2025	No	Carrizo
PO-001077	Burleson	30.53599	-96.6882	162.8	2025	No	Carrizo
PO-001077	Burleson	30.53599	-96.6882	162.8	2026	No	Carrizo
PO-001120	Burleson	30.59692	-96.6098	210.2	2025	No	Carrizo
PO-001120	Burleson	30.59692	-96.6098	201.3	2026	No	Carrizo
PO-001166	Burleson	30.55802	-96.47	205.6	2025	No	Alluvium
PO-001166	Burleson	30.55802	-96.47	207.2	2026	No	Alluvium
PO-001197	Burleson	30.48114	-96.8721	339.4	2025	No	Queen City
PO-001197	Burleson	30.48114	-96.8721	338.6	2026	No	Queen City
PO-001327	Burleson	30.48459	-96.8878	125.6	2025	No	Carrizo
PO-001327	Burleson	30.48459	-96.8878	113.7	2026	No	Carrizo
PO-001328	Burleson	30.50556	-96.8814	133.7	2025	No	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-001328	Burleson	30.50556	-96.8814	125.4	2026	No	Carrizo
PO-001331	Burleson	30.50268	-96.8836	126.7	2025	No	Carrizo
PO-001331	Burleson	30.50268	-96.8836	118.1	2026	No	Carrizo
PO-001342	Burleson	30.54201	-96.8172	158.1	2025	No	Carrizo
PO-001342	Burleson	30.54201	-96.8172	152.3	2026	No	Carrizo
PO-001390	Burleson	30.57158	-96.8293	217.3	2025	Yes	Calvert Bluff
PO-001390	Burleson	30.57158	-96.8293	212.5	2026	Yes	Calvert Bluff
PO-001573	Burleson	30.43272	-96.7571	297.0	2025	Yes	Queen City
PO-001573	Burleson	30.43272	-96.7571	296.2	2026	Yes	Queen City
PO-001575	Burleson	30.52536	-96.727	144.0	2025	Yes	Carrizo
PO-001575	Burleson	30.52536	-96.727	134.5	2026	Yes	Carrizo
PO-003129	Burleson	30.52683	-96.6039	249.9	2025	No	Sparta
PO-003129	Burleson	30.52683	-96.6039	249.4	2026	No	Sparta
PO-003440	Burleson	30.50461	-96.8981	158.4	2025	No	Carrizo
PO-003440	Burleson	30.50461	-96.8981	147.1	2026	No	Carrizo
PO-003444	Burleson	30.48346	-96.893	121.3	2025	No	Carrizo
PO-003444	Burleson	30.48346	-96.893	111.1	2026	No	Carrizo
PO-004459	Burleson	30.50658	-96.8771	145.8	2025	No	Carrizo
PO-004459	Burleson	30.50658	-96.8771	136.4	2026	No	Carrizo
PO-004810	Burleson	30.39512	-96.3457	177.1	2025	No	Yegua - Jackson
PO-004810	Burleson	30.39512	-96.3457	175.7	2026	No	Yegua - Jackson
PO-004965	Burleson	30.56727	-96.7115	199.7	2025	No	Carrizo
PO-004968	Burleson	30.56385	-96.7649	369.3	2025	No	Weches
PO-004976	Burleson	30.5647	-96.73	177.9	2025	No	Carrizo
PO-004976	Burleson	30.5647	-96.73	170.6	2026	No	Carrizo
PO-005109	Burleson	30.54744	-96.6479	191.2	2025	No	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-005109	Burleson	30.54744	-96.6479	187.1	2026	No	Carrizo
PO-005113	Burleson	30.55017	-96.6487	182.7	2025	No	Carrizo
PO-005113	Burleson	30.55017	-96.6487	182.7	2026	No	Carrizo
PO-005114	Burleson	30.58166	-96.6157	194.6	2025	No	Carrizo
PO-005114	Burleson	30.58166	-96.6157	194.6	2026	No	Carrizo
PO-005178	Burleson	30.57812	-96.676	202.1	2025	Yes	Carrizo
PO-005178	Burleson	30.57812	-96.676	198.5	2026	Yes	Carrizo
PO-005212	Burleson	30.55343	-96.676	279.6	2025	No	Queen City
PO-005212	Burleson	30.55343	-96.676	279.5	2026	No	Queen City
PO-005218	Burleson	30.5535	-96.6836	188.9	2025	No	Carrizo
PO-005218	Burleson	30.5535	-96.6836	184.7	2026	No	Carrizo
PO-005228	Burleson	30.55004	-96.8809	201.0	2025	No	Carrizo
PO-005230	Burleson	30.55327	-96.903	265.4	2025	No	Carrizo
PO-005230	Burleson	30.55327	-96.903	265.4	2026	No	Carrizo
PO-005231	Burleson	30.54278	-96.7937	164.8	2025	No	Carrizo
PO-005231	Burleson	30.54278	-96.7937	159.3	2026	No	Carrizo
PO-005261	Burleson	30.63425	-96.5965	237.7	2025	No	Queen City
PO-005261	Burleson	30.63425	-96.5965	236.9	2026	No	Queen City
PO-005360	Burleson	30.68761	-96.6681	267.0	2025	No	Carrizo
PO-005360	Burleson	30.68761	-96.6681	267.5	2026	No	Carrizo
PO-005475	Burleson	30.56364	-96.7432	197.3	2025	No	Reklaw
PO-005486	Burleson	30.5871	-96.7643	351.3	2025	No	Queen City
PO-005486	Burleson	30.5871	-96.7643	351.1	2026	No	Queen City
PO-005725	Burleson	30.55033	-96.8875	185.4	2025	No	Carrizo
PO-005725	Burleson	30.55033	-96.8875	177.9	2026	No	Carrizo
PO-005759	Burleson	30.49744	-96.8436	99.3	2025	No	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-005759	Burleson	30.49744	-96.8436	88.4	2026	No	Carrizo
PO-005767	Burleson	30.50107	-96.8716	130.9	2025	No	Carrizo
PO-005767	Burleson	30.50107	-96.8716	120.0	2026	No	Carrizo
PO-005777	Burleson	30.55044	-96.7159	299.2	2025	No	Queen City
PO-005777	Burleson	30.55044	-96.7159	299.2	2026	No	Queen City
PO-005810	Burleson	30.53652	-96.8658	202.3	2025	No	Carrizo
PO-005810	Burleson	30.53652	-96.8658	196.4	2026	No	Carrizo
PO-005816	Burleson	30.54565	-96.8872	207.0	2025	No	Carrizo
PO-005817	Burleson	30.50421	-96.8757	148.2	2025	No	Carrizo
PO-005817	Burleson	30.50421	-96.8757	136.1	2026	No	Carrizo
PO-006003	Burleson	30.71162	-96.6386	269.6	2025	No	Queen City
PO-006003	Burleson	30.71162	-96.6386	269.6	2026	No	Queen City
PO-006049	Burleson	30.54394	-96.8742	171.1	2025	No	Carrizo
PO-006049	Burleson	30.54394	-96.8742	164.6	2026	No	Carrizo
PO-006145	Burleson	30.54571	-96.638	276.4	2025	No	Queen City
PO-006145	Burleson	30.54571	-96.638	276.4	2026	No	Queen City
PO-006153	Burleson	30.54769	-96.6504	280.7	2025	No	Queen City
PO-006153	Burleson	30.54769	-96.6504	280.0	2026	No	Queen City
PO-006243	Burleson	30.56445	-96.9386	295.1	2025	No	Calvert Bluff
PO-006243	Burleson	30.56445	-96.9386	285.4	2026	No	Calvert Bluff
PO-006313	Burleson	30.47985	-96.494	213.7	2025	No	No Assignment
PO-006313	Burleson	30.47985	-96.494	213.7	2026	No	No Assignment
PO-006357	Burleson	30.61945	-96.6564	260.4	2025	No	Queen City
PO-006379	Burleson	30.43728	-96.4916	196.8	2025	No	Yegua - Jackson
PO-006379	Burleson	30.43728	-96.4916	196.8	2026	No	Yegua - Jackson
PO-006405	Burleson	30.50437	-96.8446	113.3	2025	No	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-006405	Burleson	30.50437	-96.8446	103.7	2026	No	Carrizo
PO-006415	Burleson	30.54837	-96.7154	167.5	2025	No	Carrizo
PO-006415	Burleson	30.54837	-96.7154	162.5	2026	No	Carrizo
PO-006551	Burleson	30.5636	-96.7306	175.7	2025	No	Carrizo
PO-006551	Burleson	30.5636	-96.7306	170.8	2026	No	Carrizo
PO-006560	Burleson	30.47074	-96.8849	323.7	2025	No	Queen City
PO-006560	Burleson	30.47074	-96.8849	322.6	2026	No	Queen City
PO-006621	Burleson	30.55263	-96.8606	56.5	2025	Yes	Simsboro
PO-006621	Burleson	30.55263	-96.8606	50.1	2026	Yes	Simsboro
PO-006816	Burleson	30.54161	-96.864	173.7	2025	No	Carrizo
PO-006816	Burleson	30.54161	-96.864	165.8	2026	No	Carrizo
PO-006905	Burleson	30.50125	-96.8374	341.1	2025	No	Reklaw
PO-006905	Burleson	30.50125	-96.8374	341.1	2026	No	Reklaw
PO-006910	Burleson	30.56483	-96.8347	52.9	2025	Yes	Simsboro
PO-006910	Burleson	30.56483	-96.8347	46.8	2026	Yes	Simsboro
PO-007183	Burleson	30.48655	-96.7146	297.0	2025	No	Queen City
PO-007197	Burleson	30.47312	-96.7359	302.0	2025	No	Queen City
PO-007197	Burleson	30.47312	-96.7359	301.9	2026	No	Queen City
PO-007206	Burleson	30.54625	-96.8317	162.7	2025	No	Carrizo
PO-007206	Burleson	30.54625	-96.8317	162.7	2026	No	Carrizo
PO-007285	Burleson	30.53385	-96.9131	242.9	2025	No	Carrizo
PO-007285	Burleson	30.53385	-96.9131	236.9	2026	No	Carrizo
PO-007332	Burleson	30.54316	-96.7164	174.3	2025	No	Carrizo
PO-007332	Burleson	30.54316	-96.7164	174.6	2026	No	Carrizo
PO-007384	Burleson	30.49738	-96.838	333.2	2025	No	Queen City
PO-007384	Burleson	30.49738	-96.838	333.2	2026	No	Queen City



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-007389	Burleson	30.46822	-96.6721	272.0	2025	No	Sparta
PO-007389	Burleson	30.46822	-96.6721	272.0	2026	No	Sparta
PO-007390	Burleson	30.46822	-96.6723	274.2	2025	No	Sparta
PO-007390	Burleson	30.46822	-96.6723	272.5	2026	No	Sparta
PO-007579	Burleson	30.58306	-96.8159	385.1	2025	No	Queen City
PO-007579	Burleson	30.58306	-96.8159	384.5	2026	No	Queen City
PO-007580	Burleson	30.58101	-96.814	387.1	2025	No	Queen City
PO-007580	Burleson	30.58101	-96.814	386.9	2026	No	Queen City
PO-007585	Burleson	30.45533	-96.6967	272.3	2025	No	Sparta
PO-007585	Burleson	30.45533	-96.6967	270.7	2026	No	Sparta
PO-007586	Burleson	30.45606	-96.6949	275.2	2025	No	Sparta
PO-007586	Burleson	30.45606	-96.6949	273.7	2026	No	Sparta
PO-007587	Burleson	30.43318	-96.7023	275.0	2025	No	Sparta
PO-007587	Burleson	30.43318	-96.7023	272.6	2026	No	Sparta
PO-007601	Burleson	30.52412	-96.6019	263.5	2025	No	Sparta
PO-007601	Burleson	30.52412	-96.6019	264.2	2026	No	Sparta
PO-007603	Burleson	30.52288	-96.6033	254.4	2025	No	Yegua - Jackson
PO-007603	Burleson	30.52288	-96.6033	253.9	2026	No	Yegua - Jackson
PO-007661	Burleson	30.57142	-96.9188	266.8	2025	No	Calvert Bluff
PO-007661	Burleson	30.57142	-96.9188	257.5	2026	No	Calvert Bluff
PO-007765	Burleson	30.50529	-96.8887	143.8	2025	No	Carrizo
PO-007765	Burleson	30.50529	-96.8887	134.2	2026	No	Carrizo
PO-008038	Burleson	30.44468	-96.6559	276.6	2025	No	Yegua - Jackson
PO-008038	Burleson	30.44468	-96.6559	274.7	2026	No	Yegua - Jackson
PO-008053	Burleson	30.49011	-96.8847	118.5	2025	Yes	Carrizo
PO-008053	Burleson	30.49011	-96.8847	111.2	2026	Yes	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-008054	Burleson	30.48924	-96.8834	123.3	2025	No	Carrizo
PO-008054	Burleson	30.48924	-96.8834	112.3	2026	No	Carrizo
PO-008073	Burleson	30.54542	-96.729	153.5	2025	No	Carrizo
PO-008073	Burleson	30.54542	-96.729	142.7	2026	No	Carrizo
PO-008111	Burleson	30.60472	-96.7428	222.5	2025	No	Carrizo
PO-008111	Burleson	30.60472	-96.7428	219.5	2026	No	Carrizo
PO-008147	Burleson	30.47946	-96.8953	118.4	2025	No	Carrizo
PO-008147	Burleson	30.47946	-96.8953	111.0	2026	No	Carrizo
PO-008213	Burleson	30.35472	-96.7175	252.4	2025	No	Yegua - Jackson
PO-008213	Burleson	30.35472	-96.7175	251.7	2026	No	Yegua - Jackson
PO-008219	Burleson	30.55793	-96.8191	208.5	2025	No	Carrizo
PO-008219	Burleson	30.55793	-96.8191	203.1	2026	No	Carrizo
PO-008239	Burleson	30.53671	-96.5783	265.5	2025	No	Sparta
PO-008239	Burleson	30.53671	-96.5783	265.4	2026	No	Sparta
PO-008246	Burleson	30.6036	-96.7427	221.8	2025	Yes	Carrizo
PO-008246	Burleson	30.6036	-96.7427	219.3	2026	Yes	Carrizo
PO-008271	Burleson	30.53277	-96.8601	165.9	2025	No	Carrizo
PO-008271	Burleson	30.53277	-96.8601	159.9	2026	No	Carrizo
PO-008315	Burleson	30.4309	-96.5458	216.6	2025	No	Yegua - Jackson
PO-008315	Burleson	30.4309	-96.5458	216.6	2026	No	Yegua - Jackson
PO-008322	Burleson	30.49919	-96.84	283.3	2025	No	Reklaw
PO-008326	Burleson	30.56283	-96.7659	185.7	2025	Yes	Carrizo
PO-008326	Burleson	30.56283	-96.7659	181.1	2026	Yes	Carrizo
PO-008338	Burleson	30.48534	-96.8848	152.1	2025	No	Carrizo
PO-008338	Burleson	30.48534	-96.8848	152.1	2026	No	Carrizo
PO-008388	Burleson	30.35525	-96.7173	27.7	2025	No	Simsboro



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-008388	Burleson	30.35525	-96.7173	16.5	2026	No	Simsboro
PO-008415	Burleson	30.54466	-96.4987	214.3	2025	No	Alluvium
PO-008415	Burleson	30.54466	-96.4987	213.5	2026	No	Alluvium
PO-008420	Burleson	30.33944	-96.5368	221.1	2025	No	Yegua - Jackson
PO-008420	Burleson	30.33944	-96.5368	221.1	2026	No	Yegua - Jackson
PO-008449	Burleson	30.33901	-96.6623	179.2	2025	No	Yegua - Jackson
PO-008449	Burleson	30.33901	-96.6623	181.4	2026	No	Yegua - Jackson
PO-008456	Burleson	30.47889	-96.5531	225.6	2025	No	Sparta
PO-008456	Burleson	30.47889	-96.5531	226.0	2026	No	Sparta
PO-008594	Burleson	30.44211	-96.8138	-213.1	2025	Yes	Carrizo
PO-008594	Burleson	30.44211	-96.8138	-228.0	2026	Yes	Carrizo
PO-008595	Burleson	30.43565	-96.8037	-198.0	2025	Yes	Carrizo
PO-008595	Burleson	30.43565	-96.8037	-208.5	2026	Yes	Carrizo
PO-008596	Burleson	30.42931	-96.8068	-264.9	2025	Yes	Carrizo
PO-008596	Burleson	30.42931	-96.8068	-278.2	2026	Yes	Carrizo
PO-008597	Burleson	30.43212	-96.8156	-223.0	2025	Yes	Carrizo
PO-008597	Burleson	30.43212	-96.8156	-248.2	2026	Yes	Carrizo
PO-008598	Burleson	30.43104	-96.8241	-191.1	2025	Yes	Carrizo
PO-008598	Burleson	30.43104	-96.8241	-199.2	2026	Yes	Carrizo
PO-008599	Burleson	30.42845	-96.8331	-178.5	2025	Yes	Carrizo
PO-008599	Burleson	30.42845	-96.8331	-195.1	2026	Yes	Carrizo
PO-008600	Burleson	30.41498	-96.8172	-242.1	2025	Yes	Carrizo
PO-008600	Burleson	30.41498	-96.8172	-257.0	2026	Yes	Carrizo
PO-008601	Burleson	30.42325	-96.8197	-205.2	2025	Yes	Carrizo
PO-008601	Burleson	30.42325	-96.8197	-222.7	2026	Yes	Carrizo
PO-008602	Burleson	30.42188	-96.8101	-243.7	2025	Yes	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-008602	Burleson	30.42188	-96.8101	-261.3	2026	Yes	Carrizo
PO-008615	Burleson	30.50684	-96.8206	-31.9	2025	Yes	Simsboro
PO-008616	Burleson	30.5032	-96.8128	-23.8	2025	Yes	Simsboro
PO-008623	Burleson	30.4419	-96.8133	-166.7	2025	Yes	Simsboro
PO-008623	Burleson	30.4419	-96.8133	-172.9	2026	Yes	Simsboro
PO-008624	Burleson	30.43606	-96.8039	-129.8	2025	Yes	Simsboro
PO-008624	Burleson	30.43606	-96.8039	-131.8	2026	Yes	Simsboro
PO-008625	Burleson	30.42906	-96.8065	-131.1	2025	Yes	Simsboro
PO-008625	Burleson	30.42906	-96.8065	-136.4	2026	Yes	Simsboro
PO-008626	Burleson	30.42223	-96.8106	-129.3	2025	Yes	Simsboro
PO-008626	Burleson	30.42223	-96.8106	-132.1	2026	Yes	Simsboro
PO-008627	Burleson	30.42394	-96.8201	-143.1	2025	Yes	Simsboro
PO-008627	Burleson	30.42394	-96.8201	-152.0	2026	Yes	Simsboro
PO-008628	Burleson	30.41469	-96.8175	-122.7	2025	Yes	Simsboro
PO-008628	Burleson	30.41469	-96.8175	-136.9	2026	Yes	Simsboro
PO-008629	Burleson	30.42799	-96.833	-135.9	2025	Yes	Simsboro
PO-008629	Burleson	30.42799	-96.833	-140.2	2026	Yes	Simsboro
PO-008630	Burleson	30.4306	-96.8238	-232.3	2025	Yes	Simsboro
PO-008630	Burleson	30.4306	-96.8238	-226.1	2026	Yes	Simsboro
PO-008631	Burleson	30.43199	-96.8161	-152.9	2025	Yes	Simsboro
PO-008631	Burleson	30.43199	-96.8161	-165.8	2026	Yes	Simsboro
PO-008668	Burleson	30.55974	-96.7923	167.5	2025	No	Carrizo
PO-008668	Burleson	30.55974	-96.7923	167.5	2026	No	Carrizo
PO-008678	Burleson	30.34644	-96.6539	180.4	2025	No	Yegua - Jackson
PO-008678	Burleson	30.34644	-96.6539	183.9	2026	No	Yegua - Jackson
PO-008680	Burleson	30.34374	-96.657	167.7	2025	No	Yegua - Jackson



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-008680	Burleson	30.34374	-96.657	170.4	2026	No	Yegua - Jackson
PO-008716	Burleson	30.7128	-96.64	267.4	2025	No	Queen City
PO-008716	Burleson	30.7128	-96.64	267.4	2026	No	Queen City
PO-008767	Burleson	30.48356	-96.8605	12.0	2025	Yes	Simsboro
PO-008767	Burleson	30.48356	-96.8605	5.8	2026	Yes	Simsboro
PO-008794	Burleson	30.52723	-96.8188	141.9	2025	No	Carrizo
PO-008794	Burleson	30.52723	-96.8188	134.1	2026	No	Carrizo
PO-008802	Burleson	30.57456	-96.6542	276.8	2025	No	Queen City
PO-008802	Burleson	30.57456	-96.6542	276.3	2026	No	Queen City
PO-008805	Burleson	30.55986	-96.8091	195.8	2025	No	Carrizo
PO-008805	Burleson	30.55986	-96.8091	191.1	2026	No	Carrizo
PO-008826	Burleson	30.56102	-96.8108	200.4	2025	No	Carrizo
PO-008826	Burleson	30.56102	-96.8108	195.3	2026	No	Carrizo
PO-008845	Burleson	30.57678	-96.6577	277.6	2025	No	Queen City
PO-008845	Burleson	30.57678	-96.6577	277.1	2026	No	Queen City
PO-008862	Burleson	30.46203	-96.5525	221.9	2025	No	Yegua - Jackson
PO-008862	Burleson	30.46203	-96.5525	221.9	2026	No	Yegua - Jackson
PO-008884	Burleson	30.5606	-96.7458	188.1	2025	No	Carrizo
PO-008884	Burleson	30.5606	-96.7458	182.8	2026	No	Carrizo
PO-008907	Burleson	30.46805	-96.6724	285.7	2025	No	Queen City
PO-008907	Burleson	30.46805	-96.6724	288.2	2026	No	Queen City
PO-008922	Burleson	30.55991	-96.7839	179.6	2025	No	Carrizo
PO-008922	Burleson	30.55991	-96.7839	175.2	2026	No	Carrizo
PO-008923	Burleson	30.52428	-96.816	140.0	2025	No	Carrizo
PO-008923	Burleson	30.52428	-96.816	132.0	2026	No	Carrizo
PO-008934	Burleson	30.55868	-96.8014	365.7	2025	No	Queen City



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-008934	Burleson	30.55868	-96.8014	365.1	2026	No	Queen City
PO-008956	Burleson	30.49305	-96.7748	92.7	2025	Yes	Carrizo
PO-008956	Burleson	30.49305	-96.7748	77.2	2026	Yes	Carrizo
PO-008964	Burleson	30.50075	-96.8739	117.6	2025	No	Carrizo
PO-008964	Burleson	30.50075	-96.8739	117.6	2026	No	Carrizo
PO-008965	Burleson	30.52738	-96.8582	165.3	2025	No	Carrizo
PO-008965	Burleson	30.52738	-96.8582	156.4	2026	No	Carrizo
PO-008971	Burleson	30.53394	-96.9133	232.2	2025	No	Calvert Bluff
PO-008971	Burleson	30.53394	-96.9133	225.8	2026	No	Calvert Bluff
PO-009026	Burleson	30.68	-96.7117	333.0	2025	No	Queen City
PO-009026	Burleson	30.68	-96.7117	333.0	2026	No	Queen City
PO-009032	Burleson	30.54964	-96.7905	165.0	2025	No	Carrizo
PO-009032	Burleson	30.54964	-96.7905	165.0	2026	No	Carrizo
PO-009061	Burleson	30.5601	-96.8855	238.3	2025	Yes	Carrizo
PO-009061	Burleson	30.5601	-96.8855	228.1	2026	Yes	Carrizo
PO-009064	Burleson	30.60381	-96.5363	37.6	2025	Yes	Simsboro
PO-009064	Burleson	30.60381	-96.5363	32.5	2026	Yes	Simsboro
PO-009067	Burleson	30.55872	-96.8017	188.4	2025	No	Carrizo
PO-009067	Burleson	30.55872	-96.8017	184.4	2026	No	Carrizo
PO-009090	Burleson	30.56755	-96.7449	192.9	2025	No	Carrizo
PO-009090	Burleson	30.56755	-96.7449	188.7	2026	No	Carrizo
PO-009101	Burleson	30.453	-96.7039	275.2	2025	No	Sparta
PO-009101	Burleson	30.453	-96.7039	273.7	2026	No	Sparta
PO-009104	Burleson	30.60673	-96.5342	173.5	2025	No	Sparta
PO-009104	Burleson	30.60673	-96.5342	174.9	2026	No	Sparta
PO-009130	Burleson	30.67323	-96.716	231.5	2025	No	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-009130	Burleson	30.67323	-96.716	231.5	2026	No	Carrizo
PO-009157	Burleson	30.39192	-96.5563	207.7	2025	Yes	Yegua - Jackson
PO-009157	Burleson	30.39192	-96.5563	208.3	2026	Yes	Yegua - Jackson
PO-009189	Burleson	30.49561	-96.8548	192.6	2025	Yes	Calvert Bluff
PO-009189	Burleson	30.49561	-96.8548	186.0	2026	Yes	Calvert Bluff
PO-009210	Burleson	30.61898	-96.6608	281.0	2025	No	Queen City
PO-009215	Burleson	30.51114	-96.8972	65.6	2025	Yes	Simsboro
PO-009215	Burleson	30.51114	-96.8972	60.3	2026	Yes	Simsboro
PO-009230	Burleson	30.59707	-96.8796	129.9	2025	Yes	Simsboro
PO-009230	Burleson	30.59707	-96.8796	122.9	2026	Yes	Simsboro
PO-009260	Burleson	30.55202	-96.6853	174.1	2025	No	Carrizo
PO-009260	Burleson	30.55202	-96.6853	167.8	2026	No	Carrizo
PO-009332	Burleson	30.51562	-96.8302	123.0	2025	No	Carrizo
PO-009332	Burleson	30.51562	-96.8302	108.7	2026	No	Carrizo
PO-009346	Burleson	30.54055	-96.9071	370.3	2025	No	Queen City
PO-009346	Burleson	30.54055	-96.9071	369.9	2026	No	Queen City
PO-009372	Burleson	30.54111	-96.9048	370.8	2025	No	Queen City
PO-009372	Burleson	30.54111	-96.9048	370.5	2026	No	Queen City
PO-009387	Burleson	30.60442	-96.7098	293.1	2025	Yes	Queen City
PO-009387	Burleson	30.60442	-96.7098	292.7	2026	Yes	Queen City
PO-009404	Burleson	30.46508	-96.668	274.1	2025	No	Sparta
PO-009404	Burleson	30.46508	-96.668	272.6	2026	No	Sparta
PO-009431	Burleson	30.56948	-96.7376	195.1	2025	No	Carrizo
PO-009431	Burleson	30.56948	-96.7376	191.2	2026	No	Carrizo
PO-009434	Burleson	30.50265	-96.842	110.8	2025	No	Carrizo
PO-009434	Burleson	30.50265	-96.842	101.3	2026	No	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-009446	Burleson	30.57238	-96.9207	124.0	2025	Yes	Simsboro
PO-009446	Burleson	30.57238	-96.9207	117.3	2026	Yes	Simsboro
PO-009486	Burleson	30.52303	-96.6043	250.6	2025	No	Sparta
PO-009486	Burleson	30.52303	-96.6043	249.7	2026	No	Sparta
PO-009570	Burleson	30.5014	-96.8503	131.6	2025	No	Carrizo
PO-009570	Burleson	30.5014	-96.8503	118.8	2026	No	Carrizo
PO-009572	Burleson	30.52576	-96.8231	139.5	2025	No	Carrizo
PO-009572	Burleson	30.52576	-96.8231	131.1	2026	No	Carrizo
PO-009609	Burleson	30.51972	-96.8981	162.3	2025	No	Carrizo
PO-009609	Burleson	30.51972	-96.8981	153.5	2026	No	Carrizo
PO-009651	Burleson	30.34349	-96.538	207.5	2025	No	Yegua - Jackson
PO-009651	Burleson	30.34349	-96.538	206.5	2026	No	Yegua - Jackson
PO-009683	Burleson	30.60167	-96.7371	221.1	2025	No	Carrizo
PO-009683	Burleson	30.60167	-96.7371	218.2	2026	No	Carrizo
PO-009707	Burleson	30.60509	-96.5455	230.6	2025	Yes	Queen City
PO-009708	Burleson	30.42895	-96.8069	309.0	2025	Yes	Queen City
PO-009708	Burleson	30.42895	-96.8069	308.5	2026	Yes	Queen City
PO-009709	Burleson	30.43576	-96.8041	314.8	2025	Yes	Queen City
PO-009709	Burleson	30.43576	-96.8041	314.4	2026	Yes	Queen City
PO-009710	Burleson	30.41466	-96.8169	304.5	2025	Yes	Queen City
PO-009710	Burleson	30.41466	-96.8169	304.3	2026	Yes	Queen City
PO-009765	Burleson	30.5616	-96.8445	186.4	2025	No	Carrizo
PO-009765	Burleson	30.5616	-96.8445	182.2	2026	No	Carrizo
PO-009774	Burleson	30.43361	-96.825	313.6	2025	No	Queen City
PO-009774	Burleson	30.43361	-96.825	312.6	2026	No	Queen City
PO-009786	Burleson	30.55784	-96.7254	187.1	2025	No	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-009786	Burleson	30.55784	-96.7254	178.7	2026	No	Carrizo
PO-009787	Burleson	30.50155	-96.8448	109.4	2025	No	Carrizo
PO-009787	Burleson	30.50155	-96.8448	99.1	2026	No	Carrizo
PO-009807	Burleson	30.47798	-96.8602	75.0	2025	No	Carrizo
PO-009807	Burleson	30.47798	-96.8602	75.0	2026	No	Carrizo
PO-009812	Burleson	30.43258	-96.5319	226.2	2025	No	Yegua - Jackson
PO-009812	Burleson	30.43258	-96.5319	226.2	2026	No	Yegua - Jackson
PO-010881	Burleson	30.46649	-96.6667	272.9	2025	No	Yegua - Jackson
PO-010881	Burleson	30.46649	-96.6667	271.4	2026	No	Yegua - Jackson
PO-010899	Burleson	30.68983	-96.6114	251.4	2025	No	Queen City
PO-010899	Burleson	30.68983	-96.6114	250.9	2026	No	Queen City
PO-010921	Burleson	30.3763	-96.6827	261.6	2025	No	Yegua - Jackson
PO-010921	Burleson	30.3763	-96.6827	260.7	2026	No	Yegua - Jackson
PO-010924	Burleson	30.32979	-96.6634	184.3	2025	No	Yegua - Jackson
PO-010924	Burleson	30.32979	-96.6634	184.5	2026	No	Yegua - Jackson
PO-010952	Burleson	30.501	-96.8754	120.2	2025	No	Carrizo
PO-010952	Burleson	30.501	-96.8754	109.7	2026	No	Carrizo
PO-010967	Burleson	30.48686	-96.8845	116.1	2025	No	Carrizo
PO-010967	Burleson	30.48686	-96.8845	107.0	2026	No	Carrizo
PO-010970	Burleson	30.55033	-96.7138	166.4	2025	No	Carrizo
PO-010970	Burleson	30.55033	-96.7138	166.4	2026	No	Carrizo
PO-010971	Burleson	30.43223	-96.8159	321.6	2025	No	Queen City
PO-010971	Burleson	30.43223	-96.8159	321.1	2026	No	Queen City
PO-010979	Burleson	30.50638	-96.8788	130.1	2025	No	Carrizo
PO-010979	Burleson	30.50638	-96.8788	122.2	2026	No	Carrizo
PO-011022	Burleson	30.44197	-96.4105	206.6	2025	No	Yegua - Jackson



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-011024	Burleson	30.50271	-96.8839	123.1	2025	No	Carrizo
PO-011024	Burleson	30.50271	-96.8839	114.6	2026	No	Carrizo
PO-011118	Burleson	30.49846	-96.8568	94.3	2025	Yes	Hooper
PO-011118	Burleson	30.49846	-96.8568	87.5	2026	Yes	Hooper
PO-011170	Burleson	30.55891	-96.816	182.4	2025	No	Carrizo
PO-011170	Burleson	30.55891	-96.816	177.0	2026	No	Carrizo
PO-011234	Burleson	30.56315	-96.6567	304.8	2025	No	Sparta
PO-011234	Burleson	30.56315	-96.6567	303.9	2026	No	Sparta
PO-011279	Burleson	30.44711	-96.79	-71.5	2025	Yes	Carrizo
PO-011279	Burleson	30.44711	-96.79	-84.0	2026	Yes	Carrizo
PO-011306	Burleson	30.36622	-96.5402	210.9	2025	No	Yegua - Jackson
PO-011306	Burleson	30.36622	-96.5402	210.9	2026	No	Yegua - Jackson
PO-011330	Burleson	30.51931	-96.9012	199.7	2025	No	Reklaw
PO-011330	Burleson	30.51931	-96.9012	194.2	2026	No	Reklaw
PO-011338	Burleson	30.59962	-96.8363	222.6	2025	No	Calvert Bluff
PO-011338	Burleson	30.59962	-96.8363	217.9	2026	No	Calvert Bluff
PO-011361	Burleson	30.56377	-96.7479	195.3	2025	No	Carrizo
PO-011361	Burleson	30.56377	-96.7479	190.9	2026	No	Carrizo
PO-011370	Burleson	30.4863	-96.8785	114.5	2025	No	Carrizo
PO-011370	Burleson	30.4863	-96.8785	103.1	2026	No	Carrizo
PO-011373	Burleson	30.4846	-96.8878	153.1	2025	No	Carrizo
PO-011373	Burleson	30.4846	-96.8878	141.9	2026	No	Carrizo
PO-011376	Burleson	30.4829	-96.8904	331.7	2025	No	Queen City
PO-011380	Burleson	30.50112	-96.867	125.3	2025	No	Carrizo
PO-011380	Burleson	30.50112	-96.867	113.4	2026	No	Carrizo
PO-011383	Burleson	30.52692	-96.8239	145.5	2025	No	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-011383	Burleson	30.52692	-96.8239	137.6	2026	No	Carrizo
PO-011385	Burleson	30.47749	-96.8908	126.3	2025	No	Carrizo
PO-011387	Burleson	30.46073	-96.7034	132.3	2025	No	Carrizo
PO-011387	Burleson	30.46073	-96.7034	126.3	2026	No	Carrizo
PO-011388	Burleson	30.45178	-96.7155	130.2	2025	No	Carrizo
PO-011388	Burleson	30.45178	-96.7155	122.3	2026	No	Carrizo
PO-011389	Burleson	30.45272	-96.7176	127.7	2025	No	Carrizo
PO-011389	Burleson	30.45272	-96.7176	119.6	2026	No	Carrizo
PO-011394	Burleson	30.59717	-96.6099	247.1	2025	No	Queen City
PO-011394	Burleson	30.59717	-96.6099	246.6	2026	No	Queen City
PO-011423	Burleson	30.55792	-96.8778	231.8	2025	No	Calvert Bluff
PO-011423	Burleson	30.55792	-96.8778	229.3	2026	No	Calvert Bluff
PO-011435	Burleson	30.52695	-96.8813	158.8	2025	No	Carrizo
PO-011435	Burleson	30.52695	-96.8813	151.0	2026	No	Carrizo
PO-011489	Burleson	30.44263	-96.8556	43.1	2025	No	Carrizo
PO-011493	Burleson	30.55491	-96.7173	179.3	2025	No	Carrizo
PO-011493	Burleson	30.55491	-96.7173	167.0	2026	No	Carrizo
PO-011494	Burleson	30.60045	-96.832	221.5	2025	No	Calvert Bluff
PO-011494	Burleson	30.60045	-96.832	216.3	2026	No	Calvert Bluff
PO-011519	Burleson	30.48609	-96.582	202.0	2025	No	Carrizo
PO-011519	Burleson	30.48609	-96.582	194.6	2026	No	Carrizo
PO-011520	Burleson	30.39669	-96.778	10.7	2025	No	Carrizo
PO-011520	Burleson	30.39669	-96.778	10.7	2026	No	Carrizo
PO-011521	Burleson	30.62715	-96.6383	231.4	2025	Yes	Carrizo
PO-011521	Burleson	30.62715	-96.6383	228.5	2026	Yes	Carrizo
PO-011522	Burleson	30.6259	-96.6376	228.6	2025	Yes	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-011522	Burleson	30.6259	-96.6376	225.2	2026	Yes	Carrizo
PO-011523	Burleson	30.62802	-96.6359	224.2	2025	Yes	Carrizo
PO-011523	Burleson	30.62802	-96.6359	221.7	2026	Yes	Carrizo
PO-011524	Burleson	30.59771	-96.5749	40.3	2025	No	Simsboro
PO-011524	Burleson	30.59771	-96.5749	31.5	2026	No	Simsboro
PO-011546	Burleson	30.57959	-96.9029	229.7	2025	No	Calvert Bluff
PO-011546	Burleson	30.57959	-96.9029	224.5	2026	No	Calvert Bluff
PO-011549	Burleson	30.62494	-96.6135	227.2	2025	No	Sparta
PO-011549	Burleson	30.62494	-96.6135	227.2	2026	No	Sparta
PO-011566	Burleson	30.57988	-96.6344	205.7	2025	No	Carrizo
PO-011566	Burleson	30.57988	-96.6344	201.0	2026	No	Carrizo
PO-011568	Burleson	30.53977	-96.668	191.9	2025	No	Carrizo
PO-011622	Burleson	30.4477	-96.8443	-32.5	2025	No	Carrizo
PO-011622	Burleson	30.4477	-96.8443	-32.5	2026	No	Carrizo
PO-011650	Burleson	30.67275	-96.6989	258.8	2025	No	Calvert Bluff
PO-011650	Burleson	30.67275	-96.6989	257.5	2026	No	Calvert Bluff
PO-011654	Burleson	30.59357	-96.7668	222.2	2025	No	Carrizo
PO-011654	Burleson	30.59357	-96.7668	219.0	2026	No	Carrizo
PO-011704	Burleson	30.57723	-96.61	223.6	2025	No	Carrizo
PO-011704	Burleson	30.57723	-96.61	222.4	2026	No	Carrizo
PO-011705	Burleson	30.5607	-96.6363	192.7	2025	No	Carrizo
PO-011705	Burleson	30.5607	-96.6363	185.4	2026	No	Carrizo
PO-011706	Burleson	30.57472	-96.6103	208.6	2025	No	Carrizo
PO-011706	Burleson	30.57472	-96.6103	204.7	2026	No	Carrizo
PO-011708	Burleson	30.43356	-96.7393	62.1	2025	No	Carrizo
PO-011708	Burleson	30.43356	-96.7393	50.1	2026	No	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-011712	Burleson	30.43178	-96.7381	72.8	2025	No	Carrizo
PO-011712	Burleson	30.43178	-96.7381	57.3	2026	No	Carrizo
PO-011713	Burleson	30.54898	-96.6503	195.8	2025	No	Carrizo
PO-011713	Burleson	30.54898	-96.6503	190.9	2026	No	Carrizo
PO-011785	Burleson	30.56121	-96.6348	196.6	2025	No	Carrizo
PO-011785	Burleson	30.56121	-96.6348	189.2	2026	No	Carrizo
PO-011811	Burleson	30.56075	-96.8351	185.8	2025	No	Carrizo
PO-011835	Burleson	30.59293	-96.8778	134.8	2025	No	Hooper
PO-011835	Burleson	30.59293	-96.8778	134.8	2026	No	Hooper
PO-011856	Burleson	30.58915	-96.752	207.4	2025	No	Carrizo
PO-011856	Burleson	30.58915	-96.752	201.0	2026	No	Carrizo
PO-011875	Burleson	30.3875	-96.7447	83.6	2025	No	Carrizo
PO-011875	Burleson	30.3875	-96.7447	83.6	2026	No	Carrizo
PO-011893	Burleson	30.55519	-96.6813	284.2	2025	No	Queen City
PO-011893	Burleson	30.55519	-96.6813	284.2	2026	No	Queen City
PO-011906	Burleson	30.57534	-96.6422	273.6	2025	No	Queen City
PO-011906	Burleson	30.57534	-96.6422	273.6	2026	No	Queen City
PO-012012	Burleson	30.42575	-96.8304	321.4	2025	No	Queen City
PO-012020	Burleson	30.53631	-96.8555	172.5	2025	No	Carrizo
PO-012020	Burleson	30.53631	-96.8555	172.5	2026	No	Carrizo
PO-012026	Burleson	30.52157	-96.8683	137.7	2025	No	Carrizo
PO-012026	Burleson	30.52157	-96.8683	137.7	2026	No	Carrizo
PO-012050	Burleson	30.49014	-96.881	113.5	2025	No	Carrizo
PO-012050	Burleson	30.49014	-96.881	103.8	2026	No	Carrizo
PO-012095	Burleson	30.5894	-96.7554	209.5	2025	No	Carrizo
PO-012095	Burleson	30.5894	-96.7554	206.0	2026	No	Carrizo



District ID	County	Latitude	Longitude	Average Water Level (famsl)	Analysis Year	Has Transducer	Aquifer
PO-012123	Burleson	30.56832	-96.913	265.3	2025	No	Calvert Bluff
PO-012123	Burleson	30.56832	-96.913	265.3	2026	No	Calvert Bluff
PO-012192	Burleson	30.47755	-96.8909	124.0	2025	No	Carrizo
PO-012192	Burleson	30.47755	-96.8909	111.1	2026	No	Carrizo
PO-012204	Burleson	30.54979	-96.7134	297.8	2025	No	Queen City
PO-012204	Burleson	30.54979	-96.7134	297.8	2026	No	Queen City
PO-012207	Burleson	30.58732	-96.8621	206.5	2025	No	Carrizo
PO-012207	Burleson	30.58732	-96.8621	206.5	2026	No	Carrizo
PO-012244	Burleson	30.438	-96.7184	279.4	2025	No	Sparta
PO-012244	Burleson	30.438	-96.7184	279.4	2026	No	Sparta
PO-012338	Burleson	30.54563	-96.8872	204.8	2025	No	Calvert Bluff
PO-012338	Burleson	30.54563	-96.8872	204.8	2026	No	Calvert Bluff
PO-012339	Burleson	30.55004	-96.8809	188.9	2025	No	Calvert Bluff
PO-012339	Burleson	30.55004	-96.8809	188.9	2026	No	Calvert Bluff
PO-012383	Burleson	30.50439	-96.8755	120.5	2025	No	Carrizo
PO-012383	Burleson	30.50439	-96.8755	120.5	2026	No	Carrizo
PO-012399	Burleson	30.50125	-96.8717	93.5	2025	No	Carrizo
PO-012399	Burleson	30.50125	-96.8717	93.5	2026	No	Carrizo
PO-009770	Williamson	30.45788	-97.1831	461.0	2025	No	Simsboro
PO-009770	Williamson	30.45788	-97.1831	460.7	2026	No	Simsboro